



NATIONAL LIBRARY OF MEDICINE
1836

10 blank leaves not scanned

De Materiâ Medicâ

Collegium D. Pauli Hermanni.

Materia Medica vocatur omne id quod corpus nostrum alterare potest sive Aliment. sit s. Medt. Ex hoc segete amplâ selectiora Medici sibi eligere ac in distinctas Classes redexerunt. Hinc distinctiones quas fecerunt tyronibus difficiliores sunt ob nomina obscura malâ methodo numerorumque multiplicem memoriam gravantem. nos aliū ordinem sequemur.

Quatuor sunt adminicula ad notitiam omnium simplicium eorumque facultatum valde conducentia 1. Etymologia nominis ut in Symphyto Tussilagine Scabiosa Vincetoxico etc. patet non enim temere aut casu sed magno cum judicio plerumque simplicibus a veteribus nota sunt indita. 2. Eorundem frequens inspectio et usus. 3. Exploratio eorundem Saporis et Odoris. 1mo quoad odorem si percipiatur Fragrans, indicatur esse Calidum et Aperiens. Si etiam Suavis Cardiacum et Cerebrum corroborans eoque magis vel minus prout odor fortior est aut debilior. Si Odor contra ingratus sit et molesta Calida censetur sed Uterina non Cephalica constat enim particulis spirituosis sed paulo fixioribus. Quoad Saporem quae Acrem habent indicantur Calida Aperientia viscera corroborantia quae Amara sunt Calida ut Absynth. Centaur. Abrot. Card. Bened. et haec omnes sunt Antifebriles praecipue Card. Bened. Quae Dulcem saporem

habent Temperata ut Ficus. Quae Acida Frigida ut Oxalis, quae Acida simul et Acerba potentissime Refrig. et Astring. ut Mali Corn. 4. Uniuscuiusq. plantae Character Essentialis sive Nota Specifica quae a Fine plantae ultimo Fructificatione sc: a Dispositione nem: Floris et Seminis desumenda, quae en: eandem habent Notam specificam plerumq. easdem etiam inter se facultates habent ut in Umbellatis fere oibs et Verticillatis potest videri. in quo tamen non nego quasdam dari Exceptiones ac ideo unum Sapor et Odor etiam conveniant utiq. observandi. Observatur a: methodus Pharmacopoeae Augustae Lodamensis, quo agemus

De Radicibus

Hae commode dividi possunt in Aromaticas Purgant: Astring. et Emoll: et hic, primo occurrit.

Calamus Aromaticus

Qui Triplex est Verus et Officinarum et sunt Calamus Aromat: Veterum sunt Plantae Aegyptiacae (Alpino in Pl: Exot: Cassabel Dariva dicta quae Tetrapetala est foliis oblongis acuminatis in basi caliculatis seminibus nigris minutissimis refertis) Cauliculi tenuis es geniculati foris pallide flavescentes intus candidi includentes medullam fungosam telam sitem telis araneaes in se collapsis et globulis saporis acris suaviter amaricantis odoris fragrantissimi.

Ex Sap: et od: patet eum Calid. Cephal: Stomach: (ad pituitam sc: viscidam discutiendam) Cardiac: Uterin: et in substantia (cum en: nimis acre aut

ingratus est) et in Infuso (saltem cum liquori plurimas suas communicat) exhiberi posse; in Decocto aut Extracto partes eius volat. aufugiunt. In nostris officinis est ignotus descriptio notissimus Ubi eo cibos condiunt.

Ex eo ut ex aliis suaviter odoratis destillari possunt Sp: et Ol: et aqua valde fragrantia.

Calamus Aromaticus Officinarum est Acori veri (B. R. quae planta est Julifera flosculis tetrapetalis q: ... et seminibus minutis in Julis s. Uncamentis variis) Radix oblonga paulum compressa in superficie geniculata foris ex flavo rufescens intus alba saporis acris suaviter amaricantis et aromatici Odoris fragrantis.

De hoc eadem dicenda quae de priori dicta sunt. imprimis usurpatur in Stomachi affectibus. Dicunt Belgae egregie a peste praeservare. Solet praescribi in Pulv: (in flatib: infantum et agitat:) ... in Infuso in Vino ... S.V. Maxime discutit humores et nubeculas in Oculo (unde nomen habet a κορη pupilla) praescribunt in pulv: ... aqua ejus destillata multum praestare quam pulvis rosae minus ... vis est. Nascitur sponte in locis palustribus in Ital: et Belgio.

Prostant Rad: Condita in Germ: et Elect. Diacoron Mesuae in tussi valde proficuum.

Acorus Indicus

Est planta Ca Garzia ab Ort l. 1. c. 32 Arom:) Malabaris Vazabu vulgo Vazinibo dicta. (quae eadem est cum praecedenti foliis omnibus partibus tenuior et minor) Rad: paululum compressa Acoro vulgari tenuior et in superficie crebrius geniculata foris rufescens intus ex rufo pallescens Odor: Aromat: fragrantis Acoro vulgari gratioris.

Hinc praecedenti ubi haberi potest praeferenda Acorus ... vocatur minus

A longe bene usurpabant in Offic. loco Flori veri Flori adulterini duo Genera sc. Lutea et Germanica sed separa hoc eum astringit et purgat. de eis postea.

Alcanna

Est veter et Officinar

Alcanna veter e Arbuscula Indica li-gustri facie et specie Alpino Elhenna seu Tamarhenda cuius Foliis utunt Indi Arabes et Egyptij tum ad usus medicos tum ad tinctoras folia aut. illa in nostras officinas n transfe-runt quae sciam o durant. huic substituta e

Alcanna Officinar quae e (Anchusae Mons-peliane J. B. plantae Asperifoliae fl. monopet. corniculato Semi rugosis quaternis caput super-rius experimentis unde Echii potius species e) Radix oblonga tenuis foris rubicunda intus alba rubro colore inficiens saporis dum recens paulo astringentis dum sicca humiliusq. odoris nullius.

Sapor indicat Frigidam et ad Astringendum Pix nulius usus posset et officinis exulare. usui tinc-torio inservit. Ex eo species Pigment. Sic coquunt in aq. pluvi: tum addunt pauxil-lo Aluminis et ulterius coquunt donec inspissetur et hoc tingunt faciem et manus mulieres in Gallia. Ibidem chartam praecedenti decocto in-tingunt. ad... et exsiccatam servant quibus pos-tea humefacta faciem et... colore rubicundo inficiunt.

Althea

Est (Althea Dioscor. et Plin: B. P. H. O. pl. e Pentapet. Semi: semilunaribus in orbem dispositis caseolum exprimente dispositis) Radix

oblonga digiti plerumq crassitie in ramos dibaricata foris pallide cinerea, int⁹ candida ex siccitate rugosa sapor: muc. lagineus leniter dulcis et aquei. dict ab arabico medecer. spectat ad species Maltha. nascitr in locis palustribus.

Hae sunt oes eandem notā Essentialem haben tes particulis suis mucilaginos & pinguibus acres dulcorificas, involvit aqueis se insinuando inter particulas ptes induratas eas separat ac rarefacit hinc Ahordyn: et Emoll: est. Vulneraria it. emolliendo ptes circa ulcus induratas consolidationē impedientes.

Raro in Jubio exhibetr melius in Decocto. in Clysteriis praescribitr & sola & cū aliis.

Prostant hinc Unguent: Emoll: et Len: et Syrup⁹ de Altha: Fernelii opt: in Tussi et Asthm: optimus corrosionem ani et exulcerationē pulmonis a mala acri arrosie impedit haec radix. Aq: sola insipida dum destillari potest et sap: pat et.

Angelica

Est (Angelica Sativa B. L. pl: Umbellata) Rad: Oblonga et capite crassiori in fibras saepe pollicares aut longe tenuiores divisa foris ex flavo russescens medulla interior albā Sap: acris sualiter amaricantis Odor: fragrantis.

Calef: sicc: Atten: e Alexiph: ex Rad: Zin. z. 6: aut Zedoari ana ℈ß. usurpat utilissime ad stomachū Uterina e summe delectanti ejus odore hysterice. Diuretic.

Hinc Aq: et Ol: fragrantiss: destillari possit Theriacā ingredit. In Misnia integri agri eā conserunt unde in totā Europā et Indiā defert.

Apium

Est C. Apii palustris B. P. pl.ᵉ umbellatae
Rad. pollicem crassa albicans ex crassiori capi-
te in tenues numerosas fibras dilaniata sapo-
ris Odor. fragrantis.

Vis ut plurimum consistit in corticibus et ẽ in fibril-
lis Easdem cum reliq. umbellatas facultates habet
Calid. Atten: sic: ẽ tam adeo odorata aut
fragrans ẽ ac Angel: at saporẽ habet acrem
simul et tenuem ac aquosam aqui sic: tenui humor
specifice urinam pellit menses movet et calculum
diffibilem ẽ.

In Decocto et nonnullis panis cui constat plerumque
aromaticis variis in Infuso. Ex ficcata vires di-
ves serbat. In acetariis usurpatur nomẽ Selleri.
ẽ magna vis in aqua destillata.

Ingreditur Syr: e 5 Radicibus Aper.

Arum

Est C. Ari vulg. B. P. pl.ᵃ sarcifert baccis
e floribus nuisonis in pistillo clavata foliaceã -
ampla (et cucullata inclusa racematim dis-
positis) Rad: subrotunda tuberosa foris et in-
tus candida Sap: acerrimi et exurentis Od:
nullis.

Ex sapore patet eã Innid: Atten: Specifice
corrigit crudilatẽ stomachi acidam. ẽ et stoma-
cica quod viscosa et acida maa in pulmonibus
ẽ collecta pulvis opt.ᵉ corrigit mucilaginẽ
in ulceribus sordidis collectam. Aqua specifica
ẽ in peste qui saepe curat sudores pellit.
ẽ Diuretica sed debe sumi cum magna quanti-
tate alius aquae diluentis quia sumi ne totas
vires exsiccet

In Decocto 3 in sem pardit formula nullis

ē usus. opt.ᵉ siccatʒ in clibano et pulv. ad ℈j. exhibetʒ in vino calido ut ejʒ sapor univ. percipiatʒ statim deglutiendo ē ne inflammentur fauces. ℞ Syrupus fiat si pro pulmonibus. mitior ē d. succo.

Aristolochia Longa

Est (Aristolochia longa vera C. B. pl.ᵉ Hexacapsularis Monopet: difformis Fl: Semifistulari in labellʒ palā exprimens efformato capsulā oblonga rotundā pyriformi striata s. sulcata in sex loculamenta seminifera divisa) Rad. oblonga pallida solida pollicari crassitie Sap: amari pruriti paululʒ acris Odor. debilis stomachi. Dictʒ q. ἄριστη ταῖς λοχείαις optima puerperis.

Calef: sicc. Abster: Lochia secundinas fœtʒ mortuʒ menses pellit. Vis aromatica ē magna Egregie Hæmoptoicos preservabat ab ulcere pulmonum attenuando et educendo sangᵉ qui alias putresceret. Odor gravis (quo uterina deprehendi,) radice fracta sentitʒ.

Datʒ in subst. infuso aut decocto. prescribitʒ in decoctʒ cum aliis singulis ad ℔. ℥j.

Aristolochia Rotunda

Est (Aristolochia rotunda Fl: ex purpureo nigro C. B. eadē cum praeced: uti dentis) Rad: crassa tuberosa pallida Sap: Aristol: Longa amariori et acriori odoreq. fragrantiori

Vires cum preced: eadē sed fortiores. speciatim ē ad Asthma Scorbuticum. In ulcer: malig: ejus decoct. opt: Exsiccat en: et facit ne eo loci humores ulterius fluant. Dos: in subst. ad ʒj ʒ ß o ʒj. In Germ. sponte nascitʒ. Colligend: 1ᵒ vere cum folia, ms emergunt et in umbra exsiccand: ō oppᵉ secari in taleolas. Differt a Longa [illegible]

radicis forma et qd hæ sola habeāt longi-
oribs speciolis insidentia.

Aristolochia Clematitis. Tenuis

Est C.Bauh. Clematitis recta B. P. eandē
cu prior: nota dentis) Rad: oblonga tenuis
pallida st sap: amaricantis longā et latā
strioris odoris fragrantis. huj9 flores st
flavescentes.

Vires priorib9 efficaciores, vehementer
sudores mouet. non diu grat saporē et odo-
rē retinet. ideo raro in Offic: extat et
recens utenda. in locis ubi ut vetro sepes
sponte nascit et longe lateq radices
spargit.

Asarum

Sunt plantæ Asari B. P. ... triangu-
laris Monspel: Flor: herb: carnis quasi
foliolis dissectis sem: acinis uvarum similis)
Radices tenues fibrosæ spadiceæ sap: acris
nauseabundi cu leni quadā adstringentiā
odoris Nardini ingrati

Particulis cstat (ut ex nauseabundo cstat
sapore) quæ massæ sanguinis ō facile uniunt
cu ijs potius inimicæ st unde sanguis fermen-
tatione quadā eas expellere conat et simul
cu illis humores alios noxios expellit. Purgat
igit ... ab odore nardino st grati:
Uterina cognoscit. propter stipticitatem vio-
lenter operat. Specif: ē ad 3uas et 4tanas
et obstinatissimos morbos melancholicos et
hystericos. Pulv: dat ad purgand ad ℈j
et ʒß cu aliquo aromat: opt.e tāe corrigit
oleo aliquo ut Anisi quo stipticitas illa obtun-
dit. ad uterum expurgand dat a gr. XV ad ℈ß.

In decoct. aut infus: ad purg: ℥iij. in vino. Lev
nter cortex tamen citrà fordes solus pro alvo purgat
fortissime cum vino et est cathartica ad uteri affect
solus prodest. In sole si siccetur vis cathartica
perit. quo fragrantior odor eo nobilior fragr
rantes tamen illae plurimum corrector; breve obeunt
Ingreditur corticis Hedichroos propter vim
sui purgandi ... incidendi et sudores movendi.
... fiunt 1. Diasar Fernelii cujus dos. ad ʒj.
2 Coagulum Asari cum sp. 2. prestat Extractum cum
eodem, specifice in febre scorbutico. exhiberi
in sp. 2. de Cochlearia

Asparagus

Sunt (Asparagi sativi qui est Baccifera flex
apert: non scandens) radices tenues oblongae fili
formes molles q. fungosae albidae plures ex
uno capite dependentes saporis moderate acris
tenuis subdulcis odoris nullius.

Sapor acer tenuis aquosus indicat diureticos
esse. et Obs: hanc radicem ut omnia fere diuretica
urinam reddere albidam turbidam male olentem
quia fundunt humores serosos in venas et veni
... sanguinem educunt. Sapor hujus dulcis quo
dammodo pinguis mucilaginosus monstrat ano
dynum esse et inde exhibetur ubi urina est
ardens et dolor-fera. haec colligend.

Datur in Decoct. , ingreditur, purg: de
5 Rad:

Bardana

Est Clappa maj: B. P. plo Capitata
cum spinosa -c. compos: fistulari semi: pappo

cristatis] Rad: oblonga foris spadicea o raro
nigricans intus albida saporis aquei ut pluri
mu lanuis subdulcis aliqdo cu lebi amaritu
dibus Lappa a Lacertir adhaerere.
Haec cut ses plantae Corymbiferae vires habet
movendi urinas et sudorem. habet ut de
Scorzonera dubis dixi aliqd mucilaginosi. habet
Q in se aliqd alkl unde a Medi praescribitur
marcentibus ut iis qui curatione a Lue ven:
st emaciati ut obesi fiant. interne et
externe valet ad scorbutida hac ipse nunq
(Cures aliqdo iuva praestant.
Datur in Decoct: et Infus: cu aliis Diuret:
Cortex in subtu. In sole siccanda multu enim
habet succi unde facile putrescat.

Bistorta

rad: minus intorta B.P.

Est (Bistorta majr rad: pentaphyl. spicat.
sem: lucidis triangulis) oblonga pollicis
crassa q: tuberosa et geniculata s: nodosa
o ming in retorta foris ex spadiceo nigri
cans intus ex flavo rufescens sapo austeri
itonli astringentis Odor: nullus.
Ex sap: Frigida e Astring.
Datur in Decoct: astringentibus ut ad Dys.
enteria. Datur Q in pulv: ad Vomitus compes
cendos ad ʒj. Et in oibus morbis pestilent.
ubi periculu e ne sanguinis vasis destinata
effervescentia maligna impedit ne talis
affecti: ulterius p sanguine corrupt. Efficit.
Vulnerar.

Bryonia Alba

Est (Bryonia aspera B. P. baccis rubris, qua ē pl.ª Baccifera Pentapetaloidea, scandens) Rad. pregrandis longa crassa carnosa albida q. fungosa, intus circulis donata Sap: acris amaris: ingrati nauseabundi Odor: Virosi

Hinc ut de Asaro dictu purgat. ad Tubercu in Hydrope morbis Hypochondr: et in uteri suffocatione partu expellendo. ad Hollwertz ... applicando

Datq in Bolo, in puluere: ad ʒij. qª in locis humid. crebr. debilior ē. in uterij suffocatione atiō pad partq expell: ad ʒß. gᵈ. in subta nimis est violenta. praestat in Extracti aut decoct: Hujus vis ō adeo facile coctione deperdit ac vis Asari. Fecula nil valet. colligend. imo leve in taleolos secanda et in sole siccanda. Sapor mitescit siccitate.

Bryonia Nigra

Est (Bry: nigra racemosa Caulis B. P. plo ab albera differentis qd. hoc racemosa sit) Rad. in hoc a priori diversa qd nulli in ea sint circuli

Hujus ō tanta vis et minus ē in usu

Carlina

Est (Carlina acaulos magno fl: B. P. plᵃ Capitata Spinosa flore: fistular. Sem: papposo) Rad. oblonga digitalis in sum. Superficie ut plurimum ... rorsa et foraminulenta

colore, foris russo intus albido sap: acris gra-
tis aromat. odoris fragrantis. Rad: quo soli-
dior eo praestantior. nomen acc. a Carolo
Imperat: qui eâ exercitū a peste liberabit
Sudorif: e Alexiph: diuret. et cum odor
quidē sit iucundus et sapor sit gratus ...
~~...~~
~~...~~
... utiliss: ad in ulceribus humidis et malig.
Exhibetur ipsis equis ... ad ℥i. qbus poten-
tissime movet sudores unde eorū ulcera sorda
exsiccantur. pariter operatur in hoibus ut in
Lue veni infectis.
Decoct. sumendo rad. ℥i. ad mensuras ...
... ... miscent pulv: ... melle et
... faciunt Electuariū. ... ...
... ... decocti
... ... movet ... ...
que in locis ... ... melior.
~~... ... ...~~ effodiendu
postquā defloruit.

Caryophyllata

Sunt Caryoph: vulg: B. ... pl.ᵈ ...
Sem: in capitulo ... ... radices
fibroso ... ... ex una capite crassi;
... ... sap. subacris grata amaricans
ris odor. modo aromatici et Caryophylla-
.ei modo nullus.
Iuvat Alexi ... stomachi: ... ...
pulvis ... vino calido ... ...
Rotunda ... resolvit sangue ...
... ... in Hemoptysi ...
... ... Rad. Contrayerva ...
... ... quā annosa.

Cava

Est (Fumariae bulbosae rad. cava maj. C.B. P. pl.ae siliquosae bivalvis uni capsularis Fl. monopet. difformi antrorsum rictu posterius calcari notato foliis quae floribus subjaciunt integris) Rad. rotunda tuberosa sublutea inferiori parte sessilis et excavata Sap: fortis insigniter amaricantis odoris exigui.

Habet o[mn]es virtutes Aristolochiae

Fabacea

Aristolochia fabacea dicta est (Fumariae bulbosae rad. non cava minori C.B.P.) pl.ae in hoc a priore diversae quod hujus foliola quae floribus subjiciuntur sint [illegible] pilulis cristata) Rad. tuberosa sublutea rotunda fabae rotundae instar superna et inferna parte sessilis. Sicca foris pallide flavescens intus albida farinacea amaricantis saporis odoris nullius.

Eandem cum priori facultatem ut hoc permutare se offerat Rondeletius quia pulvis inspergatur imbibit omnem humiditatem et a carie [illegible] uti faciunt omnes farinaceae. Priori magis astringit. annosa vim fere perdunt

China

Orientalis ad Offic. Est (Smilacis asperae Chinensis Lampatan dictae) Rad. crassa tuberosa nodosa ponderosa lignosa foris pallide rubescens intus pallida Saporis [illegible] terrestris leniter astringentis odoris nullius dum recens aliquatenus acris et [illegible] unctuosa. Planta est hexapetala scandens

Particulis gustat tenuissimis unde sudorif: diuret: et in morbis Chron: et Lue venerea utiliss: Herix his licet in rad. sicca condi gustui se ò go dat qa ptiuncla ejus aromatica oleosa intime cũ terrestrib. unimut, tamen ejus ℥j. fortiter ₮ horas 9. in olla clausa cocta Mensuras aqua XV rubedine tinget et tantum reddet aquã ita ut in eo sen, tiri posset unctuositas et quædã amaritiess aromatica: et hujs fiet sensit idem coquendo Unctuositas quæ in eo ẽ emaci, atos obesiores reddit humores acres et succos nutritionem impedientes mitiores reddendo. qui hac rad. a lue ven: curari volunt debent prius stricto dieta in extremã maciem deduci, et ad vestimenda decocti largius et ardaue præscripsi datis in decocto. Ex ejus mult: colornostes nihil extrahet. decocto addunt alia ut Sarsap: G maj: &c: Est in Gallia medicus qui ex eo par, rat oleum quo feliciter curat morbos Gallicos. Essentia extrahi potest &c.

Occidentalis ẽ Similis aspere Romanæ pa ejusdem Nardo fuit. Rich. p. 212. descr. Olcacatzan Palmatlanbea s. China Mexicana, rad. oblonga nodosa tuberosa crassa ponderosa coloris ex flavo rufesc, centis s. crocei in superficie crenulis q. genic, ulis notata saporis terrestris lebiter astringentis odoris nullius

decocti õ adeo tingit nec adeo unctuosis reddit aut sapore pontiis reddit et ideo lentus aut sapore pontius reddit et ideo õ adeo valet ac Orientalis.

Consolida major

Est Symphyti s. Consolidæ maj: B. P. p. l. a.

Asperifolia Fl. Monopet. tubuloso cylindra, ceo quinq. laciniis dissecto sem: quaternis in vasculis membranaceis apertis quinqui, fidis. rad. oblonga surculosa pollicem crassa foris nigra intus alba sap. subdulcis mucis, laginosi et viscosi odoris nullus

Conglutinat, incrassat Emollit, Anodynaque ut sapor indicat.

Extats in decocto in affe Dysenter. In Ca, tarrh in affectibus pulmonum ab humoribus acribus. Succus expressus vulnera conglutinat. herba contusa doloribus podagricis conducit. Narrat historiam de ancilla quadam quae disponsanda quae ut lascivia priore betere et sibi balneum ex hac radice parabat quo cum ejus hera forte fortuna usa fuerit ma, ritus uxorem suam Virginem denuo factam miratus est. Effodit, mo bere

Item Syrup. de Symphyto Fernelii.

Contrayerva

Est Clematis passionalis Peruana fol. bifido, Floris: Test: 2. seu Coanenepilli Anti: lethij pl^a Polypet. pomifero scandentis) Rad oblonga tenuis nodosa fibrosa foris rufa intus pallida sap: ô nihil astringentis et suavis sed debili acrimonia Odoris Aromatici sed exigui.

Dicitur a herbis contra venena. quae Indis excolitur in Peru majoris virtutis sed raro ad nos defertur sylvestris ea: sponte nascentem trifol. habens. Pers Equites Uti, Mintingo et Popeia.

Colligit postquam defloruit

Calida et Aromat. Iuvid. leniter astringit unde confortat et corroborat. sed non tantus ut vulgo habet. ei vires ascribo. In usu est in omnibus morbis cliron: D. Michael. ex hac fecit Essent. pro Ra Bezoard. admixta sc: Camphorâ quam ex ea extraxit. ... ussit altera ... exculta sc: In Dom ad morsus venenatos dat.

Aqua destill: est fere insipida nec ullum dat Oleum destill

Costus

Albus et Dulcis Amarus Arabicus et Syriacus quos non habeamus jam intellig. Albus recentiorum qui nunc extant in Officinis et quatuor sunt

1mo Costus Albus est C. Indicis ... nis: fructu rot: cerasi instar ... striatus fl: ... Indis vulgo ... ... lignosa ... crasso pallido medulla densa ... sap. Acris ... aromatici odor: fragrantiss: ... Florentina.

In Indiâ Orient: ... anni tempore ...

Aromat. Iuvid. Aper. Calef. Stomach. Uterum ... Iudi ... ad Uteri obstructiones. post vad. ... Urina violae ... odor. diuret. est

Datur in substantia in Decocto ad ʒij ... in Infuso in vino ʒj. Decocti sapor ... ... volat. ... in Hydrop. ... aliis mixtus

Hunc ... Pillul. Mirro Costina ... Ol. ... Macroi ost. ... fit Ol. destill. stomach. et egregium. ...

alia sudorifera ē Alexiphi: ingreditur

Costus Amarus s. niger ē C. Heleni;
Comageni Indici ad Helenij spectantis VI.
B. P. Rad. oblonga modo integra modo in
partes secta crassa cortice et cinereo nigricante
medulla fraudica [illegible] s. nigra pingui et oleosa
sap. acris amari aromatici odoris costo albo
debilioris

Nascitur sponte in India in locis humidioribus. Colligitur postquam defloruit.

Eisdem pollet viribus cum priori: sed ob saporem molliorum potius hunc quam illud in affectibus nervorum et uteri praescribunt. et ad stomachi affectus alia. rarius apud nos in usu

Hinc fit in India Oleum [illegible] Vin. [illegible] [illegible] ē Costi semel amari dulce fieri [illegible]

Costus Arabicus ē C. B. C. ejus nomine B. P. ad Zadoariam spectantis / Rad. Arabis alba tuberosa Zingiberis effigie sapore acri amaro et aromatico odore fragranti.

Vires easdem quas alii hab. sed Oleum reddit longe fragrantiorem. utitur tamen multo parcius Niger ō habet [illegible] ō adeo nervinus. optimē Alexipharm: et Theriacale et stomachicum sed rarius extat apud nos

Costus 4tus est Cortex Winterani de quo postea
Costus 1mus et 2dus B. ō differunt.

Cucumis Asininus

Est Cucumis sylvestris C. B. pl^a pomifera fl: monopet: marginibus quinque partitis frumbu ovali hispido hirsuto / Rad: crassa oblonga alba saporis acris nauseosi. Odoris cum recens e ...

Hortensis solu ... ubi ... colligitur ... et ... anno 2do et 3tio colligenda

Expellit et lundit aquas ... alba et ... ductis. ... in infuso ... aut ... recens ... ... vadicis ... nobis ... multa ... ... antiqua

Ex hac fit Elaterium e succo vadicis sed potius ex succo pomi ... seminibus ... decretis ... ad educendos ... ... volatiles ... crassiores ... dissolutis ... et ... sola ...

Curcuma

Est ... Kaka ... Indis dicta ... Cyperi genus ex India ... fl: ... et ... oblongum ... capitulo oblongo ... ex numerosis ... foliolis ... oblonga ... tuberosa nodosa ... et ... croci coloris saporis ... grate amaricantis ... aromatici Odor. ad Zingiber accedentis fragrantis.

Indi ... ubique ... Croci ... Crocus Indicus. Ex ... vadicis ... planta ... in India ... in ... nasci ...

Aromat: Incid: Stomach: ... ...

Indi arbor. Specifice in affectibus uterinis et
nervosis uti ex odore et sap. mollicullo aro-
matico patet. In morbis Chronicis ab ob-
structionibus Hepatis &c. eo felicissime
usus sum. Diuretica est et urinam colore et
odore tingit. aiunt ʒj. unius rad. cucur-
bitula butyrata [illegible] curatum fuisse quen-
dam dolore [illegible] in regione hepatis
laborantem ductu per albus calculo [illegible]
ductibus bilariis eductus fuerat.

Ex hoc Indi faciunt Unguentum cont. Uter-
[illegible] lign. santal. citr. et [illegible]
[illegible] cum Costo Indi oleo infusis
et decoctis Hydropicis.

Species Diacurcuma ex hoc fit et ex
Croco. nulla est extant praeparata. dari
potest in forma decocto et infuso. Oleum ex
ea elicitum opt. in affectibus nerv. [illegible]
in India.
Est Gladiolo affinis et eandem [illegible] Zedo. Zingib.
Galang: et alias quas [illegible] radices, [illegible] tuberosas arom:
[illegible] varie tingunt [illegible]

Cyclamen

Est Cyclaminis orbiculato folio infra [illegible] purpu-
rascente [illegible] pentapet: sem: angu-
losis in capsulis rotundis / Rad. tuberosa crassa
orbiculata (unde nomen habet) carnosa foris ni-
gra intus alba saporis acris pungentis exuren-
tis ingrati odoris nullius.

Ex sapore patet pungens esse. Efficax est in
serosa aqua educenda, et varijs humoribus,
adeo [illegible] Arthanita [illegible]
[illegible] integro anno exsiccata.
Hinc Ung. de Arthanita. [illegible] multis
humoribus purgat. Si sicca est radix potest

l. Cutibus abolent at recens acerrima. quando
lac rigbri ... in stellariis ubivis uti acet.
do aceto corrigit. Est Aqua (qua deo gratis est) destill: opt.
ad sanguinem grumosum dissolvendum in Haemoptys.
si Sti: et Sty: Sternuis. Succus naribus admotus
opt: ē sternutatoriis. Altera flor. Olei
e floribus in testis factis masculibus opt.
Antipleuriticum. Rad. opt. ad tumores
scirrosos dissolvendis qd Chirurgi nobis.

Cynoglossa

Est Cynoglossa major vulg. C.B. alt. species
tia fl. monopet: 5 laciniis dissecto Sem: cap-
sulis compressis cordiformibus quaternis
nudis / Rad. oblonga crassitie digitali foris
ex atro rubente intus albente saporis subi-
mucosi aliquo subdulcis odoris gravis et
aliquid foetidi canini redolentis virdi e [illegible]
escentibus. Diff. a fol. foliorum. Nascitur in sabuletis.
Colligitur autumno. planta ē biennialis deo, 1mo
anno vix vires habet

Vires [illegible] Narcoticae ab odore viroso nar-
cotico. aliis debilitate ab eodem odore existimat.
Mihi [illegible] vires praeter odorem vero ali-
quales narcoticas [illegible] fit: recens est nam
sicca odorem et sic vires perdit. et odor ple-
rumque ē nisi ē loco solido in quo crescit est
ac ubi in locis sabulosis crescit nullus sentitur
odor aut valde exiguus.

Hinc fiunt Pilulae de Cynoglosso, quae ni-
si adderetur Opium et sem: Hyoscyami simi-
nibus certis [illegible] sopor [illegible] narcoticae.
ad Catarrhos [illegible] usurpantur. Hujus radi. [illegible] in
Decocto [illegible] vires nar. [illegible]

Cyperus

Rotundus sunt Cyperi vol: orient: B. P.
pl. gramineo folio Flo: stamineis dis, positis in su-
lo in plures paniculos effuso Sem: triangulus)
Rad: vol. olivae magnitudinis et figurae foris rufa
scabra intus alba plures ex uno capite tenuibus
filis dependentes Sap: suavis subacris amaricantis
Odoris fragrantis ad nardum accedentis.

Dicitur ἀσπάλαθος [illegible] quia [illegible] radix refert
nascitur in locis paludosis in India Ital. Lusitani
in germania a [illegible] ibi non est aromatica. Colligitur
quando planta defloruit.
Ex sap: et Arom: suavi. Atten:
[illegible] subtili et Infuso Dosis in subtili ʒj.
Stomachica est in stomachi difficultatibus Uterina
diuretica [illegible] tenuitate [illegible] sopore. Alexiphar-
macum, ingreditur Theriacam.
Hinc [illegible] Diacyperos exsiccans ad siccandos
capillos. Exter: ex sp. 21. et varias compositiones
ingreditur

Longus est Cyperi odorati radice longa B. P.
pl: notae [illegible] [illegible]) Rad: tenuis longa
nodosa geniculata contorta fractu contumax fo-
ris rufa subnigra intus albicans Sap. et Odor. ferentur prior.

non differt fere a priori nisi radice
Vires easdem habet praestat prior ad dictas
[illegible] durant vires et ad pulv: Diacyperos fa-
ciendos in pulvere [illegible].

Doronicum

Sunt Doronici radice Scorpii B. C. plurib. dissect. radiatis pappos: / radiculis oblong. rot. tuberosi nodosi minimi digiti crassitie et lividi pallescent. et plures ex uno capite tenuibus quasi filis dependentes Scorp. [illegible] ad proportionem intendentis odoris nullius.

Nunc sit Dorycnium Arab. non Diosc. desinere quoddam ejus species sit aromaticae facultatis odore non diu durat. Crescit in jugis montium in Helvetia colligitur, o vere

Quidam dicunt deleterium et ex Gesnero Dalechampius deleter. existimaverunt quod canes [illegible] necat sed hoc radice posse impune comedi et [illegible] non deleterios et venatores rupicapras comedunt ad abigendam vertiginem cum rupes [illegible] conscendunt ac in tubo. [illegible] pulmonica est et herba Glycyrrhiza accedit [illegible] temperata. dissipat sanguinem coagulatum cujus historia est in Epist. Gesn: sub nomine Doronici

Utitur in decocto ad pulmonum affect. in pulvere ad sang. coagulat. dissolv. Fateor ejus nimia calida non posse ferri in ventriculo. [illegible] in ventriculis respiratoriis non aliud est quam in fibrillis ipsis radicis quas non voluerunt digerere unde in nimia copia gravedinem ventriculi produnt. Sine praescribenda ʒj. in pulvere bibita [illegible] comesta licet a venatoribus commode comedat. Diuretica est et in difficultate urinae [illegible] ut in Epist. Gesn:

Ingreditur Pulv. Combust. [illegible] aliis [illegible] sang. coagulat. dissolv. ad [illegible] vertigine [illegible] et affect. capitis in [illegible]

Ebulus

Est (Sambuci humilis B. C. pl. bacciferae per-
tapet.) Rad. oblonga tenuis levis albida sapo-
ris amaricantis subacris ingrati et nauseo-
si.

Habent in locis humidis.

Ex sap. Cathartica potissimum radicis Cortex -
purgat Ser. ad Hydropicorum aquas educendas

Usus in subst. Decocto Extracto. pulvis utan-
da recens. si ammola c vini ℥ ij recentis ℥ j.
infusa in binis tribus diebus y[illegible] bulgo ea [illegible]
tur. [illegible] et Cathecticis ex desideria [illegible]
Cathexia ab obstructionibus hepatis [illegible] Domina
Hoffman. Dicit se curasse Cathecticam [illegible] rad.
spatio 9 dierum. Ipsa subst. interior terrestris
et astringit Cortex solum purgat. Extr. opt.
7 Sp. 2.

Eryngium

Est (Eryngii vulg. B. C. pl. capitat. spinos.
sem. solidis) Rad. Oblonga foris fusca intus pal-
lida saporis subacris dulcis intus tenuis odoris
aromat. [illegible] ab Epυγω [illegible] capreae
[illegible] comedunt eructare dicunt.

Efficacia, ut bene

Intundit aliqd acredinis saltem in rad. quo
major eo melior. Est Diuret. Aperitiv.

Fit inde Syrup. Aperit. et alias rad. aper. qua
ces eundem fere habent saporem

Usus praecipue in Decoctis Syr. Speciebus
et ad Venerem et Venereo augendo cui fini eam
Condiunt

Esula.

Major est Tithymali palustr. fruticosi. B. P. pl. tricoccos pentapet. Rad. oblonga pollinem crassa foris fusca intus pallida lacte acerrimo excitante pungente et nauseoso turgida.

Colligit. 1° vere nascens in locis paludosis

Catharticus ē ut plerorumque plo. lac vero fundentes fauces inflammans et nauseabundum.

Usus in substantia lac coagulato levi calore a ℈j ad ʒß ℞ Extr. ℥ levissimo foli calore a ℈ß [illegible] plurimas purgantes et [illegible] sunt. Ela[illegible] radix cortex et pellicula medullae proxima sed ō̄s acerrima [illegible] in substantia ad ʒß. ℞ in Extr. ℈j aut gr. XV. [illegible] sola [illegible] [illegible] correctorium optimum ē ℞ et post ℞ acetum vini

Minor est Tithymali foliis pini B. P. pl. [illegible] superiore ejusdem [illegible] Rad. oblonga Esulae maj. tenuior foris fusca intus ex flava albescens lacte acri pungente excidente et nauseoso turgida.

Hujus vires eaedem. sed hujus lac paulo acrius et ideo vulgo praefertur

Filix

Mas est Filicis ramose dentatae B. P. pl. Epiphyllospermae. Rad. crassa foris nigricans intus pallida fibrosa multis appendicibus intorta et implexa sap. amaricanti subastringentis

[illegible] vere colligit. ~~apud~~ quia germina incipiunt

prorumpere

Est calida temperate subadstringens unde vim habet deobstruendi sum.

Usus in decocto ad obstructiones hepatis et inguina. Specifice expellit vermes pueris: cum mulso pro stibi ambul[?] ... rad. recentis fit valde utilis contra calculos expellit. par... solent macerare in vino ad flatus discutiendos

Foemina est foliis ramosa majoribus pinnulis oblongis dentatis ... praecedente ejusdem Rad. longa tenuis foris nigricans intus albida et transversim dissecta Characteres C. l. ostendens sap. amarulenti et adstringentis.

Colligitur praeter ... et ... pejori efficacia ... recentis majores sunt vires

Foeniculum

Est (Foeniculi vulg. C. B. ... umbellatae) Rad. oblonga digiti crassa pallida saporis subdulcis subacris aromatici tenuis odore fragrantis.

Dicitur a ... quod dicitur oculos illustrare. Dantur duo species dulce et vulgare quae vix differunt nisi sapore et dulce hic sat intra biennium in vulgare degenerat quod fragrantiam ... habet

Colligitur primo vere et siccatur in umbra

Calidum ... asthmaticum et thoracicum subdulcis ... et simul acre et inde temperatum calore praedominante. Aromaticum est et carminativum semen praesertim ut omnium umbellatarum seminum propter tenuitatem ... humiditatem subtilem ... et diaphoreticum est et diureticum ob ... aromaticum sap. alexipharmicum specificum in variolis et morbillis in decocto. Pulvis radicis ... Erysipelati ... a ... maligna ... commendatur

Item semina in pbulda Offic. cu acrano gdita. Ingredi[?] ē Syr: Eryhemi Fernelii, ego usq. ss Decocto huiz radicis cu rad. Bardan, ut ad tremores post salibatione in Lue ve[n]., uarcā residuos. utile e ad salibatione post Diali[?] [illegible].

Fraxinella

Sunt C[?] Dictamni albi s. Fraxinella [illegible] mult. [illegible] siliqua tetrapet. sem: [illegible] nigris. Radices s. radices corlices crassiuscule albicantes cammu[...] [illegible] in modo globulo[?] sapore amariusculi Odo[...] ris d[?] recenter gratiusculi dum siccata[?] exiguū aut nullus.

nascit in montibz sua sponte. Colligi: 1o. vere

Facultates, hēt Colefaciendi Deobstruendi et uterina[?] sed hoc illigenda de rad[?] recenti nā annosa vix valet. Dant huiz [illegible] cu aqua approp. priata uulnerale tere partis ad eas facultates et urinas expellendas. tantes huic vires ac [illegible] ascribo.

Solent pscribere in Julepo et [illegible].
[illegible] flores reponunt intes. med[?] uterina

Galanga

Major est pl[?] Indica Languas dicta [illegible] eiusdem [illegible] cu Curcuma Zedoar. Zingiber rad. tuberosa pollice crassior nodosa in superficie circulis [illegible] notata flavescens sap. [illegible] aromaticos amaricantis [illegible] fragrantis
Minor ē pl[?] Indica Lagondi dicta Rad. tuberosa nodosa in superficie circulis [illegible] notata fla- bescens minimi digiti crassitie Saporis et Odoris

fragrantioris Galangâ majori
sponte nascitur in China et Colitur in India
transplantatis geniculis radicum. colligitur postquam
defloruit

Calid. Humid. Ableun: ad debilitatem vesicae
ad menses pell. partum promovendum, Cephalic.

Datur in substâ ad ʒj. et in infuso

femissime in India in usu ad affectus uterinos
fragradius Compos: Alexipharmacas.

Minor plane eadem est sed minor et ob-
servabi semper efficacior bre... inveni

Huic species Diagalangae
... possit ut patet ex sap. ... et Odor
fragrantissima

Gentiana

Prostant Herba Radix et
sed eadem sunt planta quae differunt solo loco
natali. apud nos praestat ... Decorticata quod
mihi videtur non faciendum

Est Gentiana majoris Lutea pl. ... flor:
... tubulosis dispositis in caule verticillatim
Rad. oblonga crassa foris fusca intus ex flavo
rufescens Sap. intense amari Od. nullius.

Humid. Deobstruens et parva amara sunt stomachic.
et Antifebrilis. omnia amara copiosum praebent
salem fixum quod

datur in Pulv: ʒj in Aq: Card. Benedicti
ad Febres Intermitt: ineunte paroxysmo.
In alijs e morbis Malignis et Venenatis Dec.
coctum vel Infusum. pulvis inspersus vulneri canis
rabidi valet. Hinc fiunt Turundae ad dila-
tandas fistulas aut ulcuscula a Chirurgis quo-
tiem ab eis fit radice Aristolochiae longae solum
alij usui et Gentiana &c: longe Aristol: praestat.
Datur melius in Extracto quod infusum potest
quam cum vi inviolabili omnibus constat.

Glycyrrhiza

Est (Glycyrrhiza siliquosa Germanica C.B. plo.
siliquos. papilionac: unicaps: Bibalb.) Rad.
oblonga sarmentosa digiti crassitie coloris
flavescentis saporis suavis vel allicij dul-
cis affini tenuis odoris nullius.

Sola papilionacearum rad. est non insipida.
transplantata Aristo radicis et maxime se spargit
Ob suo dulcedinem sap. ideo temperata est cum [illegible],
varia emolliunt mad in pulmonibus contenta
et quae est acris mad illa inundit et expecto-
rari conduct. ob sap. tamen et Diuretic. est
Ingreditur omnes praeparationes Asthmaticas Syr:
Eryssimi Fern:
Hinc Succus concretus de quo postea
Extractum cum Sp. V. quod est medium mihi notus
in morbis thoracis imma constabit. Exhibetur inf-
go in Decocto cui gratum conciliat sap. et bo: Speci-
fice est in Pleurit: cum mala est acris et mature tumor
exhibetur Decoctum aliquo moveat ebullitionem.

Gramen

Sunt (Graminis canini arvensis C.B. p[rae]c[ipue] cul-
miferi granis minoribus J.B. staminosis) Radices
longae tenues sarmentosae nodosae geniculatae
pallidae saporis subacris subdulcis tenuis od:
nullius.

Calid. humid. Atten: & iuvat. quo minor eo
melior.

Adhibentur in decocto cui cum recens saporem
subacrem gratumque conciliat. huius potiuncula aves sunt
adeo volunt: ut corbionem sunt ferant. ad opt:
ad morbos melancholicos et obstructiones desen-
teri; pro secreto usus est hoc de-
cocto ad Strophiam [illegible] observato Metsal. mag-
no cum successu. si recens sit adhuc in usum vendi-
catur vix ullas retinet vires. si addatur huic decoc-
to cum cerevisia Sp. Cochlear. contra Hydrop. Carhart.
Administrari solent Rad. [illegible]:

Helenium

Est (Helenii vulg. C.B. pl. papposa [illegible]
corolla radiata stellatae) Rad. oblonga crassa
foris fusca intus alba saporis acris amari-
cantis aromatici pinguis odoris fragrantis.
Dicta forte ab Helena quia usa est ad Menelaum
prosequentem ut a peste se praeservaret in Aegypto [illegible].
Nascitur locis [illegible] pluviis [illegible] sponte colligitur vere
et in taleolas scinditur et siccatur
Inde acris adeo calida [illegible] amara adeo siccica
[illegible] ex odore colligendus [illegible] Alexiphar.
Cardiaca stomachica in frequenti usu est ad omnes
infirmitates [illegible] ad omnes ejus cruditates acidas
et viscosas [illegible] sale copioso fixo qua amara
et volatili [illegible] et qua pinguis e [illegible]

et ad dolores ventriculi cum cruditatibus conjuncta
Usus in Pulv. et Infuso. et adeo vinum Emulat.
ō adeo bene in Decocto. Item Extr: et ℣.
et rad. saccharo Condit. Item praeparari potest
Aq: satis fragrans et quâ admisceri possit alia Aromat.
...

Helleborus Albus

Est Hellebori albi fl. subviridi C. B. pl. mult.
bisiliqu: monococc: fl. pentapet: Rad. oblonga
pollice aliqdo crassior foris fusca intus alba num.
merosis albicantibus fibris stipata sap. acris
paulo amaricantis subadstringentis ingrati
et nauseosi.

Noster qui in Officinis prostat in locis montosis sponte
crescit ex Alpibus montibus ubertim et ab Italia
lia advehitur. Helleb: fl: purpureo ō adeo vi.
ribus pollet. Effoditur 1º vere et exsiccatur.
Rad. floris amar: Calida, siccaque, subadstringens, q.a ē licet sit
et nauseosa ideo Purgans particulas continens sangui.
inimicas quas et sanguinis acrimonia salubrior fi.
unul ... Suadent Medici potius uti ex ...
ex folio in sternutat: et ad ulcera sordida
Alii tñ dant in infuso vini ad ℥j. ad obstruc.
tiones pertinacissimas. et eandem qm prius ejus
aliqd in ventric. assumitur vehementer excitat vo.
mitus. Obstructioribus possit dari in vino potius qm
in pulv: Nil melius ad ulcera cancrosa vidi
hac curatur et carne obducta ossa cariosa, constat
particulis maxime penetrantibus et mundificantibus.
Item Extractum et ℣. qd radice melius ē in morbis
chronicis et rebellantibus supra anthora
... triangula plerumque cum rad. purg. Exc:
historia

Helleborus Niger

Sunt Hellebori nigri flore Roseo C. B.

pl. multifigu: pentapet: multis sem: in capi
tula singulari Radices tenues fibrosae nigricantes
ex uno cap: dependentes saporis acris pungentis
amari ingrati et nauseosi.

Optima quae acerrime et nauseosae nascitur in
Stiria. colligitur ...
Ex sapore Catharticae est et violentior quidem
mitior tamen quam Hell. albo. purgat Melancholia
et serosa ... in substa ad summum ʒß. In infus:
vel vino ad ʒij. Hinc Extr: ...
... Corrigitur ... Aromaticis ego utor Caryo
phyllis Aromat: ... Helleb. nig. ... Caryoph:
gr. x ... Olei gutt. ... Extr: datur ad
ʒß. ... optime est ex se corr
rectorium
Ingreditur Extr: Diacatholicum ...
Vis consistit in cortice et radiculis.
... fit Extr: ... phlegmate ... spiritus ...
tartari.

Hermodactylus

Sunt (Colchici radice fistula alba pl: tricaps:
Hexapet:) Radices rot: tuberoso compressae al
bidae saporis subdulcis farinacei paulum visco
si ac lenti odoris nullius

... habeamus veteres Hermodactylos nescitur nos
tri sola vix unquam purgabunt. ... mox ...
bant. Nascitur in Syria et Aegypto et exinde ad nos
adferuntur.
Ex sapore nullos esse cathartios colligimus uti
neque ab experientia comprobatur. potius in ejus
lentore farinaceo habet aliquid nutritii pingue
faciens ... a mulier. Aegyptiacis ... ... Alpin

faciat. Medici ea utentes semper alia purgantia
addunt sine quibus nihil facerent. multi commen-
dant pulverem cum vino assumptum ad podagram
nihil hoc de re compertum habeo

Jalappa

Est Convolvulus Americanus Xalappa dicti
fl: monopet: sem: angulosis in capitulis subro-
tundis. Rad. oblonga crassa Mechoacanna nigri-
cantior et [illegible] sap. acuto [illegible] nau-
seoso odore nullo.
[illegible] hac nota [illegible] purgant.
[illegible] nauseosi in sicca [illegible] [illegible] [illegible]
[illegible] nauseosis [illegible] [illegible] in ipsa radice
siccatis et [illegible]. [illegible] Mechoacanna nigra et
[illegible] multum [illegible]. Non est radix Floris
magni admirationis [illegible]. Colligitur [illegible] vere
radices quarum crassitie [illegible] aequant [illegible] tales
[illegible] facile siccantur multo cum [illegible] turgent [illegible]
eo adeo grandes [illegible] colligunt. in taleolas se-
cantur et ad ignem siccantur. Non [illegible] [illegible] pla
[illegible] [illegible] nec nota nec viribus quo in [illegible]
nullo sit purgantes.
Semper observavi ubi fuerat sapor acris faucibus di-
[illegible] adhaerens et mihi inflammans purgans fuerat
illa planta nec in [illegible] me unquam fefellit
Purgat Serum et aquas Hydrop.
Datur in substantia a ℈ß ad ʒi. cum corrector [illegible]
[illegible] solet sola [illegible] [illegible] [illegible] pulv.
Jalap ℈i [illegible] gr. iv. cum Ol. aromat. gutt. ii.
[illegible] in infuso [illegible] si in aqua [illegible] habebit
vires purgantes nec in vino [illegible] particulis [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible] [illegible] fit
Extractum [illegible] infuso [illegible]. Extracti dosis a ℈ß.
ad ʒß. Corrigi [illegible] [illegible] [illegible] [illegible]

debilitato sentiunt licet ō sit v. c. uomens purgans. ſt Extracto correctorio opꝰ ō habet

Imperatoria

Est Imperatoria maj: B. P. pl. Umbellat. Rad. oblonga pollicē crassa rugosa qsq. cirrosa et geniculata foris fusca, intus alba sapo- ris acris aromatici odoris fragrantissimi.

Cephal. cardiac: uterin: ulteriu.
Est fund. Atten: stomachic, ut ſt e Levis ſt multo melio ē, imo ī max inter umbel: obtinet. Dat in subia ad ʒj. & in infuso. ... ʒß. c. Gentiana ʒj. opt. ad febrē quartana. Dat ſtra ſt, ... & to. Card. Ben. ... odore ... vespertilino ... urina unde diuretica. ... tae danda ... aut Gentiana ... marbidis, ... qa exsiccant et marcilentiores redder, ent nimis en: aromatica ... ſt. calidi potius danda quod simul ... habent saporē ut ſe- mina... ... et Ol. fragrantiss. opt. in affibꝰ uteri. Dat ē in decoctis cephali: uteri: ulteri:

Iris Florentina

Est Iris rad. florentinae albae B. P. pl. Triapsal. Emcap at. Rad. oblonga tuberosa crassa paulu, & compressa saporis amaricantis acris odoris fragrantis violacei
Dicit a colore floris
Nascit in agribꝰ Florentinis
Aromatic: Calid. fund. Atten: ubi ptes debilitata ſt ubi opꝰ ē confortantibꝰ diuret. ... ſt uterinae et ulterina. Specif. ad

affts thoracicos. tum syrupis thoracicis additi.
Dati in substantia singulo: cautius a: utendi in
Decoctis aut syrupo vel bis aromatica per cab
ad lubitum in siccandis ossibus et ulceribus quorum albedi
omnium sanavitae adunit.
Post: Spes Diasve: Ingreditur Pulv. Cypr. et Ol.
Chairi: ... compressus aves ... Ol. e frag: violaceo.

Levisticum

Est (Ligustici vulg. C. B. pl. Umbellata)
rad. oblonga pollicari crassitie in fibras crassiores
divisa foris fusca intus pallida saporis acris
aromatici odoris jucundi et fragrantis.
Dictum a loco natali Ligusticum improprie Levisticum
colligitur vere.
Aromat. Calid. Atten: Carminat.
Usus in Decocto ad ℥iij in substantia ad ℥j.
Specif. ad Pulmonum morbos videndo infantes
si assumpta vel ... ore masticata urinam odo-
re nigro tingit hinc Diuret: ut ... ex sapore
tamen colligitur. Uterina ... ut ex odore
aliquatenus ... ... patet.
Hinc posset adici Aq. et Ol. fragrantiss:
quod oleum specif: e Uter: pellit foetum mort: ...

Mandragora

Est (Mandrag. fr. vel. ... C. B. ... fl: pentapetalous. Sem: compressis rugosis) Rad. crassa
oblonga bifida foris cinerea ... orig... ...
... ... lento Lentior amaricanti odore
viroso caput ferienti. ... plurima extant
ejus e Cortices Cinereo ferrugg: intus albidi
extra scabri
Vis ... bis in Cortice. Nasci ad Mandras
seu ... unde nom. Est nobis et inviti solum

Effoditur 1° vere et florere incipit.

Est Narcot: ut ex Odore hinc calidaque Atrodynia hinc Chirurgi ante exsectione partis olim utebantur, hinc Decocto. Et nunc utcunque potius ipso Opio. Specifice est Uterin. et nimis in quantitate non est praescribenda. Dosis in subst: ℈i. infus. in V. ℥ij. Accepto utuntur contra Febres quartanas et quotidianas ℈ in subst. ad ℈i et sale Absynthii: a Card. Bene. ℞ Extract. et V. Sed potius abstinent Medici ab hac rad.

Mechoacanna

Est Convolvuli Mexicani sive Mechoacani. Sem: angulosis in capitulis subrotundis. Rad. Crassa substantia Laxiori quam Jalappa Carnosa circulosa alba saporis ejusdem cum Jalappa.

Dicitur a loco nascendi quae provincia Novae Hispaniae: ibi radices quidem secant transversim. adsiccantur Deb. ...in baleolas

Easdem et Jalappa habet vires sed mitiores hinc hujus Dosis major est. in subst: a ℥ß ad ℥ß dat. ad Hydrop. Melanchol. Opt. hujus Correctorium est Pulv. & Ol: Caryophyll: ut ℞. Mechoac. ℥ß. Pulv. Caryoph: gr. vi & Ol: gutt: ij. Hinc fit Extract. et Resina

gut dat a ℈ß. ad ʒß. sic ꝑ se ita ut et resina ac jalapp. Resina assumitur ꝑ in [illegible] gr. x. v. 8 cum [illegible] aqua alia [illegible] non in aqueis ꝑ dissolvuntur. et in [illegible] assumta aliquid interiore [illegible] in ventriculo ꝑ dissolvuntur. Huius ut et omnium fere extractorum Dos: ℈j. ad ʒß.

Meum

Est Mei folio Anethi C.B. pl. [illegible] Rad. oblonga minimi digiti crassitie, cortice foris ferrugineo intus pallido aliquo gummoso includente medullam albicantem, sap: et od: [illegible] gratiori et fragrantiori.

Nascitur copiose in Misnia [illegible].

Vires ut ex sap. et od. fere eaedem cum [illegible] sed hoc potentior [illegible].

Quidam dicunt nimia quantitate assumtam caput gravare sed hoc non video.

Probat [illegible] et OC. [illegible] intus [illegible] The riaca. Valet contra morbos contagiosos

Nymphaea

Est Nymphaea lutea vel alba maj. C.B. [illegible] pentapet. capitulo oblongo striato cum [illegible] experimento. in quo semina [illegible] candida

rubiceo gravi minora, Rad. crassa foris ex flav. fusco flavescens intus pallida fungosa lebis sa. por: astring. austeri Od. nullis.

Nascitur sponte nascitur in aquis. Rad. recens spongiosa. effodit. 1° vere 9do folia appa vent

Est astring. Frigida ad Diarrhoea Dysenter: Gonorrhoea. Usus melior in siccis quam recentibus. Quia nimis astringit et sic ingratissimus e. Specifice: est Maniacis et Febricitantibus

Cum Nymphaea preparabo Officin: fiunt e floribus flavo colore. Hujus decocti: conducit ad comas tingendas et alendas, sed grabitatem inducit cerv. et ... ei e valde noxius. mira praestat in nimio mensium fluxu si intemperies sit calida. sed nimia frigiditate semen extinguit et sterilitatem causare potest.

Aconiti folia iis ... candem habet robum et plus hi duo sunt sui generis.

Anonis

Est Anonidis spinosa fl. punice pl. Papilionacea silign: trifoliata unicapsul: Rad. oblonga ramosa lignosa pallida sap: lebiter dulcescentis et amaricantis tenuis odoris nullis

Dic. ab ovos quia eo asini dorsa terunt. Nasci. in undiq locorum. Effodit. 1° vere

Dicunt valde operire fundere... Ut ... sed mihi ... sed tantum. recens eandem habet aliqualis sed sicca vix ullas.

Etiam fiunt Decocta et Electuar. Dicitur Syrupus. Commendant ad sanandas carnes Galenus exscribentes

Osmunda Regalis

Est Filix ramosa non dentata florida C.B. pl. Epiphyllosp: / Rad. crassa multis ex uno capite praeditas et inter se q volutas emittens radiculas foris nigricantes intus albicantes; Sap. subacris subamari odoris exigui non ingrati.

Vir. qua ... mundat et astringit carnem laxa gingivarum ... Etruria 1° bene.

Lines acerbo easdem cum filice alternantibus sudantes aperientes Florarice quo minus ... Osmunda, proles breves habet ... Epiphyllos. Osmunda sola subtus interior. Sperandi est ad Rachit. quod sola et in decocto et subtus partes eius asparagis tenellis radicibus tollit. utuntur nostri ad herniam. est non nisi parum astringens. et quod cum aqua ... mucilaginosa redditur et ob hoc ... magis mucilaginosior est Consolida major. Decocto non fiunt mucilaginosa.

Paeonia

Est Paeonia mas Off. folio nigricante splendido C.B. pl. multifid. polysperm. seminibus nigris oblongo-rotundis) Rad. crassa tubero.

sa foris subca intus pallida, [illegible] dr recens sub acr. subdulc: q leb[illegible] quādā amaritie Od. nullus.

ab inventore Pæone dict. Nascit in Germ: in sylvis et locis montanis

[illegible] huic tres ascriptae a veteribus facult. [illegible] ex sap. et Od. nil tale pris[illegible] [illegible] appensa radix sanate epilepsiā [illegible] [illegible] contrariis [illegible]. Respondent dein Effodi in umbra, qdo Sol est in Ariete. [illegible] ipsa nullus [illegible] huj rad. in India [illegible] [illegible] Epilep: [illegible] [illegible]. Quidā semina [illegible] instar coralliorum portant [illegible].

Pentaphyllum

Est Quinqz folii maj: repentis fl. luteo [illegible]. [illegible] pentap. αγγειοποδοσπερμος sem: nudis in capitulis [illegible] rudimentis dispositis [illegible] Rad. oblonga [illegible] [illegible] crassitie foris rubicunda, intus incarnato pallida transversim secta crucem seu stellam ostendens sap: [illegible] astringentis postmo[illegible] dr. [illegible] odoris nullius.

Effodit, o vere

Astringit [illegible] [illegible] [illegible] [illegible] pat [illegible] ut hinc mihi temperata ē et certe in utrisq affectis a medicis [illegible] [illegible] ad dysenterias [illegible] [illegible] Diaphoresin excitandā [illegible] [illegible] [illegible] [illegible] in [illegible] aliis [illegible] [illegible] [illegible]. Observati Corticē magis [illegible]

medullam astringere. Specif. tuetur et Anti-
febr. et ad stamas aequiparatur Corticis Peru-
viano a quibusdam datur in Pulv: ad ʒj. ʒij
Vel et in Extracto.

Petasites

Est Petasitidis majoris vulg. B. P. pl.
rampos. fl. pentapetaloid. q. multis
in thyrso dispositis Rad. oblonga crassa
ramosa resinosa foris fusca, intus albicans
Sap. acris amaricantis aromatici odoris
fragrantis.
Dicta a figura folii petasi s. pilei referentis. minime
adeo aromatica. Provenit sponte in locis palu-
dosis. Collig. o vere.
Und. fit item: Alexipharm. Sudorif. Uterin: Alexit:
Usurpatur in substantia pulverizat. ad ʒj. & infus.
ex v. ad ℥iij Extractum vel ex aceto, acetum Bezoardicum
appellatum in peste usurpat. D. Michaelis
sue R° Bezoard. addit. Hinc quidam Extr.
faciunt. confortat flatus discutit, Diureti-
Diaphor: ad tormina ventris et adlubet. ag.
verae sext. aetatem
Hinc extractum R. et V.

Petroselinum

Est Petroselini hortensis s. Petroselini vulg. B. P. pl.
Umbellat. Rad. oblonga digiti crassitie albida
Sap. subacris tenuis aromatici odoris fra-
grantis.

…tibus a petris ubi frequentes nascitur. Alius est
saporis dulce. Sed inter eas varias species magna
diversitas. Hac ratione saporis species observanda.
Semen attenuat. Diuret. specificum lithon
triptic. urinam odore inficit. Specificum e
in tussi puerorum. nimia ejus quantitas flatus
excitat et multos nidorosos. hinc aiunt medici
non adhibendum Epilepticis aut cerebro laborantibus
et proterva quia stimulat ad Venerem. ideo
non danda Epilept. quod Deus novit. Est
una e quinque speciebus. Usurpatur in
decocto.

Peucedanum

Est Peucedani D. F. pl. Umbellat. Rad.
oblonga digiti crassa resinosa in summo sui
perfici comosa cortice nigro subtus intus
ex flavo pallescente sapore acri subamaro
resinoso odore picato graviusculo.

nascitur in summis montium jugis. Collig. vere
…ices ut reliquae Umbell. Specifice ad pectus
movet et tussim. Anodyna it. ubi dolor ingens
pectore excitatur. Datur in substantia infuso et
syrupo. e qua … anodyna ex sapo. resinoso col-
ligi potest. Non dum aetate … Resina in
rad. recenti observatur.

Valeriana s. Phu

Est Valeriana hortensis s. Phu olusatri folio pl. [illegible] umbellat. pentapetalod: semi: solitariis pappo cristatis) Rad: oblonga Cirrhosa rugosa superficie geniculata digiti crass. fa foris ex cinereo fusca intus pallida sap. am, wi aromatici fragrantis gratusculi ad [illegible] et attendentes.

Nascit in locis sylvestrib. montosis

Aromat. Calid. Attenu: Alexiph:

Usus in subita et [illegible] qd. ut plurimum ex vino fit. Dat. ois qui febr. malignis laborant [illegible] ad ptes exteriores [illegible] noxia pellit [illegible] diureticae est. [illegible] (c) ē [illegible] ad menses et [illegible] Ʒj. fit. spec. off. Dicephalic. Antiepileptici. unq. ad [illegible] palp: et Vino Tiberis [illegible] Cerebr. habuit. Ingredit. Theriacā. Ex hac et Petasit. fit [illegible] Bezoard. opt. et [illegible].

Pimpinella

Est Pimpinella sanguisorba minoris [illegible], [illegible] pl: [illegible] spicata semi: quadrang. Rad. oblonga calami crassitie ex fusco subrufa sap. subamari subadstringentis tenuis [illegible] ingrati odoris nullius.

Nascit in locis sylvestr: [illegible] ubi folia [illegible] guta.

Ex sap. [illegible] calid. [illegible] ex sap. adstring.

frigide dici deberet hinc mihi tempera-
ta ē. ijs vires exserunt ptiulo calidoss.
tenuando nō sanguinē inquinatis in hæmo-
ptosi item astringentes terreæ vires exe-
runt unde in hæmorragiis adhibet. et a
plebeiis tota deris [?] simili ad sang: pu-
rificandis. ē id decoctū ulg. Thoracica est et Stomachica fo-
liis infusis in vino Rhenano quo nimis ari-
dis in ventr° abundat. vinū reddit sapidiss:
dis sanguisorba qua sangue absorbet i.e: tenuem
reddit et expungat. prodest ejs 3j. cū panseculi
opio in doloribus post partū. ingredit ora decocta
vulneraria et ubi vasa interis rumpuntr. Datr e
in substi. aut infuso.

Polypodiū

Est Polypod. maj. B.P. p. Dorsifera Rad. ob-
longa minimi digiti crassitie foris rufescens in-
tus herbacea et viridi pallescens multis no-
dis et copulis q. acetabulis geniculata sapo-
ris subacris dulcis quodammodo astringentibus
nauseosi

Participat vires oēs filicis et amplius licet
cathartica ē. in levis flavis nascit

Constat ptiulis acutis sero fundentibus
sed terreis ē et frigidis et porrica nauseosis
unde cathart: sed segnior unde cavenda
alio purgante ut scammonio (salicop. q° dul-
cis idea thoracica et ubi e pectore purg-
andi specifice nuncupat. post purgatiūe as-
tringit. tenuibus constat ptiulis unde in loca
remotissima penetrat hinc in vetris morbis
Chronicis specif. Usus in decoct. cū

℥ß cui sol. semine addunt. Si in subli-
mavit ad ℥j danda. ingredit decocta ag-
ter vim emolliendi et incidendi. Si cui sint tabr.
ad libend. in majori dosi alios ō purgat.

Pyrethrum

Italicum Est Pyrethri Umbellif. seri
C.B. pl. Umbellat. Rad. oblonga digiti cras-
sa foris ferruginea intus candida sapore acri
et fervanti.

potiu vere et Autumno colligi
Apophlegmatizans ē et ad loca remotissima
penetrat ob exquis. ser. exprimit. Dat in
torminib. ventris et in Linguæ paralysi ℥ in
sublin. ℥ in Decocto. hinc paralytici mori-
bundis ex dato Decocto et pauca sulta verba
loquunt. Oes Clysteres acres ad Apoplecticos
etc. ingredit. Ex eo et aliis mitioribus fit
pulvis sternutatorius. Pulvis paralyticorum
naribus inspersus magna praestat. est spec.
sternutatorij in Catarrhis frigidis. Ulna ē rad.
in affibus nectaris. commendat in Odontalgia frigida.
et obstructionib.
Germanicum Est Pyrethri Bellidis folio
C.B. pl. Corymbos. Discoid. Radiat. semi: foli-
ds. Rad. oblonga Italico tenuior foris fusca
intus albicans sap. pyrethro Italico ferven-
tioris.

divisit a praecedente ō differt. q^a caret
odore habet plurimus ejus fixiores esse unde et
[illegible] Carbonem [illegible] et hoc et altera.

Raphanus

Est Raphani mai. orbicularis pl. tetrapet.
siliquos. fungos. | Rad. rot. crassa albida
Sap. acris gaudentis amaricantis Odor: Fra-
grantis.
plaraeq. tetrapet. siliquosae calidae sunt incidunt et aperiunt.
Est Incid. Atten: Diaphor: Diuret.
Stomach: sed aliquid crudi et maligni habet
ut e ructibus nidorosis acribus ejus consequen-
tibus patet unde [illegible] sale addunt. [illegible]
potest [illegible] [illegible] [illegible]. Corticem ō [illegible]
[illegible] [illegible] saccharo opti. in flatulentis affectibus
ubi mucilago tartarea [illegible] latet. in febricitantis
qui [illegible] febre [illegible] [illegible] ō adhibenda. [illegible]
[illegible] dari potest [illegible] [illegible] aut sale. Rad.
[illegible] manibus et pedibus febricitantium applicatur.
[illegible] [illegible] [illegible] [illegible] [illegible] [illegible] et cal.
all. [illegible].

Rhabarbarum

Est Lapathi maximi [illegible] [illegible]: [illegible]
et [illegible] [illegible] tripetal. Sem: trigonus lividis
tribus foliolis inclusis. Rad. praegrandis oblonga
tuberosa [illegible] ramulis rugosa [illegible]
tuberibus inaequalis. Cortice porrosa foris
fusca intus crocea [illegible] fungosa Sap. [illegible]
ris amarit: et subastringens nauseosi Od. [illegible]
debilis.

Rha radice Chinensis et Tartaris significat
optima quae ppe murus Chinae qa magis stro-
natica ē qd melioris nota ē.
Constat spirituls acutis humores fundentibus
masse nostre sanguinee infensis ut sapor ... dat
unde purgans ē. sed ē post qm spiritulis acres
vires suas exercere astringit. ex Odore ē ...
tenim ē. purgat humores serosos biliosos.
Ds. in substa. et infuso. nequaquam in Decocto.
costus terre solz astringit qd vis purgans volatis ē.
In substa ad ʒij in infuso ad ʒiv.
Pro scopo Medici et ad purgandum et postea astrin-
gendum usus ejus ut dictum varius. Etiam in Dysent.
vulgo tenerant. sed ego ex ō tosto Rha. ... 2.
extrahi et qd residuum erat a Rha Dysentericis
adhibui et ipsa Rha qdo purgare solz volui
exhibui.
Hinc Syrupus purgans (Citrin: cum Rha) ad ʒj.
Tinctura Rha expts sit specifico ad Uteri obstruc-
tiones reserandas et menses provocandas felici
successu
Est etiam Rhus oblitum ppe Volga quid ad nos
defertur sed adeo acre et aromatico sapore ... ha-
bet nec tantum ē vires unde si daretur in subs-
tantia illud ad ʒß ad minimum dandum esset.
sed Rhab: infusionem specif. tantum ē sequitur ac
Cinamomi qd opt. correctorium.
Ceterum ut et seminibus bianq. purgant et laxant, ra-
dices sunt ut oës spes Lapathi. at flores et sem: astringunt
imo ... unde etiam fiunt ē Rob Ribes.

Rhaponticum

Est Lapathi ... majus: s. Rhaponti.
ci folio Lapathi maj: g Calvo ... Rad.

rugosa et trachiata
crassa oblonga, ~~Rhabarbaro gratiore dextior~~
~~compactiore~~ foris fusca intus crocea p transi-
se: et secta spiras ostendens sap. subam is ar,
maricantis subadstring. et labi quod a Cen-
tore Od. pontico debilis.

Lix differt a Rhabarbaro nisi qd hoc acrius
sit minus solid. magis croce. Colligitur maxi-
ma ptē ppe Rha s. Volgam. Vel ipsi ra-
mi Rhabarbari compacti q Rhapontico ter-
dunt et ps radicis magis tuberosa q Rhaponti.
Apud nos seminatæ hæ radices degenerant
nec acredinē servant. quæ acrior et amar-
ior melior.

Efectu facultatem purgantis Rhab.° debi-
lior vero astringentis ~~copiæ~~ fortior ut
ex sap. patet. Ex sap. lento ē vulnerariis
Anodynis. hinc ad decocta qtra dysenterias
Anodynæ. hinc ad decocta qtra dysenterias
tormina bono et successu addit. Dosis ad
ʒiij in subst: ad ʒiij et ʒiv in infuso et de-
cocto nā ē cortice fact. In Apothecis
medicis ē usurpatis ob vires anodynas.

In Præparandis potiis loco het Rhabarb.
ex hoc fit Extr. et ℣ et ō mediante Castoreo,
a multo mediocreō usurpati dosis ē ad ʒij.
Loco Rhabarbari plures usurpant Centaurii majoris
Descripto D. D. oc. Crastant. Rad. oblon: crassa foris lutea
intus flavi. sap. acr. amarit. et ingrati qd purgatiō et
ejs dos. ad ʒij.

Rubia

Est Rubia Tinctorum sativa D. D. p: tor-
ret: flabata semini: binis rotundis tertia
labis, Rad. oblonga tenuis tlami crassitie
nodosa et geniculata extus et intus rubicunda
saporis ex dulci amaricantis et sub adstrin-

gentis odoris nullius.

Dictus a colore ob quem a Tinctoribus expetitur apud nostrates vocatur Crap. in Zelandia

Ex Dulcedine temperata ex Amaritudine Calida ex Astringentia plurimas et terrestres frigidas habet sed praevalet caliditas ac inde obstructiones omnes reserat et urinas pellit sed et postea astringit Leviter huius quoque sanguinem coagulatum dissolvit et ossium fracturas astringit. imprudenter ergo illud dicitur species ad febres.

Usus in Decocto

Alius Syrupus e 5 Rad. Aperient. Minus

Usurpatur ad Dysenterias malignas quia mad... malignam in intestinis dissolvit ... ex alto.

In Infuso aut Decocto aut in Sp. 2. colore praebet incarnatum solus sed in Oleo Terebinthinae aut Oleo alio extemplo Rubicundissimum. et tunc Kaesarcha... egregium medicamentum in Tussi.

Ruscus

Sunt Rusci B. Z. ... Baccifera Epiphyllosperma. Radices albicantes tenues fibrosae molles plures ex uno capite quae inter Sap. subdulcis amaricantis tenuis odoris nullius.

Ruscus ... e Italico quae plures et muris a carnibus quod in ... foliis involvunt acutis ... foliorum arcet.

Livres haet quas Asparagus. At Gallia
oppositio ad hos facti
Est Calefaciens humores fundens egregie
pellens urina
Usus solummodo in decocto ad ℥iij cum a[qua]
q.s. exhibetur felici successu Hydro-
picis
Ingreditur syr: de 5 rad: Aper: maj:
Electuarium Diureticum et Diuretic.

Saxifragia
est Pimpinella saxifraga maj: candida
[illegible] ... umbellat. Rad. oblonga mini-
mi digiti crassitie pallida saporis acris et
fervidi odoris nullius.

Dicta ab effectu nascitur in locis petrosis
Calefacit Siccat. Attenuat Diuretic. Aperit.
[illegible] in affectibus Renum: Vesic:
Usus in decocto potus cum rad. [illegible]
et in Clysteribus acribus ad Apoplecticos et
possetur in subita exhiberi. Hujus decoctum
si verum pellit fortissime urinam ut si ni-
mia quantitate assumatur usque ad emissionem san-
guinis. Schenkius dicit inter mammas ap-
pensa lac quam maxime augere et alii
decoctum idem praestare

Scorzonera

Est Tragopogonis Hispanici fo. B. pl. discoi-
dea radiat. papposi: et lactesc: Rad.
oblonga digiti crassa foris pallide flavesc-
cens intus candida sap. subdulcis tenuis
et grati odoris nullius.

Aut sponte nascitur in Hispania locis incultis amar-
icat. abominatur. Ex culta dulcis e. culinaria nostra et
saccharo condita ad delicias.
Quia subdulcis et tenuis inde temperata
nutritiva et aliquomodo diuretica. Quo
in Hispania nascitur et famigeratus est alexi-
pharmacus ad morsus viperae apud nos jam
[illegible] nec vino ad usus translata
Prostat condita [illegible] palatum potius quam morbos

Scylla

Est Scyllae bulbosae rad. rubrae B. P. pl. tri-
capsularis Hexapet: Rad. bulbosa pugni crass-
itie rotunda sap. acris et amari odoris
nullius.

Saepe ingentis magnitudinis sed minores po-
tius ad officinas adferuntur. Rad. ut omnes
bulbosae, medulla efficacior.

Calefac. Incid. Atten: ad oes obstruct, omes interiores ...

Usus in Infuso ... ... in decocto ... oes abolat. hinc nec ut inlig in cibo, ... nec in ...

Dosis in pulv. ad ʒij ... in Infuso

Hinc Acetu Scyllitic. Oxymel Scyllit. et Syr. ad ... viscidas resolvendas hinc ... Asthmatica.

Hoc aut oes bulbose pellit fortissime ... ... in ... ... sanguine pelli. Acetu Scyll: ... ad morbos malignos ... Scylla ... aromatica. Nulla vis e in ...

Spica Celtica

Sunt Nardi Celtici seu vertex Valerianae Celticae ... qua Valeriana Ra... dices ... capillares nigricantes ... foliis parvis et ... flavescentibus sapores acris amaricantis aromatici odoris fragrantis ...

Calef. Incid. Atten: ... hanc spica ... ad ... ad oes ...

Hinc potest fieri Oleu Destill: ... Stomachicum optimum.

Hinc in ... Oleu Nardinu ... Hujus Infus. magis ... quia Aromaticum e

Spica Indica

Est Spica Indica s. verbis Cyperi Gangeti-
ci pl. eni: ē eadē q Cypero Rad. oblonga
digiti crassitie et Longit. comosa q. ex mari
dorū foliorū nervosis filbus globulis congesta
colore ex fusco rufescente sap. amaro acris
aromatici odoris Spica Celtica gratioris
ad Cyperū accedentis.

Nascit in locis siccis. ē rebera Cyperus
indica.

Eodē hēt vires q Celtica. sed Celtica
mihi multo et odore et sap. fragrantior lic-
ē gratior. Indi eā utuntur ad assultus nervo-
sos hinc faciunt q Oleo Sesamine Oleū
nervinū

Tormentilla

Est Torment: Sylvestris B. P. q eiusdē
quē Quinquefoliū notū Rad. tuberosa dura
nodosa pollicē crassa in obliquū acta
coloris ex fusco rufescentis sap. adstrin-
gentis austeri...
f torminibus ventris s:: ibus medetur ... Diar-
rhoeis st: et Dysentericis
Nascit in locis incultis collib: 1° bere
frigida ē astring: plurimū constans terres-
trioribus in morbis calidis et ubi astringen-
tia opus. Pentaphyllo paululū calidiorē
acredine (e) quandā pollere tradunt
Usus in subst: ad ʒj ʒij ... in Infus. ʒ in
Decocto ad ℥iij ad Fluxus oēs albi et ru-
bri. coīt in q ... et q. ... plerumq addit Penta-
phyllo

Turbith
Est Convolvuli indici Altheae folio pl[ant]ae
r[adi]x Jalapa et Mechoacan nobis ejusdem modo
crassitie modo radix oblonga crassa resi-
nosa foris ferruginea intus albida sa-
poris subacris resinosi nauseabundi.
Plerique convolvulor[um] spec[ies] quarum lacte refertae
sunt purgantes.
Nascitur sponte in India. tota planta sca-
tet lacte nauseoso acri. Effodiuntur postquam
folia marcescunt et ... ve... expri-
mitur lac in resinam q... ... Sit plurimum
adhaeret cortex medullae ablato.
Ex crassitie ... acribus et sup. nauseo-
so purgantibus. fundet ...
In substantia pulv. ʒj ad ʒij in infuso in ℈.
ʒj ad ʒij ʒiij nequaquam danda in
decocto nam aquae vires in resina lo-
cantur ... Ego ea tutissime usus
sum correctis cum Zingib. cujus in India succum
recentem Turbetho addidi unde nunquam
secuta tormina ventris. Dolz ... purgante
... Caboranthes in Emulsion.
℈ cum 2. aut ʒp.2. Item in ... morbis
melancholicis
Ex hac fit Extract. et Resina danda ad
... ʒp. cum Emulsione aut ʒ. aut ℈.
Dolz ... ei ... alba ... magis
... in Officin. ...
Laudatur ... Turbetti in morbis contagiosis et in
India exhibetur in contagiosis Dysenteriis.

Turpetharo
Est Turpetharius ... ejusdem ...

tasti[illegible] Rad: tenuis longa can-
dida, saporis subacris et lebi lento,
re odoris nullius.

Dicta ab effectu. Nascitur in locis montosis.
Efficacis . o. vere
Sunt temperatae inclinantes ad calidi-
tatem. Si succus ex lento [illegible]
varia ē at [illegible] et si [illegible]
acris pulmones vadit
Us. in Decoctis. [illegible] lento fit [illegible]
lis coquenda in [illegible] per [illegible] me-
dici [illegible] pulmones ejus dim
[illegible]
Huius folia mihi [illegible] longo [illegible]
in [illegible] dicto pabentiores [illegible]

Vincetoxicum

Sunt [illegible] Asclepiadis fl. albo B. P. [illegible] C.
quos peperit fl: pentapetaloide Radices
albicantes tenues fibrosae plures ex uno
capite prodeuntes, sapore acri amaricans,
te nauseoso odore fragranti gravi ali-
quantulum nauseoso.

Alexipharmacum ē unde nomen. Asclepias
a Diosc. ab inventore et Hirundinaria qu[ia]
folliculi cum suis seminibus hirundines volantes
refert. Efficacissima ē [illegible] vere [illegible]
at tum [illegible] fecit odore.
Calida ē et aromatica. [illegible] Cathar-
tica [illegible] solummodo purgat per vomitus ejus
ʒj. infusa in aqua calida [illegible]

vesp[illegible] ē infantibus; [usus et vomit.] Alexipharm ē diuret: sudorif: et specif: ad Epilepsias quevorij ad Febb. intermitt. et Malignas.
Hinc destillati Olei gtt 17 sp. 6. valde diuretici compari.
Ingredit Theriacā
[illegible] Pieris [illegible] clarificat at ō vomitus ut in robustioribus specifica ē in Hydrop. Datu in Febb. intermi. ante paroxism 3. ad ʒij.

Hujus Spēs ē

Vincetoxicum & Serpentaria Virginiana

Sunt (Vincetoxii Virginiani radices tenues, fibrosæ Vincetoxico vulg. candidiores plures ex uno capite dependentes Sap. acris pungentis sive [illegible] sub-amaricantis Odori Vincetoxico vulgari fragrantioris et gratioris.

Longe majores hic Vires quam præcedens et quia ō nauseosa dicitur ō purgans. Et specifica ē ad Febb. quartanas. Hac usus est Iacobob in Gallia hujus ʒj ad [illegible] ʒij in Vino Hispanico. [illegible] usus [illegible] cathartica admiscenda adjungenda ut [illegible] educ[illegible] na [illegible] ademat. ō solo Febb. [illegible] ut ex odore et Sap. fragranti [illegible] conferbat et volorent

Sarsaparilla

Sunt Smilacis Peruanae rad. pl. transfera-
gentium pessimal ut China, radices tenues,
calami crassitie longae, sarmentosae quo-
des plures ex uno cap. dependentes foris ru-
gosae et plicatae ex flavo pallidae intus
candidae farinaceae saporis et odoris nul-
lius abundantes.

Vires quibus [illegible]

Quando ex hac decoctis sumitur apprime
sudoribus aliquomodo cute aromatica pari-
ter ut in China dictum. Hinc hanc lue-
venereae adhibent in decoctis solum et utilis-
simam ad affectus ex morbo illo cutaneos
ōēs. Cum veteres in febribus [illegible] usque
pro se habet. hinc [illegible] et [illegible]
ad stabilivit: sed deinde apti esse ad inda-
tiones vel p. diaphoresin expellendam au-
rem dolorificam.

Smilacis nostrae asperae [illegible] tenuis an
[illegible] et ōēs [illegible] et sudor. diuretic.
E rad. hac et ligno sassaf. et rad. Chin: in gallia
parata spo. p. decocto qui adhibet in vino expurga-
[illegible]

Zedoaria

Est Zedoaria Chinensis pl. eiusdem generis
omnia. Rad. tuberosa nodosa tuberibus pau-
lulum compressa foris cinerea intus can-

i Ida parvis fibris inter texta saporis acris amaricantis aromatici odoris fragrantis ut camphoram aliquibus accedentibus.
Eandem fere habet fariem planta quam Curcuma nisi quod flore differunt et odore aliquantulum et sapore.
Nascitur sponte et cum studio in China et in Zeilone ubi plane camphoram odorem ... per nodos radicum plantatur et ... diffunditur longe lateque
Calida sicca Alexiph: stomachica ob fragrantem odorem. Utuntur in vomitibus externis ... in Pulv: ad ℈j. ad ʒj ... Infusum fit in vino stomachi: ...
... in usu ... Saccharo conditur ... in China ubi coquunt ... in aceto marcescunt ... paululum et saccharum affundunt.
... parari possit ... et Oleum ... in saccharo ... et ... Diazedar ... Oleum ... camphora destillatum et Lignum Cinamomi oleo et aqua ... radices in Europa ...

Zingiber

Est Zingiberis pl. ejusdem ... Curcuma
Rad. tuberosa nodosa ramosa brevis paululum compressa pallida fibris crebris ... inter texta saporis aromatici ... instar piperis odoris fragrantis.

Nascitur sponte et studio excolitur in Indiis et transplantatur per nodulos. ... ut mollior. Colligitur ... incipiunt arescere et siccatur in umbra

non nisi unã Zingiberis ipse agnosco nam
nigra de qua quidã loquunt̃ ĩ ñ inueni
da ẽ. Et rubra Authoritã observit ad vires
prosecandas.

Aromatica iucunda Alexipha et qua
subamara ideo specifi. stomanti. ob odor.
Uberina Radix

Us. in subgt: succul. et ẽ in decocto
ñ decort. & sabis lu.is het.

Est correctoris sive oiz purgantis ipse
cui specif. ẽ stomachicoz. verum bñ alij
qd extrementi het unde sicus ex
pressus aliquando laxat alij humectando
in si crã bñ vil tale reperit.

Ol. stomachicz ex tota planta destillat quo
& grunbent messes.

Fungi

Agaricus

Est fossilis & Arborea de illã ĩ loquor
ostendo solũ

Arborea est Mas & ponderosior et Lignosior
ecioris note & de qua sit

Femina quod ẽ levior Laricis Excrescen
tia fungosa et rotundo angulare inaequalis
pugni magnit: candidissima levisse. friabilis

parati fibris intertexta ex cortice calloso
cinereo subrufo cui inclusa exempta
Sap. 1° subdulcis mox amari acris et nau:
~~[illegible]~~
Dosi ex loco dictam adstrictione.
Dicitur ab Agaria Sarmatiae loci regione
unde ob [illegible] nostri iubentur malis ar-
boribus [illegible] aliarum [illegible] adeo amara nec huius
[illegible] suppleve potuerunt. [illegible] ut velit qui fungi
ex arbore nocte una prodit seu annis integ-
ris ad sui perfectionem requirit et in-
tra corticem sibi [illegible] [illegible] a tuber-
culo viridi ex resinoso excrescit quatenus
in tanta mole excrescens corticem sua
[illegible] findens maturitate quod signum est
tempus esse abscindendi et his abscissis ex
eodem in loco nascitur anno sequenti novus
fungus. Ex arboribus resinam adhuc fun-
dentibus nunquam colligunt nec ex junioribus.
Ad nos maxima pars adfertur ex illus-
[illegible] ut et Terebinthina ex Larice orta.
qui in sylvis Rhaetiae colligitur minus lau-
dabilis est. melior flammam facile concipit.
[illegible] ex [illegible] resinosis [illegible] excremen-
titiis arboris constatur.

Ex sap. amaro et acri colligo constare particulis
acutis incidenti: humores fundentibus. ex
nauseoso purgare ex astringente particulas
[illegible] [illegible] ex pingui anodynum esse
[illegible] Agar. [illegible] Purgat et (vulgo dicitur)
Serum praecipue credo omnes partes hu-
mores fundere Dosis ʒj ad ʒij vel iij [illegible]
in pulvere solo quia semper supernatabit

liquorem quibus in ventre et vomitus
det. potius in pill: cum aloe: et diagryd.
interdum in infuso et decocto sed haec
amarissima et ingratissima sunt et ideo a
ideo sede ea adhibetur. Quia segnis est
si sola detur stimuli additur ☿ aut
et gummi correctorio. cum hoc aroma
tico quovis et Z inhibere veteribus usitato
quidam oxymel addiderunt ne ventrem ad
haereat et tunicis intestinorum et hanc
compositionem vocant hygiericum junctis
recentiores cum aliis purgant. ut Al. Diagr.
et Colocynth. cum oleo quodam aromat. in
pillulis dant
Item Resina eius gr. 2. praecipitatum et
Ʒi. et extractum inspissatum etiam laudant.

Auricula Judae
Est in sambuco trunci sambuci corticis et
refectu spongiosa cutis coriacea et mem
branacea auriculae instar subtus incana
et cinerea supra nigricans sap. terrei
et aquei, omnium fere odoris nullius.

Frigida est, sed vari hic usus. adhibetur integra ex
terna ad inflammationem: columellae et gutturis
infinita ex ea decocta ad gutturis collutionem.
Foetus in quo marcidum relictum repellit ea.

vegie, arcte usurpata praecipue Rosarum
[illegible] [illegible]

Orbicularis Fungus

est terrae Excrescentia fungosa [illegible] aurei
tudine [illegible], potentiam contrariam ex cine re
[illegible] cute includens medullam levem [illegible]
[illegible] porosam et spongiosam fuliginosam
[illegible] quae compressa pulverem effundit sub,
tilissimum; sic. et sicc: nullis abundantis nisi terr
restris partibus astringentibus.
Dicitur a figura. i.e. crepitus lupi eo quod
in substantia est [illegible] Crepitus enim
pulverem et strepitum emittit. Nascitur in
locis siccis.
Sanguinem sistit et coagulat. dicitur pernici,
osus intra corpus assumptus. ad Haemorrha,
gias sistendas bene foris applicatur.

Boletus Cervinus vel

tubera Cervina. Est terrae ex
crescentia tuberosa vel: inaequalis magnit:
udinis moschatae includens intra corticem, cui
[illegible] crassiusculum ex cinereo nigricantem in
superficie granulatam medullam fungosam ex
nigro purpurascentem et per maturitatem lan,
[illegible] in [illegible] [illegible] Sapit [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible]

ex terrâ prodit unâ vitte magnitudine nu-
is nostratê ex nigro purpurascens
Laudant ejus vires Venerem stimulant-
es et ex genitura cervi ajunt prodire, in
uteri affectibus est usurpatur. cum Saccharo
addito pauxillo Moschi et Ambra in El-
ectuariis Venerei stimulando destinatis con-
ciunt. nihil horum credo.

Cortices

Aurantiorum

Sunt Fructus mali Aurantiae maj: ac dulc:
D. P. Cortices coriacei extus crocei vel
aurei crebris foraminulis [illegible] intus
pallidi sap. subacris aromatici suaviter
amaricantis.

maxima vis in cortice exteriori ubi
magna est olei vis
Commend. Authores Specif. est stomachicum et cor
roborantibus [illegible] Specif: est in flatibus intes-
tinorum. Datur ejus ℈j. cum pauxillo Aq: Petro-
selini ad Dysuriam
Usus in Extract: Infus: &c:

Hinc Spiritus et Oleum: hoc sit destillatione per alembicum corticibus vacent: ~~Oleum sic aliquibus obtinetur addito saccharo~~ fermentatorum unde olei potest major copia sicut ex omni fermentabilis melius semper fieri et praestantius est. Hinc ~~vero fit Elaeosaccharum alia modo ratio potior fragrantior~~ Hinc etiam fit Elixir. Et Spiritus noster nobis corticibus affusus Extractum educit gratissimum. Hinc Conditum

Citri

Sunt Fructus mali medicae B. L. ...: pomifera pentaxeti: Cortices corium ex sulphureo flavescentes intus pallidi sapore suaviter amarescente et aromatico odore fragrantissimi.

Calid. Stomachic. Cardiac.

Praeparata sunt eadem quae Aurantiorum. Oleum e siccis odorem spirat Terebinthinae, ideo recentes destillanda. Syrupus Citri succo ... saccharo fermentatus ... in febribus maligni et venenat. et ... Hoc habet peculiare Elixir ad Hypochondriacam passionem ... vestibus possunt unde e corroboratibus, quoque ex Oleo fit Elaeosaccharum momento hypochondriaca ... usurpatur in Pulvibus.

Cinamomū

Est Cassia Zeylanica baccifera fru[illegible]: bac-
cifera, olivulae nucleo gemino. Cortex
tenuis ab exteriori [illegible] rugosa ex
russo ferrugineo in canaliculos [illegible] sapo-
ris suaviter pungente subdulci et aromat.
[illegible] calidi [illegible] calidus od. fragrantissimo
[illegible] ē Kebota. Graecis dict. κασσία
qd nō dant alijs arboribus odoratis
Lusitanis Canella dict. q.a canula in
minor [illegible]. Cassia multo st alia.
Radix [illegible] ad autumnū pro Cinnamo-
mo quo ad est dulcis erat [illegible]
integro ramo et cortex solus integer [illegible] cor-
tex exteriori parte [illegible] una forma folii
iam ad nos adferebant qd eis cum [illegible]
Barros Cinamomi flores fingebant. [illegible]
est [illegible] aliqd sunt ut et [illegible] arbor.
et folia. Crescit sponte in Zeilone.
Radix spirat ō Cinamomum sed Camphoram
[illegible] ipsā camphora [illegible] destillata.
arbor junior cortex solummodo eligit [illegible]
[illegible]. incolae arbores [illegible] minor
que biennia, ut cortex sit crassitie [illegible]
[illegible] ex humiditas inter corticem et trunc[illegible]
intercedit [illegible] st successio [illegible]
solo [illegible] incisione [illegible] invers[illegible]
cortex parte exteriori [illegible] et [illegible].

et acutissimus ac fragrantiss. cuius odor omni aromat. vincit ō oq̃ fragrans ē. ac sunt ubi cammelli quos inter alias herbas insipide bene fit nobilis cortic[illegible].

Virt. Stomachic. Cardiac. Uterin. Nervin. Cephal.

Hinc Aq. Ol. Essentia. Elaeosacharum. Spec. ē ad fo[illegible] refocillandos. Hinc Syr. [illegible] in quo frequenter exhibentur purgantia.

Cassia Lignea

Sunt Cassiae [illegible] Malabarensis arbor fere stol. a Cinamomifera solo loco natali differt Cortex Cinamomi in modo cannulatus et [illegible] cinamomo crassior est at sap. debilior et maiori lentore

Ampla radix Camphoram [illegible] edit [illegible] sunt subtiliore eā quae ab arb. cinamomifera educitur.

Vires quales Cinamomi sed longe debiliores nec adeo diu durantes.

Ex hoc recentiori destillatur Oleum et hoc aquae supernatans et Oleum Cinamomi fundum petat

Cassia ē ⊙ nota Floridensis ad Angliã
inde advectus

Cassia Caryophyllata

Est Myrti Americanae [illegible] Francisci
Hernand. Arb: [illegible]: brevis vel: umbili-
catis [illegible] gemmis claudentibus Cort: tenuis
ex rufo [illegible] a [illegible] [illegible]
[illegible] et in modum tubuli [illegible] sap: acri
[illegible] pungente aromat: od. fragranti ad Ca-
ryophyllorum aromaticorum accedente

nos [illegible] ad Hernand. [illegible] de-
scribit. [illegible] arboris fructus extat in
officinis [illegible] nos Amomi & Caryophyllati
Plinij.

Cardani [illegible] Alex-
andrinum [illegible] Caryophyllorum [illegible]
[illegible] exhibent [illegible]
[illegible] [illegible] [illegible] in
[illegible] culinis [illegible] usus

[illegible] Winteranus

[illegible] Canella alba dicta est Ar-
boris Magellanicae [illegible] Cortex crassus
[illegible] integumento [illegible]
[illegible] [illegible] et multis [illegible]

subst solidae densae pallidae sap: acris aromatici
piperati ad Calamentum sap: accedentis Od: fra-
grantis.
a [illegible] nomen habet
Aromatic: Incid. [illegible] ala quadam vel-
ciro Calamentarie in Sororibus adleviens
felici successu.
Tot. subst. in Vino gratiss: et utiliss:
ad sudores et Sororibus pellend. huius
usus est in culinis ob Vilitatem.
Oia preparata ex hoc ejusdem nat: omnia
ex [illegible] Calamentarii et
minori haberi possit copia ut Oleum
ac fere pretio eodem bili preparari que-
unt.

Castanearum

Sunt fructus Castaneae sylvest: [illegible]
stob: [illegible] Castanearum Unifer: pluri-
bus modis cum leguminibus echinatis inclusi)
membranae tenues badiosae rubicundae corti-
cem inter et nucleum jacentes sap: austeri
et Adstringentis
Tingunt Adstring.
Usus in fluxibus alvi in puls: In flux:
et muliebri albo saepe eis usus sum ut puls:
[illegible] ad Gonorrheam. Rarius est
usus.

Fraxini

Sunt Fraxini excelsioris B. P. Cortices
crassitiei mediocris extrinsecus abundantes
sap: acris et amari cum quadam adstrictione.

Altera: liqd. sudores reddunt humores [illegible] fundunt, in liquidis et [illegible]
et siccioris et [illegible]
cor [illegible] [illegible] aut et [illegible] fit
ad 31 in [illegible] Card. Bened. ad eandem [illegible]
[illegible] in [illegible] [illegible] [illegible] [illegible]
[illegible] ligna eadem [illegible] [illegible] sudori
[illegible] [illegible] [illegible] [illegible] [illegible]
in [illegible] [illegible]: et quidem [illegible] [illegible]
[illegible] sudores [illegible]. [illegible] ligno
[illegible] [illegible] gemina et [illegible] [illegible]
[illegible] in [illegible] [illegible] et in [illegible] [illegible]
[illegible] usus [illegible]. ligno [illegible] [illegible]
[illegible] ut [illegible] [illegible] [illegible]

Calices glandium

Sunt [illegible] [illegible] R. P. fructus, glandi[illegible]
sedimenta [illegible] capsulae concavae horizontalit.
et [illegible] muliebria digitalia [illegible]
ex [illegible] [illegible] foris aspera [illegible]
glabra [illegible] [illegible] [illegible] [illegible] et
adstringentis [illegible] [illegible].

Ubi [illegible] [illegible] [illegible] [illegible]
varia [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] in [illegible]: Columella
et [illegible]

Granatorum

Sunt fructus Mali Punicae ~~B. C. Arb.~~
rotundo ~~umbilico~~ coronato ornato
Pomifer: praeterea et: poma ~~...~~
~~... ...~~ Cortices coriaceo duriusculi
rugosi, flavis et rubedine punicei intus
lutei sapor: astringentis et austeri.
Sponte nascuntur in locis calidioribus et in Gra-
nada. Nos utimur in Offic: corticibus fructus
cum dulcis (et) acidus
Astring. refriger.
Usus in substa et decocto. contra dysenter:
Gonorrh: nimiumq mensium fluxum. et ulcerumq
astrictione et refrigeratione opus est. it in
decoctis vulnerariis ubi sic: sanguinis nimis
subtilis et acutatus incrassandus

Ligni Guajaci

Sunt Arb: indiae occid: Sarcapet: Unciis
fructibus cordis figura binis 2: trium nucleis mem-
brana corticosa involutis Cujaco dictae Cor-
tices tenuis subduriusculi aliquo resinosi q. ex
pluribus lamellis compacti ex cinereo vire-
scentes q. nigricantes et maculati intus pallide
rubidi et lobigati sap: acris amaricantis odoris
fragrantis.

Nascitur in Peru et aliis Americae locis.
Ab arboribus lignis lignum scindunt cortices.
Ex sap. et Od. sunt aromati. quod Calefaci-
entes sudores pellentes. in lue venerea

morbis diss. chronicis. cui sim usus [illegible] ligni
ē p[re]tium ejus medulla

Usus in Decocto Ligni ℥vi Cortic: ℥i
cum Mensuris aquae vi postquam coqui incep-
it additur Ligni Sassafr. ℥ et super base
cineres coquend. lento igne in ~~[illegible]~~
clausa cui decocto additur Barbar[um] et
singulis diebus datur ad ℥vi & viii. et sunt
bellissima dicta ~~et~~ curant Luem Ven:

Hinc Hisp: audius quo solo jam in Galliā
curant Luem cet. ē in tecto continendi
Hinc est Extractis qui ē probo qua partes volat.
Rhenum. Dosis probo Essentia cum Sp. vini. Qui
Liquid. et Cortice cum Sp. vini. extrahunt Re-
sinam quae dat ad ℈i & ℈ij. sed ō magna
copia acquiri potē. Hinc est Americanis
in usum Aqua destillata ad Luem Ven: qua
a mancipio suo proscripta Hispano cuidam
ex arboris [illegible] [illegible] innotuit

& dig- tu debet de tenui- ssima

Macis

Est Avs. nucifera Moschatae arboris ex calami
[illegible] / Cuticula membranacea crassiuscu-
la ramosa q. reticulata [illegible], pinguis et
aureo flavescens, innumbris [illegible]
tiroso cui medulla Nux Moschata dicta ē
inclusa sap. [illegible] aromatica pinguis suavi-
ter amaricantis Od. fragrantissimi.

colligi 2do putamina nucis exteriora sua sponte dehiscunt ad intra hoc putamen ē et extra putamen corticis, cui affixus ē. Ost. ē ac nux moschata et, Macis ex minima parte oleu pdit. Crescunt solummodo in Insula Bantam

Aromat: Calefac: Siccan: 1 mat sere obtinent inter Aromata.

Usus in Subst: ad ℈j. in Infuso ad ʒß. Confortans stomachus: et ⊕ fundua ē ut ac cord. et, ap: pingui patet. Specific: ē in obstructionib: Uteri et suppress: mensis ex Vino generoso ad ʒß. V. J.

Hinc Ol. Express. egregie tindit. et destillat qd bis oiro andu: qua in 1 ma crassa sit stimula in hoc solo volatilioras sang: subtiliantes. Hinc & ℞. Essentia Balsamus &c:

Nux Avabiis Macer

Quercus

Sunt ānar ius huig. arb: Nucifer glan, difero, calcular. Cortices crassi foris ex cinereo fusci intus pallide rubentes, sap: austeri et astringentis.

astring: desicc: ... sang.d in ...
fluxib.
Us. in decocto. Raro usurpant ... me-
dici ... medlis grab..ib.

Capparidum radicum

sunt (Capparidis spinosae fo. minori folio
rotundo ... fructu pentapet: semini ... in ...
bulenis succis oblongis aristolochiae tenuio-
ris inclusis) Radix cortices tubulosi rugo-
si crassi cinerei sap. acris amaricantis
austeriusculi.

Antequam flores sint ... ...
... et Muria ...

Constat ... acrib. et ... ...
... ...
et ... in ... ...
... ... et ... Hy-
drop. ... in ... obstruct. Hepatis
... et ... ... Et
... in ... et Hydrop: ... ...
Usus in decocto

Tamarisci

Sunt Tamarisci Germanicæ B. P. frut: Laniger: capsulis mucronatis, in tres etes dehiscentibus Cortices mediocriter crassi foris ex cinereo fusci intus rubentes sap. subacris amaricantis cum Celer ad striction.

Cortices [illegible] heut aliqd crass. et terrestris unde post qm insufgerint p[illegible] bolat: aliquomodo astringunt.

Eorum usus ad eosdem affus et eodem modo cum Cort: Cappar:

Kinkkima s. Cortex Chinæ Chinæ

Et frut: cujusdam Peruvianæ Gamana fervide dictæ Cort: crassitie mediocri foris scabri paululum canescentes sæpe musco obducti intus lebes colore ferrugineo s. Cinamomeo sap: acris et amari.

quo majore musco obducuntur eo nobilio res censentur. Kinkkima nomen a ipsis Peruvianis impositum.

Jnredi [illegible]: sudorif. Specif: ad febr: [illegible]: ut omn: feru amaricantia

Usus proestat in subria. vel ō ʘ, sui ossit si in extracto qd ō p so. uel, ī in infuso vi si ex infuso iste pulvis in bulis sim alg. Et hujus usui admiscenda purgantia et maū a corbice propitiatur omnibus alioquin...
sæpe recidiva patiuntur. Dos: ad ℥j & quidam ℥ij. in pulv: subtilissimo ex vino generoso, ...albatico. Quidā ex residuo destillationis ... ✱ infusionē faciunt ac adhibent.

Kinkina falsa ū Cortex

Peruvianus quidam dubius sunt Cortices Kinkinæ veræ tenuiores foris cinerei, canescentes intus ex fusco aut rufescenti ferruginei sapi: acris amaricantis subpinguis ad. fragrantis.

Aromat: sund. Diaphoret. ad Diuret: ... Itaque ʘ eadē vix agentibus antifebrilis virt. prædicant, mihi hoc experimentum est dem. qui in Indiā fere in vino generoso infusi: continuis ad. aliqui ...dores feliciter expulsi. in Colicā ʘ adhibui ob pinguedinem ac: quod usū ē.

Ligna

Aloes s. Agallochus

Sunt Arb: Chinensis Calambac interioris
medullis ~~Lignea~~ fragmenta lignosa magnitu-
dine varia solida densa spadicea striis aliquo
nigricantibus et resinosis repleta Sap: subacr-
is amari aromatici et pinguis Odoris d-
accensis aut incalescit fragrantis et grati:

Sit Aloes quae [illegible] ut supra dicimus fere
amarus est. Dux [illegible] Xylaloes et
Agallochus ab Arabibus et Graecis sic dicta
eadem sint. Sed certum est nos habere verum
Agallochum seu lignum Aloes e China allatum
quod a Chinensibus vocatur Calambac quod nihil aliud
significat quam Agallochum opt. Est autem penitus
a nullo Auctore descripta nam de qua Gar-
cias ab Horto loquitur in Malacca non eadem
est. Chinenses caedunt arbores annosas et
findunt in partes minutas et inde collig-
unt fragmenta resinosa interiora ac
reliqua autem abjiciunt resinosa ac nobis
mittunt ac vendunt in Persia et Arabia
maiori quam hic pretio nam cum eo excipiunt
hospites in cubiculis comedunt [illegible]
[illegible] grato et bonum [illegible] cog-
noscunt si eius fragmenta igni injecta ab
initio ad finem fumum grato aromatico edit
[illegible] nullas relinquent [illegible].

Sunt Calef: Atten: Aromatic: Anodyn: et Specif: ē ad morbos cer. et purgantibus additur ad ea corrigenda. Datur in Infuso Decoct. Et in Extracto ad Đj. cum Moscho et Ambra, ad cerebr. extr: ē fiat bolus igne. Hinc postant. spiritus [illegible] Extr: Hinc parabilis ē sol: [illegible] ut Sp. Guajaci [illegible] Aromaticum et Olea [illegible] nullo [illegible] quia [illegible] ad affectus capitis.

Aspalathum

Sunt Arboris Chinensis Calambac affinis fragmenta lignosa bituminosa ligno Aloes laxiora et crassiora sapore amaricantis pinguis resinosi odoris debilioris.

Vires sub [illegible] ligni Aloes sed debiliores. odore et magis [illegible]. Simile habent Aqua et Oleo.

Guajacum

Est Arbor Indiae Occid: Guayacan [illegible]

ubi de Cortice) lignum solidum densum resinosum
buxei coloris medulla intus nigricante du-
rissima et densissima ponderosa et resinosa
sapore acuti amaricantis aromatici odoris
fragrantis.

India solummodo interna eligenda nam
celerior fere exsiccata.
Non differt viribus a Cortice nisi gradu
ut Cortex melior utrumque et lignum vilius
ferunt decoctum ex ligno ℥vi Cort. ℥i
ad medio partis consumptionem cuius decocti
dari potest quotidie ℥viii.
Fiunt eadem praeparata quae ex Cort.
Et eius Resina licet copiosior omnibus grata

Lignum Sanctum

Est lat. Ind. occid. Hoarcocan ant. eius
de nobis et Guajaci: lignum solidum densum ligno
Guajaci albidius medulla intus fusca durissima
densissima ponderosa nigriori resinosa et pin-
gui sapore subacris amari aromatici ligno Gua-
jaci carioris odoris fragrantis

Vires Guajaco aliquantulo potentiores.
Pharmacopoei confundunt vulgo.
Item est in India e recenti fit Syrupus
fragrantissimus contra Luem. et hinc in
Gallia ambulantes curatos

Panacea

Est Ricini arb: Indici Papala ... bri... flos... unus ... ejus spongiosa leve ... tenui cortice cinereo ... sap: acris ... et Caustici ... odoris nullius.

... amplius ... in Officinis.
... in ... Hujus arboris semina ... nõe ...

Caeg... Hujus ... humores et fermentationes ... excit. ... alb ... Dos: ʒß ad ʒj.
... sudores ... magnam ... et ... penetrantissimum ... penetrans ... in morbis Chronicis ... aliis ... Hujus ... in ... aut ... calore ... refrigerat ... manibus aqua frig. ... ejus ...

Nephriticum

Est arb: Mexicani ... dicta arb: ... flos: ... crassitie ... nigricante

in-Ludeus medulla infra solida dura gra
[illegible] sap: inferior amaricantis et aromatici
... in lingua vellicantis.
transfertur ex Peru

Aromat: [illegible] Specif. in urina [illegible]
[illegible] et calculo frangendo
Usus solus in infuso
Hinc Aqua destillata alba. at [illegible]
[illegible] in infusa aqua coerulei fit coloris
[illegible] affuso acido sp: desinit et affuso
alcalino restituit. [illegible] fit infusio
in vino rubeo [illegible] albo [illegible] aqua
[illegible] urinae

Rhodium

Est [illegible] albicantis [illegible] B.
[illegible] Cytisi Cystico [illegible]
[illegible] fruticis [illegible] [illegible] [illegible]
lignosa [illegible] flavo [illegible] densa solida [illegible]
[illegible] pinguibus ac resinosis [illegible] [illegible]
la sap: [illegible] odoris fragrantis et grati.

Provenit ex Cypro et ex America
Calef: [illegible] [illegible] [illegible] [illegible]
[illegible] et [illegible]
Usus in infuso et decocto
Hinc Olea destillat. [illegible] [illegible]
destillationis [illegible] grave [illegible] fit [illegible] Con-
[illegible] [illegible] praecipue externe.

Santalum

Citrinum est arb: Timorensis Sarcifare Santande dictæ cor s. medulla solida densa colore citrino ab integumentis suis et cortice et ligno exteriori separata sap: amari arom: at: odr: fragrantis et grati

Nascit in Solor, Moluccarum Insula. arb: e [?] cera, sed harum quaedam [?] sunt adoratae

Album est in nostris offic: constat ō i nisi Citrinum nã album verum ō reperit [?] nec nisi forte Citrinum inodorum qd album nõe vendunt. flos

Est arbor: Timorensis Sarcande lignum densum solidum ponderosum pallidum sap: amarescentis et aromatici odr: dum incastrat fragrantis.

Rubrum est arb: siliquosæ Indiæ orientalis arb: siliquos: fl: papilionaceis affinis) Cor s. medulla ab integumentis externis corticeo ligno separata solida densa ponderosa coloris et fusco rubicundi sap: et odr: nullius evidentis.

Nascit in insulis aliis Indiae
Plerique statuerunt haec ligna esse frigida sed priora bina sunt Aromatica et ex sar

calida igi: esse statuat ac humid: nec in
albo ulla adstringentia invenio nec ulla
terrestre. et equidē a Medicis usurpant
in Obstruction. Hepatis etc: Diuretica
est et opt: in Infus. et Decoct: o...
cus ac Nephrit.

Hinc in Officinis   Diatrion Sant:

quæ frigida existimata sit ...

Sassafras

Est arb: virginiana arb: Pinastrum
fol: ficulneo Salvinæ similē arb: Bar-
bar. Radix sub cort. tenui foris cinereo
intus ferrugineo includens materiam e
albo rufescente ligneā leviter pondero-
sam sapo: jucundo subdulci cum aromat.
ico odo: fragranti Foeniculi.

Sic dicebatur primum a Gallis Floridā occu-
pantibus quia Saxum quod frangit. Quidam
dicunt Xylo   quod feminam ligno
nascitur in orbe Americ regionibus. optima
est Virginiana. maxima vis est in cort:
radicum.

Humid. Atten. Calef: 2º quia subtil. leviter
ideo temperata Asthmatica. et quia tenuis
ideo Diaphor: et Diuret: et quia fragr.
ideo Aromat: Confortat. Specif: est in

morbis chronicis et gallico &c.

Usus unguen in sutria licet cortex in suo solu fere bis in prima posse- [illegible] Datur igitur in infuso aut in De- cocto coquendo ad 3am partis consumptione alii ponunt ℥iv or v cuius ligni cui addunt [illegible] aquae vi lib. destill. aut per alemb. destillatur remo [illegible] assumunt ac hinc [illegible] aqua [illegible] De- cocti exigas. In morbo gallic. [illegible] sunt cutanei pro scabie nam [illegible] servat [illegible] [illegible] [illegible] Decoct. [illegible] in genu- [illegible] [illegible] [illegible] [illegible] [illegible] multo enim mollius et [illegible]

Viscus Quercinus

Sunt [illegible] quercubus [illegible] [illegible] rami lignosi digiti crass. [illegible] ramosi et nodosi includentes suo cortice tenui [illegible] [illegible] lignosa [illegible] [illegible] [illegible] [illegible]

Non [illegible] a semine proprio sed ab [illegible] [illegible] aliqua arbori cuilibet proprio, semina [illegible] [illegible] [illegible] [illegible] [illegible]

Huic ascribitur magna vis ad Epilepsi[am]
in pulv: [illegible] vino rubro ad ʒj. et multi
loco [illegible] a multis vulgo praescribunt. ego nil
tale percipio. destillat. o[leum] [illegible] nisi
[illegible] acidum ut omnia ligna et ab ejus ʒj
[illegible] una gutta [illegible] hujus [illegible] [illegible] possit
Ego nullas [illegible] ei ascribo nisi abstergentes
vires et exsiccantes quadantenus. Vinum
[illegible] [illegible] expressum in Italia ad
purgandam Melancholiam usurpatum et [illegible]-
rei potest ac [illegible] forsan [illegible] posset
[illegible] [illegible] in Medicis in usu [illegible].
Vinum datum [illegible] Coryli cui majores
ascribunt vires ad Ego eandem de eo sen-
tentiam fero

Lignum Colubrinum

Est Carb: Timorensis [illegible] affinis [illegible]
vot: sub cortice tenui [illegible] intus
densae [illegible] cui nuclei compressi
orbiculati [illegible] sunt [illegible] quatuor [illegible]
[illegible] [illegible] Rad. lignosa [illegible]
[illegible] sub Cort: ex nigro ferrug: subinde [illegible]
[illegible] cineres [illegible] [illegible] [illegible] [illegible]
et ponderosa Sap: amariss: [illegible] multis.
Nascitur in Timore et Solor in Ind:
Or: Hinc colligitur Illus[tris] [illegible]
[illegible] ejus. [illegible] Arbore quae in Zeilon nascitur.

calefac: humid. et qua stomac. stupefecit:
q in Contin: tum in Intermitt: fe
qua odore et fragrans adeo et stomach:
Itali in Insul: ʒi in Vino cui
septies affundi potest Vinum et amarissimum
reddit. et optime sudores et Urinas mo
bet. Sed Lignum leuissimum molis
... vacans ... in Indiae Lo
... excitabat solummodo ...
dos ... summa ... deiectione unde
ut a venenatis ... venenatis
ab incolis ...

Herba

Abrotanum Mas

Abrot. mas angustifolium maius ...
Planta corymbosa flor: discoidalis nudis
... radicalis dispositis ... in caulic
is lignosis ... foliis ... fragrans
... Sap: ... amaro ... fragrans
et grati.

Calef. sicc. atten: stomat. et grati od.
Uterin: ad oes eiq obstruct: q.a simul
Amar. et fragr: stomachi: q.a Uterina
ideo p accidens ☉ Diuret: agreste
Usus in Infus: et Decoct: summitates
s.: flor. flosculor. q bet summitat.
ʒi. ℥ Vini ʒj. opt. Diuret.
fragrantib.
Ex hac et ex oibq fromatuis quaq
possunt sq: at Ol: destillata sycomor
bre: sq: varie usurpatq q.a tere sola
bis q Oleo pdit. Opt: ex hac q alus
fit Decoct: Diuret. et ☉ Confortat. bq
Hydropicis

Absynthium Vulg. seu
Latifolium.
Absynth: Pontic. s. Romanq officinarum seu
Dioscoridis L. 3. Est D.C. Corymb. H. Dioscorid:
minus dispositis foliatum in caulibus mini
lignosis ornatis foliis incanis seminibus ...
bi ... Sap: subacri insigniter amaro
subadstringente od. grati fragranti.
Absynth: Rom: tam. folis incanis odore est lati
gui gratiori.
... ... Abrot: ... ...
bi: ... dicenda. Hic a.c insigniter
magis amarq fit ☉ ... et q.a
multo ... salē ideo potentius urinam
pellit salia ... humores potenter ...
... q ... ad venes plati. ...

et urinã provocant.

Usus in Insulis plurimus Vino.

Hinc Aq: sed insipida fere est. et Oleu Hinc Extract: et S. — [illegible] Syr: sed opt: e Sal. [illegible] [illegible]

Adianthum Album

Ruta muraria B.P. e pl: anacitos επιφυλλοσπερμα s. dorsifera foliis divisis subrotundis variis dispositis in summo [illegible] foliis s. pinnulis crassior [illegible] et viridioribus Sap: subadstringente et levi quadam dulcedine Od: nullius.

Folia temperata [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] astringentia restringunt [illegible] [illegible] capillamentis [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] in partes [illegible] [illegible] [illegible] [illegible] [illegible] tollant

Agrimonia

Eupatorium Veterum s. Agrimonia B.P. Est pl: perennis et [illegible] [illegible] ~~[illegible]~~ [illegible] in spica [illegible] [illegible] in summitate

fuis ~~[illegible]~~ incumbentibus sem.a bina du-
rissima foliis pinnatis sap: subacris
subdulcis subadstringentis od: o[illegible] ingra-
vati.

Calef. Atten: Aperit: in obstruct:
Hep: Lien: Cachex. et Febb. continui.

Usus in Infuso ex aliis in Decocto
[illegible] Decocto Agrim: ex Sale Absynth: [illegible]
[illegible] part. Inbibat.
Item post Herb. Agr: destillat. et Olea [illegible] Aromatica fit
[illegible] paucis. Item Syrup. Deobstruens.

Sed huius sit solius [illegible] melior
Quia aliquid habet [illegible] astringentis ideo Cor
roborativus [illegible] fibras [illegible] astringendo. Datur
in Febb. 2a subdulcis ideo Syrup
Asthmaticus e.

Alchimilla

Alchymilla: vulg. B.P. a pl: fl: herbaceis
[illegible] ad summos caules umbellatim
[illegible] qua subsident [illegible] seminales
[illegible] parva rot.a foliis subrotundis [illegible]
lis angulosis marginibus eleganter denticul-
atis sap. oris Adstringentis.
Dicta ab Alchymistis qui illius aquam [illegible]
rebant ad mammas virgines flaccidas resti-
tuendas

Us. [illegible] in Decoct: vulnerariis

et Astringentibus. insigne e vulnerariis.
hujus, ut et Consolidae decocto uti non int
feminae
[illegible] est qui [illegible] [illegible]
de ad mentiendam virginitatem [illegible].

Althea

Althaea Dioscoridis et Plinii C.B. [illegible]
sylvest. & malust. Moris. [illegible] ἀγρία
[illegible] [illegible] undis [illegible]
[illegible] in rotunditate [illegible] ex [illegible]
Fl. [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible]
[illegible] Sap. mucilaginoso et [illegible].
Ut Rad. ita Fl. est Emolliens [illegible]
Anodyna [illegible] [illegible] Radix
Usus in Decoct. Clyster. Fi. Cataplasm.
conglutinat. [illegible] [illegible] et astringit aliquo
modo unde vulneraria e.
Hinc Syrup. de Alth. Fernel. [illegible] ad
erosiones pulmonum [illegible] Syrupus fit [illegible]
radice.

Artemisia

Artem. vulg. maj. C.B. [illegible] corymb.
Fl. [illegible] [illegible] [illegible] in caulis
[illegible] foliis [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] Sap. [illegible] [illegible]
et amaricantis Od. [illegible] et gravis.

Est Aromat: sine d. sitter: sd odore grati sspec. s. uterinae ad ej. obstruct. et imbecillitates.

Usus ejus in substa ut non nisi propemodum herbe quia nimia quod requireretur q̃titas vel si in pulv. a nro humido et pulvere nimis molesta esset ægris; sed in infus. & decoct: in aq. vin. & cereb: Et ob fragrantiam & stillatam; cum Vini & Aq: destill: et Oleo sed hoc q̃a minus gratus parum in usu Vini & Syrup: Extract: Sal: &c:

Summitates Anethi usurpantur sol: Seminis gratia at de eo de his postea

Betonica

Beton: purpurea C. B. est pl. verticilla ta herbacea sem: in utriculis & filis oblong: is quaternis fl. galeatis et labiatis in spicis densioribus et basi circiter verticillis dispositis fol: crenatis oblongis p marg. crenatis sup: subacri amaris. Od: grato et debili.

Tres pl.a Verticillatæ si modo fragran tiam aliqm habeant Cardiacæ sp. Cephali: et Carminat. &c: Pariter Beton.

... er Specif. Cephalica. Sed sicca vix
ṽ nisi paucas hēt. vires
Usus in Infus. et Decoct. Si sicca sum-
ō etiā in Decocto nō [illegible] pauca sed veneni [illegible]
virib. abolet. Quidā hujus foliis recen-
tes et surculos terunt [illegible] imponendos
[illegible] sicca vix valebit [illegible] aliis
fragrantib. usurpari. Nostra [illegible]
vix odorata ē. in locis [illegible] nata
odorē fundit
Hinc Syr: Herbal: [illegible] fragrans
et cito putrescens. Hinc [illegible]:
ad affect. capitis et intern. [illegible]
vel etiā sed ad affect. pectoris ō sæpe usur-
pā, quia meliora [illegible].

Botrys

Botrys Ambrosioides vulg. B.C. [illegible]
Mexicana ē pl: fl: [illegible] sem: nigrum
[illegible] rotundis [illegible] varie
[illegible] foliis profunde [illegible]
[illegible] Sap: subamar. Aromat. [illegible] fragranti
et grato.
Aromat. calid. Specif. ad pulmonū et
[illegible] affect. Mexicani multo fragrantior
et melior
Usus in Infuso et Decocto [illegible] mel-
lius in Infuso
Hinc ut ex aliis Aromaticis [illegible]

seminum R.
In quo not: omnia fere simplicia Utrin: cum aliud[?] Sbaraica[?] nil habent in differunt nisi ratione majus et minus.

Bursa Pastoris

Bursa Past: maj: folio sinuato cum fl. [illegible] tetrapet: bivaps: capsula cor [illegible] depressa bifida septo medio longitudinaliter separante duplici semine se[illegible] [illegible] oblongiusculo marginibus [illegible] modo integris Sap: et Odor: nullius [illegible] nisi terrestris [illegible] glutinosi:
[illegible] abundantes [illegible] habeat [illegible] ob sap: subpinguem et terrestrem. [illegible]
fluxus albi et Haemopthysi [illegible] [illegible] dicit hunc [illegible] gonorrhoeam. Contusa et Vulneribus recentibus applicata prodest.
Haec sola inter plantas tetrapetalas et [illegible] cum saporis acris.
[illegible] et raro in Offic: [illegible]

Calamintha

Calam: Vulg: et Officinar: Germaniae [illegible]. cum fl. verticill: sem: quaternis in vas[illegible] [illegible] membranaceis quinquefidis fl: galeat: et labiat: in [illegible] nodos cum fol: [illegible] alii ex [illegible] pediculis innitentibus oblongis fol: subrotund: [illegible] Sap: acri amaro

cante aromatico odo. fragrante.
est Aromatic: et hoc Uterin: Stomach.
Thorac: Cephal: Calamentha scrtstan
tior nobilis herba longe fragrantior
[illegible] ut et inde [illegible] Aq. Ol. Sp:
R. Syr: [illegible] fragrantiss: et in
magna [illegible] cont. a [illegible] gutt. j. ö ij.
ad affto Uteri opt:

Capillus Veneris

seu Adianthu folijs Coriandri C. B.
ο [illegible] acaulos Dorsifera folijs di[illegible]
sis [illegible] varie dispositis pinnis te[illegible]
nuibus nigris folijs tenuiores in sum[illegible]
mo [illegible] Coriandri [illegible] lobis sapi
[illegible] ex Adiantho albo.
Non [illegible] sapore [illegible] odore [illegible]
ex [illegible] tenuib. [illegible] [illegible]
[illegible] sub lingua sapor aliquid
[illegible] Aperit. ad [illegible]
Ingreditur [illegible] et decocto [illegible]
[illegible] Syrup: Adianthin: Aperit[illegible]
ent.
Affertur ex Gallia Narbon:

Carduus Benedictus

Cnicus sylvest: hirsutior . Card. bened. B.
P. e pl: capitatis pappos: flosc: fistul
osis in capitulis minoribus foliorum circulo or-
bicularis cnicum triatis Habitantibus foliis
paucioribus spinis armatis sap: insigniter
amari odor: gravi atque debilis.

Vires egregie summe laudat a veter:
et recentior: Est sud. sisten: et ob
fragrantia amaritie adjungitur alexipharmacum.
Usus in Infuso et in Decocto hor sy. ag:
et Cerev: vinum cum vino. Sporus in
rejiciunt: hepatis renis etc. in Pasio sam-
bucio Albuminosa etiam et ubicunque aliquid est
malignitatis Opt: putrefacvil: praesertim
cy Sal qd crocos rubet et daly ad D,
Ubi in aq: destillata usus o g terrena di
Item d destillari potest: Oleo albis Crom
ati. qa cy V datur ad gutt: aliquot in ob-
structionibus et morbis dictis. Ubi Oleo o
constat fieri potest R a cy V additis flor
sulph: et Centaur. min: quo maxime estimatur
in Germania et Lang in praecipitis e ad ubi-
cunque morbi e malignitatis. Flos liber
sed folia cum crugentia decerpuntur odore
habet Moschi et Cherub: d tota planta ut
gramineo ac vil: judicari potest est Uterin:
Flores d. mense Junio lacerati Sanguineum
liquorem effundunt qui ut et succus Flor
Lete in usum sunt bene curari.

Equisetum s. Cauda equina

Equisetum aquatense (melius arvense) angustif: folius B. R. e pl: vasifera flore: muscosis in spicā strictissima seu experimentis dispositis caule articulato ad singulos nodos radiatim emittente folia angusta fistulosa setacea longissima ētis equinis, sim. ultima Sap: adstringente austero.

Provenit in locis uliginosis natum. Ut estiam omnes plantae quae nascuntur in locis clivosis et siccis majores vires habent et longe melius exercent quam eadem plantae in locis uliginosis et paludosis natae

Refriger: Astring: Vulnerar: Gal. eius specifice statuit ad vulnera glutinand. quod Simon Pauli propria exp.e confirmat. Nunc ē in usū nostris medicis sed certo hic ē tenuendus.

Centaurium minus C.B.

Est pl: pentapetaloides capsula oblonga bifida in duas per maturitatem dehiscente deluscente Sem: minutissimis pulverulentis Sap: aris insigniter amari Od: nullius.

...alef. Jucund. stomach: Antiscorb: et q^a amarities sua acris quodammodo est et tenuis ideo licet non sit fragrans recensetur inter Alexipharm: Balsam^s Aug: Gel^e appel-latur qui de eo fere integrum librum scripsit et Bilem ubicumq parat corrigit et consumit Efficit Infus. et Decoct: huic vulgo addi[tur] Caryo. Bene. et Ulsgull: cui immiscent guttas aliquot ... [illegible] ad Sap: gratiorem. Hinc Extract: et Sal. haberi possit cum Spo: p. fermentatione

Chamedrys

Chamedrys min: repens f. Chamed: maj: repens I. B. Est pl: 2ectrinal: fl: labiato galeâ carente Fol: supne livid. infra incanis Sap. pore amaricante acri et aromat. od. fragran-ti.

Inter ... stomat: Jucid. recensetur spe-cif. ad ... obstruct: internas ut et in Arthritid. ad Epilepsi: Apopl: et ubicumq decoctum opus est

Usus in ... Infuso et Decocto cui facile ... quod non acri facile absolvant.

Chamaepytis

Chamaep: lutea vulg. C.B. vestrivilaba Fl: Caeruleo galea carente foliis angustis tri fidis utrinq incanis sap: subamari resinosi odor: fragrantis suavis.

[illegible] sap: resinosi pini referens

Quia sumat: et ferv: [illegible]. [illegible]: Cum resinosi sap: [illegible] et ad omnes affect nervosos [illegible] est et Uterin: quae movent omnes mulierum: cuius decocto in [illegible] mensium suppressis utuntur. quia [illegible]: odor subtilior et in [illegible] ad omnes [illegible] res facilius penetrat.

[illegible] Usus in Infus: et Decoct. vulgo Chamaedri jungitur sed ei longe [illegible].

[illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible].

Cuscuta

Cuscuta maj: C.B. [illegible] φυτοδέβινος [illegible] ἐπίφυτος flor: [illegible] [illegible] in glomer coactis caulibus [illegible] [illegible] [illegible] vicinis plantis sese implicantibus et ad haerentibus Sem: rotundis in capitulis [illegible] sap: [illegible] [illegible] [illegible] [illegible].

[illegible] [illegible] [illegible] et ex [illegible] [illegible] [illegible] potest [illegible] aliarum [illegible] [illegible] [illegible] ut [illegible] [illegible] [illegible] [illegible] [illegible]: unde [illegible]

barint. In usu ē præcipue quæ sine arbore est et ego potius existimem quod Thymo est nasci et spitamum dus quæ fragrantior est. sed vere cucurbita

Deobstruit, bassa et attenuat humores, le...
vosos

Usus in Decoctis Deobstruenti.

Dictamnus Creticus

D. D. est pl.ª herbacea: fl.: galeat: et labiat. foliis inferioribus tomento incana be lanuginæ obsitis superioris glabris sap: a...is od: fragrantiss et gratissimi.

D.is a monte Dicteo in Creta. Not: pl.ªs pecorasq. caulem deponere et in hortos ad ducitq.

Calef: siccit. Alexiph: ingreditur Theriacam Usus in Infus. et Decoct: Suffitus moles ingrata. Est egregia Vulneraria, Cicatr. e Viscera, Ut: erina, et Alexipha: ad oēs morbos malignos. Ilinc post dari Aqua destill: fragrant. it. Oleo ac hinc ... Extr: egregia.

Epithymum

Cassutha minor B. P. c. ph. plurimo imaginis ejusdem ac insecta majori sed bulg: forme sap: acris nauseosi.

Nusquam inveni Cuscutae et Epithymi vires pollere plantarum quos innascuntur.

Calid: sicc: Purgans, sudores movens.

Usus in infus: in vino et aq: et decoct.

Specif: in omnibus morbis cutaneis ut scab. iis quae exsiccant.

Fiunt Aqu.

et Syrup. laxans et sudores movens.

Erysimum

Erys: vulg. C. B. c. pl. tetrapet: siliquosa bicapsul: siliquis brevibus ... caule denso et stricte spirabiliter ambientibus fol: laciniatis sap: ... et acri odore nullo

Calid: sicc: Specif: in raucedine pulmonum a pituita viscida. sed ... et ... ...

Fiunt Syrup: de Erysim: Fernel: Antiasthmat: et piperis. ... semi: ad ℥j. sudores movent et urinas quae ... ut et ... tetrapet: siliculosi.

Usus in Infus. et Decoct: Vis eri: coquendo ō perit nã aqua destill: ē insipida et Decocty fit acerrimy, aliter fit in aliis tetrapet: ut Raphano unde potiq in substia daveh.

Oēs tetrapetale pirbeo Scorta pseb: sunt acerrimi saporis

Eupatorium Cannabinum

s. Aquaticum.

Eupat: Cannab: C.B. ē pl. discordes nuda perennosa fol. digitati, flor: et sem: umbellatim dispositis sap: acris amari: odor: fragrantis gravinsculi.

Calef: Atten: Aromatica ē nec alienomodo ℮ conforcat spec: ut mendica melancholica cui fini prestant

Pillulae de Eupat:

Usus in Infuso ℞ ℥ Decocto ℞ Semi

Aqua stilla destill: fragr:

Si decocty fiat coqui deberet in vitro cui imponat Alembicum ac ubi est ex dict ℞ Alemb: reaffundat decocto ut fit in lix, vecto sassafras ē optimo vehiculis.

Euphrasia

Euphr: vulg. et officinar. H. P. c. pl. flore galeat. et labiato fol. parvis sub rotundis ad margines serratis sap: pinguis subacris et subamari

Aliquando calefac: et siccat. ad moderate hinc ophthalmiae abstergendo et pellendo fluxiones a causa frigida subortas. Aliis solvit fluxiones ... aut stuporem, sed c. oculis ut ... a causa frigida pariter ... propter grandem hujus fragrantiam ... confortat.

Usus in Decocto ac Aq: destill:

Fumaria

Fumaria officin: et Dioscor: H. F. c. pl: αγγειοσπερμος semi: rotundis nudis in spica dispositis fol: oblongis utrinque rictu posterius obtuso calcari notatis in spica ... fol: glaucis tenuiter dissectis sap: subacri et amaro ... nauseoso et subadstringente.

Succus fumariae c. ... ac fumus lacrymas et oculis exprimit acredine sua

Fr. Acris constat particulis et hinc Non solum
Sudorif. ac Alexi: sed dein Siccat ac purg
gat alexi: Sed sequitur sed postea particulis
terrestribus residuis leviter astringit et
tum corroborat ac confortat. Proinde ibi
in oibus morbis Melanchol: Scorbut: et
Scab. Sudores e movet.

Usus in Decoct: et Aqua destill: quae
egregie movet sudores.

Hinc constant Aq: Syrupus et Succus
expressus exsiccatus. Germani se curant a
Scabie solo hoc decocto. constat Sale quodam vol:
unde Antiscorb:

Galitrichum s. Horminum

Horminum sclarea dictum B. C. e pl. Ver-
ticill: fl. galeat: et Lab. Scandens in Spica
variorum congestis fol: rugosis Sap: amaro
Subacri Od: fragranti gravi caput feriens
te.

Calet. Siccat: et quia odor capiti gravis est
vix a Medicis usurpatur. Cerevisiae ea utuntur
ad vinum saccharandum. et in Cerevisia qui
ea coquunt ut citius inebriet.

Hujus Aq: destillata egregia e ad mulierum
fluxus albos exsiccandos et ut fluxus purgare
desinat.

Hypericon

Hyperic. vulg. H. S. c. pl. [illegible] per[illegible] [illegible] capsulis ternis ad se inuicem iunctis vesiculis seminibus minutiss. sap: amarius cum adstring. quodammodo resinoso et pingui odore grato.

Nimis astringit ut inter candidas vertusi[illegible] mereatur, nam pinguia per se temperata [illegible]
Et sap: pingui conglutinat hinc vulneraria [illegible] externis et externis vulneribus et contusionibus
Ex illo fit infusum decoctum et Balsamum vulnerarium quod a Chirurgis cum additis [illegible] [illegible] summum est. Balsamum fit e summi[tatibus] [illegible] cum Oleo [illegible] [illegible] [illegible] digerendo. [illegible] [illegible] et semina. In plurimis ubi [illegible] [illegible] vulneraria est

Hyssopus

Hyssopus officinarum [illegible] [illegible] [illegible]. [illegible] herbacea. Fl. galeat. et [illegible] minoribus [illegible] in spicas dispositis fol: angustis virentibus sap: subacri subamaro [illegible] fragranti gratissimo.

calefac: humid. Aromat: Cardiac: Specif: Alexiphar: et ut oës fere Bacciferi. Cephal: Stomach:

Hinc Aq: et Syrup: Aqua fragrantia ... retinet. ... recens ... da ... ferunda

Laurus

est Arb: Baccif. pentapet. baccis oblongo rotundis nucleum inter geminos claudentibus fol. rigidiusculis perspicuo virentibus sap: subacris amaro Aromatico odore fragrantis.

prostant sola folia: de Baccis postea.

Calef. humid. Sudorif: Aromat: Specif: in passionib. Colicis et Flatib. intestini:

Usus in Decoct. et Infus. frequenter Clysteribus contra flatus additi

Hinc posset fieri Aq: et Ol: fragrans ... pauci probent Ol:

Helmont ... vina ... commendant ... dando in Infus. et ... antihydrop: ... tat ... a attringentia quadam habent

Lupulus

B. C. amplexicaulis flor: masculis et capsulis foliaceis strobili summis ramis propendentibus seminibus rufis rotundis fol: Viti similibus sap: subacri amaro pingui odo: grato.

Usus capitula in quibus semina, sola in usu Calef: Atten: Anodyn: Uterin: Cephal: et placeq, plus Uterina et Cephal: Aperit: in obstruct: Hep: Lien: in morbis Chronic: Melanchol: et aliquando pectoris ind ut expr. gestat. Optra ad tumores et amatos pedes.

Usus in decocto ut in Cerevisia quae bene Lupulata et magna copia pota caput gravabat et secus ac opium inde Anod:

Item Syrup: Aperiens

Majorana

Vulgaris B. flore ret: Vertic: flor: Gal: et Lab: in summis caulibus e capitulis quadrangulis prodeuntibus, sap: acris amari vomitivi odor: fragrantissimi

calef. Alter: Cephal: Cardiac: Stomach. Nephr.
Usus in Decoc: sed potius in Infuso
Aqua destill: cum opt: Cochlear ad Calculos renibus hausta ad pituita dissolvenda. hac curavit Fabricius Princi. pe Mexllenb: Calculo patiens.
Hinc Aqu: et Oleum. Oleum catarrhosis verbicis illinitur. Oleum Comptorum commovet. vis si guttae aliquot mixtae coagulo leporis i.e. lacti coagulato in ventriculis leporis juniorum.

Malva

Sylvest: fol: rotundo s. r. cum pl: ἀγγειο-
κοιλυσπερμος Sem: semilunaribus in caseoli forma circumnatis flor: pentapet. cum sub. Calyce octaphyllo, fol: subrot: integris sap: viscoso et pingui odore nullo.

Temperatum Emollit. Lubric: Anod:
Usus in Decoct. anod: et Clyster: Spartiis ad Colicos dolores sedandos decoctum. Veteres ex Asparagos comederunt et enarianti quum ierant. Folia imponunt tumori et Hinc Cataplasmata Emollientia.

Marrubium

Herb: vulg: S.T. c̄ fol: lenticul: flor: ingal: et lab: pediculis brevissimis densius congestis fol: incanis rotundis sap: amaro subacri od: vehem: et grati

Largiter Calef: Atten: Specif: obstruct: Hepat: Lien: Melanchol: et ob grav. Ped: Uterin: [illegible] expia[?] constat et notat [illegible] morbis venum et tussi[?] colice [illegible] prodest [illegible] qua hac [illegible] facile [illegible] nephriticis doloribus adeo [illegible] colicis [illegible] [illegible].

Hinc Syrup: de Prassio

Matricaria

vulgaris S.T. c̄ fol: corymbifera dis- coidea radiata floribus in umbellae forma dispositis fol: [illegible] sap: subacri amaricanti od: fragranti et grati.

Exsicc: Atten: Uterin: Aromat: [illegible] Menses et Lochia promovet. et magna [illegible] emollit et laxat [illegible] ut [illegible] [illegible] ad

℥iij ʒ iv dcts bilem et melanchol: pur
gat. et partes pro feor et vitis plis mag
nâ vi mordendi vellicanti omes cu: majori
copiâ aliquorâ purgant.

Usus in Decoctis cui adjungunt vulgo
Matri herbenis cum flor: Chamom: et
menses aut vortica. Vel in Infuso q.d mar
ℨ̃ proba. Hinc ⊙ Extract Aq: et Ol.

Melissa

ist pl. herbac. h. gal: et Lab: pedi
culis insidentibs oblongis fol: alterbivem
sitas sap: amaricanti subacri aromati
co et levi stypticitate Od: fragr: et
jucundo ad Citri od: accedente.

Inord. Attenu: Incis: Cardiac: q, a ℥
solis humores Melanch: et Cor gravantes
discutit. et ⊙ ipsius fibras adstringentis
suâ roborat: Nervina et et Uterina
ut et muliercibus usi.

Hinc Aq: et Ol: fragrans et sapius
Aq:

Menthastrum

Mentha rub: longiori folio B.P. c
fl: verticill: barbarea floribus pusillis
quinqz partibus in spica verticillatim
dispositis vel: integris hirsutis sap: acri
amaricanti od: fragrantiss:

Haec vocat vulgo Mentha hortensis
crispa seq. mox. Hinc faciunt multi
crudo Balsamita et Samea ad eosdem
uteri quia fortiuss comparavit q̃ men-
tha quod Menthastro fragrantior

Mentha sativa

Rotundifolia crispa spicata B.P. c pl: ver-
ticill: flor: oblongis parvis 5q partibus in
spica verticillatim dispositis foliis crispis ru-
gosis rotundis sap: acri amaricante arom-
atico odore fragranti

Aromat: aperit: Aperient: Stomachic:
Cephal: Uterin: et Nervin: fit oes de-
bilitates [illegible]

Usus in Decoct: Infus. et Syrup:

Hinc Aq: et Ol: Aq: mirifice sistit
Haemorrhagias narium [illegible] et pariter vo-
mitum cui si quis pedem immerget illi-
co [illegible] facile e vena sanguine educ-
et.

Huius Olei Oleo Nucis expresso mistu et Ventr. regioni illinitu 2 unibus sistit et appetitu restituit

Mentha Aquatica

Mentha rotundifolia aquatica seu palust. e pl. herbitrix: flor: pusillis quadripartitis in capitula congestis sapore acri amaricante aromatico od. fragranti ad pulegium accedente.

Het Viras Menthae fat: eius usus in Balneis. et ubi Crispa haberi nequit potest hec eius loco usurpari. fit odor aliquatenus vinius gratis

Muscus Quercinus

Est pl. fungosa in plures albicantes ramos divaricata enascens ex caudice et ramis quercus saporis terrestris astringentis.

Frig: ii: Astring: Desiccat. dab in Pulv: Ʒj. in fluxibus albi. et usu fus est in omn. haemorrhagiis interv

ne in puer: et decocto vulnerario
et externe aspersus. Optim: @ desiccat
capillos et opt: pulvis Cyprius ad
capillos fit ex eo: musco in clibano
siccato et pulverizato.

Mercurialis

Mas et foemina B. F. ē pl: florentis mensi-
bus in spicā dispositis, semin: parvis cappa-
ceis binis more testiculorum invicem cohae-
rentibus, sapi: subsalsi nidoroso et nauseo-
so.

Sic foemina odore deterioris sapore i-
[illegible] natali [illegible] fortior. sapi: Nido-
rosus est [illegible] in [illegible]
lis [illegible] ynaris [illegible] in [illegible]
et aria sentib.

Vis frequens calef: nidorositatem
emollit irritat nauseositati purgat
Usus in Clyster: @ infantibus recen
natis. et @ externe ad emolliend.
quidā [illegible], [illegible] concedunt et
efficacis [illegible] ō vino lavat

Rubus

Vulg. minor h. K. c strob: pentapet: baccifera foliis perpetuis simplicibus minoribus mucronatis in singulis partes multis pluribus albis ... ... amaricant. adstringente od: aromatico debili.

multi scripserunt refrigerare ... sapor et ... dicunt, licet quamodo astringat ... ...

Us. in decoct. astringentibus vulnerariis ... in Balneo ... et in Pulv: ... in sudoribus ... et vulneribus ... in ...
Hinc ... ad ... et confortandum ... Non ... debilitat ... nisi paucis.

Nepetha

Mentha Cattaria vulg. et maj: h. K. c ... Flor: gal. et ... dispositis in spicas densiores et ... incanis ad ... accedentibus ... sui amari odor: fragrantis gravissimi.

Calef. ... Aromat: Uterin. Stom. ... Cephal: Flores ... foliis ... viris ... narrant ... ...

in trunculentos mutare. fit oes affect. et
bibit Uteri. Est ⊕ Pulmonaria, ff stamat.
ffine Aq: et OL: ∴ hoc varius.

Nicotiana

Major latifolia B. P. c pi: monopet. vi
capsulares vasc. capsula conoide ob-
longa in binas partes dehiscente: semi-
nib. intus parvis copiosis flore e tubo longi-
ori in labitur: expanso margine integro foli-
is latis longis in mucronem abeuntibus molli-
culis pinguibus et oleosis sap: acris pinguis
gratie virtoso et narcotico.
A Nicotio Oratore Regis Lusitani qui ejus
ejus sem. Reg. Angl. dedit. dict. ⊕ Tabac,
co ab Insula.

Calid: Humid. Atten: a ptionib. acrios tenu-
ibus et Labilariis: a sap: nauseoso et ⊕
rumor narcosi- Inunt a ptionis sulphu-
reis pinguibus viscidis elevatis spos autem
involventibus ut munia sua obire nequ-
ant. Inde Nicotiana gtusa et calidum co
gtesda aliis feminis abunde ut cor debili-
tandus. forsan illa alia feminea aliqd quit
dixit. qd zero in rosa Nicot. qd conciliavit
o risco - c agitis, nerd. finitorum Anodyni.
Usus fit solum ut fumid. tus by ad Mar
fusas vi. aque sufficient ℥ij c j. forior.

in Decocto. si vero ad purgandum supra
et infra eidem utilitati aqua addi potest
℥ß. Fiunt ex Infusum. Fiunt quidem
Extracta fariunt quo usus est saepe in Ju-
lio ad serum purgandum in Hydrope. Sula
eris usus internus non laudandus. ob acredinem
stimulatoriam. Succi ℥j. cum Saccaro aut
Melle dari potest ad Vomitus et febrem inducit.

Sal. Destill. cum aq. Cochlear. Frag.
vanis et insigne Antiscorbuticum quo usus
sit. Fiunt ex Oleum simplex quod in fomentum
in Obstruct. Mesent. usus sum interne
Oleum Essentiale quod fit foliis pulveri-
zatis ac dein e Retorta destillatis un-
de prodit 10 Aqua dein Oleum tenuius et cras-
sius ac e Capite mortuo extrahitur Sal quod cum Oleo
miscetur et rursus destillatur et Sal extrahitur
et miscetur denuo. hoc ingredi[ens] . . .
praesertim sanguinis mistum. Fumus serpen-
tes necat et Caeteras non tam stupefacti
Caelo expers. rebitiscunt. Hujus fum-
o cum Salsa misto et manibus illito se
muniebant qui ignea tractant . . . gratiam.

Origanum Creticum

℞. Ol. cum ai. ex destillatis ad Finis Flor: pu-
dill. gabedis et Lab. in capsula granata

oblonga coactis fol: incanis tomentosis
sap: acri aromat: od: fragrantissimo.
Vir: Atten: Aromat: Stomach: Uter.
Cephal:
Usus in decocti: et infuso potus
Item Aq: et Ol: Aqua capiti illini
ad Cephalg. Ol: cum Gossyp: dentibus im=
ponitur ad Odontalg:

Vulgare. Orig: sylvestre Cunila bubu=
la Plinii dictum B. P. e pl: verbasculatis
affinis fl: purpureis gal: et cal: in capitula
squamata brachiata coacta et in umbella
seu dispositio sap: acri aromatico od: fragran=
ti. Viribus Cephalicis debilior.
Vires cum praecedenti hae. Usus et eadem
ex eo parantur

Parietaria

Officinarum et Dioscoridis e pl: fl: muscosis
e calicibus suis distinctis sem: rotundis ni=
gris pellucidis in caulibus hirsutis foliis
utro birsutis supra infra candicantibus Sap:
Herbaceis fere aquei nitrosi Odor: nullius.

Vir pl: Sap: nitrosi fere emollientes et
lubricantes
Usus in Clyster. emollientibus et aliquando
externe ad tumores emolliendos et etiam ad
vulnera.

Persicaria urens

seu Hydropiper C. B. ē pl: flosculis rubellis muscosis in spica dispositis sem: depressis in capsulis pentaphyllis foliis salicignis sap: mordaci et acri.

Vis q^a accedit ad folia Persic. Persicaria ©

Calef: ... Atten: In debilitate ventriculi et in affectios pulmonum a māa viscida pellit Urinā et sudores

Hinc Aq: destill: aliquando acris laudata ad praedictos affect et Scorbut.

Hinc Extract Resinosum ... ē germinibus opt: ad dictos affects praesertim pulmonum anodynum enim © ē.

Veteres vim magnā sympatheticā Persicariae miti attribuunt qd sc: vulneri imposita et dein projecta pariat putrescat vulnera sanat quod confirmat Helmontius. Sed —

Haec miti opt: ē vulnerariis in vulneribus sordidis et malignis succo inspersso vel unguento hinc facto. Unde medici eā multum utuntur.

Phyllitis

Lingua Cervina vulg: C. B. ē pl: epiphyllospermā folio lato et glabro multo cum basin appendice sap: subastring: pauls

acerbi.

Est quadantenus frigida et temperata, vulneraria, in oris fluxionibus albi, incrassat cum sanguis et humores in albo. vulgo datur Lienosis et in Lienis Obstruct. sed hoc non debet fieri nisi praemissis aperient. desobstr. ad Lienem jam de obstructis roborandum et confortandum qua corroboratione Lien possit ab aliis obstructionibus praeservari.
Usus vulgo in Cerevisia Lupulata

Pilosella

Maj: repens hirsuta B. P. cum fol: purpurei et lactescens flor: compositis planifoliis caulibus procumbentibus fol: oblongioribus pilis obsitis Sap: subacris astringentis.

Aliquando Calef: et partes habet terrestres et astring: hinc temperata statim in Fluxioni albi et Vulneraria
Usus in Decocto.

Pimpinella Sanguisorba

Minor hirsuta B. P. cum fol: calicibus tetrapetalis flor: muscosis angiospermos seu tetragonis in spica densis dispositis foliis pinnatis Sap: subacri subadstring: non ingrato od: nullius.

leviter &c.
Astring. corrigit sanguin. ut radix sed fo-
lia tenuiora sunt et subtiliora hinc in vino
Rhenano gratissimum reddit saporem pruri-
tat enim acidum vini. hinc sangu. corroborat
et parum incrassat. Vere huic fini vino infund-
unt pl. 1° prodeunte.

Polium

Montanum alb. H. S. c. pl. verticill: fimbri-
ata fl: gal: et lab: minoribus fol: brevibus
latiusculis oblongis incanis ad margines
crenatis sap: subacri amaricante od: gra-
viusculo [fragrante.

Aromat: Calefac: Incid. sudores pellit
Uterin. Cephal: Nervin. Aperit: Uter:
Usus in Infuso et Decocto sed non bene
sine Aq: fragrant: et ex aq: prodit Ole.
Carminatibus et ad tormina ventris gratum
est. Ditis quibusdam prodesse Lunaticis et Noc-
tambulonibus amuleti loco collo appensa
praecipue Radix. Sed —

Polygonum

Latifolium H. S. c. pl. flor. unicoloris mono-

parvos semi: trigonetris vaginis oentaxylo lia, cauliculis geniculatis sap: adstringentis.

Virg. Invas: ad res fluxiones albi et vai nera interna et externa, impetibus glau sa pedibus et manibus febris. Bono est succus sui. flecentis vires potiores.

ftq: nullus saporis nec virt.

Polytrichum s. Trichomanes

officinarum B. P. c pi: ετι φυλλοστερμος fol: integris minoribus tenuioribus pinna tis sap: subadstring: et leni quadam dulcedine.

Cort. turios et Adianthi: et Rubi: cum: ... unt urina et quid: ... fere semp sunt praescribunt in Decoctis cum ... vari Capillaris. ... c syr: speciens

Pulegium

Latifoli B. P. c pli verticill: flor: exiguis quadripartitis fol: subrot: ad Origanum ... ... Sap: acri amaricante, aromatico odore fragrante suav.

Dict a pulicibus qui ejus odore fuere ... post

Aromat: Calef: Alter: Stomach: Cephal:
Carminat. Uterin: Dat. in torminibus ven-
tris infantum.

Hinc Syr: et Ol: [illegible] ipsis infantibus
dat. in Electuar: ad torm: [illegible] ventris

Usus in Infuso etiam Decocto [illegible] ba-
na

Pulmonaria

Muscus Pulmonarius C.B. ē pl: imperfecta
muscosa ex flava q. ex foliis palmaris latis vari-
caris rugosis invicem incumbentibus superna parte
viridantibus interna albicantibus tomentosis un-
dique maculatis pulmonem humanum quodammodo ex-
primentibus Sap: terrestris et adstringentis.
In saxosis locis nata siccissima et adstring:
in paludosis (?) mucilaginosa.

Frig. Astring. in fluxion: albi vulne-
raria Species: in affectibus pulmonum ubi
vasa aperiuntur sanguine tenui aut nimio a-
cri erodente.

Pyrola

Rotundifolia major C.B. ē pl: perennis:
Caulibus et gracilibus affinis [illegible] angulosis
[illegible] sem: [illegible] fol: planis gla-
bris virentibus subrotundis Sap: Astring: et acerbo.

[illegible] a [illegible] foliorum. [illegible] praescribitur folia
[illegible] amarunda fiunt. [illegible] hanc [illegible] satis
[illegible] describit

Refrig: incrass. sap: acerbo notat plerosq[ue] in
fas. Datur in fluxionibus albi et vulneraria
agglutinans &c.

Quercus

Est arb. glandi=
fera valdiq[ue] elata flor: muscosis vasculatis in
Cathenis dispositis fol. Laciniatis sap: aus=
tero et astringentis.
Varii praescribunt hujus folia. Et Refrig: incrass. Astring.
in fluxionibus albi Haemorrhag. Et habent maj:
ora vires quae cibum confortant et habent aliquid
aromatici ut Torment: &c:
Usus in Decoct. et in Clyster. Astring.

Ribesium nigrum

Grossularia non spinosa fr: nigro B. P. e frut.
baccif. flore nudo pentapet: petalis reflexis
baccisq[ue] nigris in racemis dispositis foliis
angulosis Laciniatis subacidi et astringent.
is saporis.
Sap: acidus observatur facile in foliis re=
centibus alias non nisi herbaceus et subastring:
Usus in Decoct: ad debilitates ventric:
ubi fr: acidus deest. Et raro in usu ipse
fructus aut Rob. Ribes multo praestat. In
Dysenteria [illegible] usurpatur.

Rosmarinus

Hortensis angustiori folio C. B. c̄ fl. [illegible]=
illata in frutice adolescens flor: gal: et
lab: foliis oblongis angustis crassiusculis viri-
dis sapo: amaricantis acris et aromatici od:
fragrantis.
Sponte nascitur in Dalmatia et in litoris ma-
rinis Italiae. Excellens dicto Rorismarini est
Oleum in Dalm: e floribus.

Calefac: Attenu: Aperit: ~~[illegible]~~ Cephal:
Uterin: Medicin: in Cephalea benigne &c:

Usus in infuso imo decocto satis potens
est, ut colligi potest exinde quod residuum post
destillationem Aquae et Ol: adhuc fragrans c̄
sit melius in infuso.

Hinc Extractum V: in dictis affectibus ac
corpore aperiens et Alexipharm: Hinc
Aq: et Ol: fragrantiss. quidam pro ferm-
entant quidam destillant recentem sed recente
destillare praestat nam fit una gutta olei for-
tior c̄ quam herbam fermentatis et multo cor-
pus dulcat quod observ: in omnib. ~~[illegible]~~ oleis destill:
hoc oleum spec: in vertig: interne in alco-
holi: et externe capiti inunctum et naribus.

Ruta

Hortensis latifolia C. B. c̄ pl. tetraperi:
quadricapsul: fol: glaucis in [illegible]

mento [illegible] [illegible] sap: non amaro aro-
matico Od: vehementi.

Calefac: Aromat: Incid: Aperit: Uterin: Cui: affectibus mirandam praestant; Alexiph: Aper: pellit sudorem et urinam Stomachic: in Syncop: in debilitatibus ventriculi a malignitate ulla.

Usus in Infuso Decoctis [illegible].

Hinc Extract. Sal. ipse [illegible] naribus instillatus ad [illegible] et affectibus Hysteric:

Hinc Acetum Rubrae in Peste et morbis malignis

Hinc Aq: et Ol: fragrans ad dictos affectus Oleum [illegible] gratissimum R guttis iij v iv olei addatur gr: j Balsam Salis [illegible] opt: Alexiph: Condivit morsibus venenosis imposit: vulneri. et Chirurgi [illegible] Calaps: [illegible] ad [illegible] Sanguin: [illegible] applicatur @ Bubonibus pestilent:

Salvia

[illegible] aurita et non aurita R.B. [illegible] fruticem [illegible] et Cab: grandioribus fol: [illegible] albicantibus Sap: amaricantis aromatici Odor: fragrantis et [illegible].

Aromat: Incid: Atten: Aperit: Stomach: Cephal: Nervin: Uterin: praecipue in affectibus capitis

Hinc Aq: fragr: et Oleum quod [illegible]
Hinc Extract: et Syrup: sed potius in

infuso dosi gum in decoct: aut syrupo.

Sabina

Folio Tamarisci B. P. est arbuscula barri fera foliis minor: ad cupressi folia acce dentib. flosculis ziu ut vaingulis exiguis, sap: amarissimi cum odore grati.

Arom: Calef: siccid: Aperit. Uterin. Cephal: Uterin: mulierculae ex foliis genis faciunt sibi pessos ad obstruct. uteri. Oleu hinc praeparata uterum vehement. perturbant faet, et foetum expellunt et desiderat: ē ol: & specif. Uterinum ē a quo assumpto ē urina odore hab.

Usus in decoct. et fragrantiss. et infus.
Herba Ol: Aq.

Sanicula

Officinarum B. P. ē fol. pentap: sem: cop paucis hispidis simul sibi cohaerentibus in umbella dispositis sap: amari et astringen tis.

Amarities hinc probabit astringentibus sine caliditate sed conglutinat vulnera. in Dysent. Haemorrhag.
Usus in decocto. et ut sirup syrup.

externa tubicari applicant sanguin sistit. et aegras cum bruneavar ad ptinled oculi de dissolvunt et sanguin grumatum ac contusionibus sanant.

Saturaeia

sive tumis s. Cunila sativa cum pl. verticillat. fl. gali et caes: minori fol. oblongis angusti tenuibus sap: acris aromatici odoris fragrantis.

huius odor et sap: qui rorismarini tenuior et gratior. Cont. in orbis fere verticillatis aromat. Cephal. Uterum Uterum: Cum Serpillo speciali: ad vestig: ad quod odore fragrantiora ac gratiora subtiliora ea magis ad caput ... quod graviora magis ad uterum.

Hinc Aq. et Ol. quod ad vestig. ...
... ... et Ol. ...

Scabiosa

Pratensis hirsuta ... cum pl. capitata fl. composito ex flosculis ... pentapetali in globosa ... solitariis in summo umbilico notatis ... ...
et subamaro.

Calefac. stomachi: sapore acris et simul amara
et quae caret fragrantiâ, ideo ō ita bun. ex-
tandi ventriculi ō habebit ac ideo aliis
aromaticis quinq. dat. dissipant autem inflata
ventris debilitanti. Specif: in stabie et
o... impuritatibus sanguinis particula amare
attenuant sang. nimis crass.

Usus potest ēē in decocto. aromatica potius
in infuso liqu. ō. aqua cu: nullius sap: aut
acris.

Ceterach s. scolopendrii

Ceter: officinar. H. L. ē pl: ἐπι φυλλο-
σπερμος foli: pinnatis crebris dentatis
... fac. ad adianth. et Trichom:
accedentib.

Coit viribus cum ceteris Capillaribus atten: ...
... in Morbis Melancholi: et uni decollat.
...e ... ē. et decoct. ad Capillos ...
...

... syrup. aperi: cum aliis Capillaribus.

Scordium

L. L. ē ... verticill: flor: lab: galeâ
carentibus folii et sapore Chamaedryos ...
sap: acri[a] amaricante allii spirante.

Calef. Iucund. Atten: Aperit. Stomatic. [illegible]
odor iuvat majorē incidentia et Radix
fragrantia Aromatica [illegible] Saporem
Alexipharm: in oīb9 morbis malignis.

Usus in subst: pulv: Syrupo aliovè mixt
In infuso ⊙ e vino

Hinc Aq: destill: [illegible] Confect
Conserva R oe V Elect: Diascord.
[illegible] non paucis hat. Chirurg
oīb9 Empl: [illegible] [illegible] et [illegible]
[illegible]

Senna

Alexandrina, foliis acutis [illegible]
Aegypt[illegible] ut: [illegible] seminibus, nigella [illegible]
beis i.e. inclusis vesiculis foliaceis [illegible]
acinis ut [illegible] compressis subst: primatis [illegible]
[illegible] vis amaricantis nauseosi cum [illegible]
sione.

Senna Orientalis est Alexandrina Syriaca
at e vesicis fabae [illegible] quotannis in Italia.
Syriaca habet folia acuta ut et Alexandrina
Florentina vero obtusa et hoc e Alex-
andrina prostant folia colliguntur et siccantur

Calef. Attenu. fundunt humores [illegible]
ant et postea aliquando astringunt. purgant
[illegible] et humores melancholicos: ad Hydrop.
et Hypochondriacos affect.

Usus in substantia infuso [illegible] decocto
fit in decocto [illegible] non purgans [illegible]
avolat et remanent terrestres astringunt

es et tormina producentes in ventre quae eum ningen sequuntur. Extractum ex spir: v. seu vini ubi terrestres et spirituosae partes assumuntur. Sine ipsis juxtis cum multis praemen dum. Extractum prosit infantibus datur.

Terentina et Alexandrina fortius purgant. Dos: a ʒj ad ℥j. Italica ad ℥ij.
Pro ℞ Fol: Sen: orient: ℥j. Sem: Anis. pulv: gr: vij. Et ℞ Fol: Sen: Or: ℥ij. Cinam. ʒj. f: Infusio.

Syrup. Extractum qd. offic: Et Crystalli qui ex spir: Roris majalis fit Extractum foliorum qd filtratum evaporatur et exponitur ad crystallizandum qui et purgant. Aliqui addunt Sal Tart: ad crystallizandum

Serpillum

Subst: minus et. Est pl: herbulae: flor: pal: et lab: fol: subrotundis sap: acri amaricanti aromatico, odore fragranti.

Aromat: Inrid: Altera Stomach: Cephal: Uterin.
Usus in succo, in pulvere infuso et decocto
Sine Aq: et Ol: fragrantiss: quibus utimur in Cephalaea et morbis Uterini: Ol: ut Ol: menthae juvat tonicus et capiti illinitur ad ejus dolores.

Soldanella

Marit: minor B.P. c. pl. Contorbuiaca fl. monopet: uniformi campana refer- ente sem: angulosis inclusis capitulis sust- rotundis Sap: salsi acris subamari nau- seosi

Quot in Belgio nascitur non est ut ea quo in locis calidioribus nascitur acris pd. tr. salsa.

Catart. und. Alim; Calefa Purgat fumores serosos et Scorbut.

Usus in subst. ʒj. decocto ʒjβ. infus. ʒiij. Succus expressus ad Scorbutum ad- mixto Succo Cochleariae aliisq. in Zelan- in usu. Ipsa herb. Contra scorbut. ut Summa opt. c. Carroputillor. Essentia opt. ... gat. ... in Cochlearia ...

Solidago Saracenica

Virga Aurea Latifolia Serrata B.P. p. 268. c. pl. papposa discoidea Radi- ata Flor: in summo caule q. in umbella dispositis fol. longis et latis linea albä media discurrente notati Sap: Amaricantis et Adstringentis.

Aliquoto Calefaciens et Adstringens sunt parte Siri temperata, Vulneraria in ... haemorrhagiis internis et tumoribus inter- nis. varius externis mixta cu: ... emollienti et discutienti. Ubi siccata ... ...

vulnerarie ~~ut Ulcer~~ multo efficaciores;
sunt hac: ad fluxiones alti raro dati.
Usus in Decocto

Thymus

Vulgaris Fol: tenuiori R.C. e pl: brev. tirill: fruticosa flor: in crebras spicas digestis fol: brevibus angustis viridibus virgidiusculis sap: acri aromatico od: fragranti.

Calefac: sicc. attenu. aromat. ideo stomach: Cephal. Nervin: Uterin: incidit attenuans sang. et humores specif. ad suppressos menses.

Hinc Aq: et Ol: hoc utimur ad dolores Ventri capiti et Nervis interne et externe. Ol. q.d. ol: specif. e Corvenbonis oris purgantur q.d. os labro e ope e recurra ad olea rariora ut Caryo. phyl. Cory &c.

Tussilago

Vulg: R.L. e pl: ramosa discordea rad: alba flor: in singulis caulibus singulis foliis subrot: subtus incanis sap: subamaris cum lenibus odoris mullius.
Vires eadem quae radicis sed debiliores
Hinc Tace sunt Decocta, Pilosariva

ubi Pulmones māā aeri lacessunt, qui-
busdam usurpantur in fumo qd utile ē
in affectib. pulmonum et tussi inveterata et
exinde curat in tussi pertinaci inveterata in
Zelandia. Multi vocant ajunt folia et
folia [illegible]: unde in oblongis et
excident a'tri loco.
Usta praeparata fiunt ex radice

Verbascum

Latifolium luteum ē pl: bicapsularis
pentapetaloides capsula conica semin.
binata sap: insipidi mollienti et lenti
Odor: nullius evidentis.

Moderate calefac. humect. emoll:
interne raro praescribitur. Ita Cataplasm.
emollient: [illegible] tenesmo et doloribus
haemorrhoidal: quas dolores [illegible]
[illegible] in foliis praecipitur [illegible]
spirans: odorē

Verbena

Communis caeruleo flore B. P. ē pl:
verticillatis affinis flor: quadripartitis
in spica dispositis fol: laciniatis semi-
fis sap: amaricantis et adstringentis.
Temperata obtinet ex: amaricantis

et astringentes q. in aequilibrio st.
Veteres in hac superstitioni erant. cum cardiacis et cephalicis recensent. sed cardiacas o burdea. ex effectu cephalicas salva ut fere oes verticillata. qd tae et od. et sap. o poss. colligere sed si habet illa hic dolores capitis sedandi quam dicti levee instar unicorni fit excorando ubi dolor a mala humida e. tunc sini appendit collo et combusta applicatur nullus an: fere e epithema cephalicum o addetur. Non nunquam inlano

Veronica

Supina et vulgatiss: e pl: tetrapetala siliculosa bicapsularis siliculis bivalvibus cordiformibus foliis oblongo rotundis crenatis subhirsutis sap: amaricantis subacris et astringentis.
Calef. siccat. astringens tamen pellit sudores et sut oes siliculosi urina, flora, arcti: ambrosia petitur card. Ser: ideo in oibus morbis malignis dat.
Usus in decoct: in cerebris. Seu cartis et aq: &c: et infus. Species vulnerarii in ulceribus pectoris pulmonis Item ad ulcera externa, aq. destill: et succus. Decocti e & ove sumpti

ō Clysteribus injecta Dolores Colicos sedat mire.

Hinc Aq: destillata quae tamen aut ematur ex planta destilletur ut forte ... Hinc etiam Syrup: ad ... ...

Violaria

Viola Martia purpurea ... odore ... foli: ... suavis ... ...

Quum praescribitur a Medicis Violarum intelligi debent flores.

Emoll: aliquo solvit ... ut et flores ... vero interne dati at Externe in Cataplas: emoll: ... interne in decocto.

Virga Aurea

... folia serrata ... ... floribus in ramulis summis ... nascentibus ... foliis ... minoribus sapo: amaricantibus et astringentibus Odoris nullius.

... sapo: ... soliditatem sanat et ... Hinc ... ... fluxus albi et haemorrhagias sistendas.

Nulla hinc praeparata.

Flores

Balaustia

Sunt Balaustia pleno fl. majori B. F. floris ampli numeroso petalorum purpu-rascentium aut puniceorum fasciculis stipati prodeuntium ex cytino seu calyce ob-longo coriaceo puniceo in quinque aut plures lacinias fatiscente sapore adstringen-ti austero odore nullo

Arbor quae flores plenos profert cujus soli in officinis dicuntur Balaustia non simpli-ces soli fl. mali punici dicuntur et ni-si raro fructus proferunt quod in aliis ar-boribus pleno flore observatur.

Astring. refrig. incrass. condens. In alvi fluxionibus albi in haemorrhagiis uteri in tenuis sanguinis minus bene

Us. in subst. in ~~pulv~~ pulv. In de-coct. et infus.

Hinc Syrup. Astring. et vulnerari-us si in vulnere interno sit aliqua inflammat. nil utilius dari potest. In nimia ... vomitu et in ore ulcerum constrictione et refrigeratione opus est. Pro inflammat. faucium decoct. ex hoc ℥j.

oli: Anemis M. i. et gargarismo. jpecas
e ut misi met, fuit in subertigine
pulbere inspecto cuti quam sanant et
alios crusta qd albamine. 2ta o fuerunt
sline Aq: Bestali st o po dest

Betonica

sunt Betonicae purpureae B. P. Fligali
ti et Cabeali monopetali difformes, rari,
purascentes sap: subamaricanti subacri
odore debili.

sad: infusa in aqua calida movent Bmih.
Flores easde in foliis vires habent
Cephali: et Nerbin: sic sic in loco mon-
toso et sicco nascuntur sunt de foliis di-
ci vereutes sunt alios pauca eis vires
tribuo vam dix. od: aut sap: nisi terrestre
retinent.

Borrago

sunt Bugloss. Calidorii B. P. flores
monopetali oculi disecti in mingi ca-
cinies umbas sap: aquei s. humidissimi

in ulceres maxime tres cardiacas his attribuerunt. Id nil habet ponderis nisi quod forte humor aqueus cordis et sanguinis calore possit aliquando temperare, quod sic fieri posset cum aqua frigida quam liberius febricitantibus bibitur, ideoque maxime confert et ut hoc faciat magna quantitate bibenda esset non pugillo uno ut vulgo.

Item flos: Est insipida postrema

Buglossi

Sunt Buglossi angustifolii flores purpureo caerulei oblongi tubulosi divisi in 5 lacinias obtusas sap: aquei sine luminis, pondi

De his idem quod de praeced. dicendum. Emolliunt equidem ut et radix fermentando.

Calendulae

Sunt Calthae vulg. flores aurei coronatos, disco croceo, radiati, sap: leviter amaricantis od: fragrantis gratissimi.

Calidae sunt Calthae ~~aliae vero~~ ~~amarae~~ Species: Uterin. ~~Cephal~~ Cephal: Ut. In suff: Elect: Decoct: Infus. Epithemata ad caput.

Hinc Conserva. Aqua fit ē diu durans. Acetum infusione flor. in loco calidiore qd Alexiphar. ē et in oibs affctibs capitis imponitr conviti et Nervis et affctis a caā frigidā. De-cocty egreg: ē sudorif: et Alexiph: in morbis malignis et in variolis gloriosis qui ubi praestantiora ū: adsunt.

Caryophylli

sunt aromat: Hortens: Simplicis fl: maj: R. R. Flores pentapet: petalis sum-mis marginibs laciniatis coloris ex atro pur-purascentis odorantibs ex calicibs membra-naceis oblongis in sū. crenas & lacinias fa-cilè scissilibs supp: subtilis subadstringentis odorati: vox Caryoph: aromat: arredentis. In floribs simplicibs pentapetalis durare potē 4 ō anny integer in plenis ō item.

Sapor temperatū indicat, praeditū ... odor indicat majorem calorem. hinc ab D: Aromat. specif: Cephal: Nervin: in Cer: affctibs Cordis palpitatione

Usus in subst: Decoct: potius in-fus. aut Conserv: qd foli ō dantur addunt majoris efficaciae ergo Caryophi: aromatici.

Non praebent Oleq qa nullū habent acredinem et fragrantiā

Chamomeli

Vulgaris ft. Cham: vulg: seu Leucanthemi Dioscor: BB. Flores discoidei corymbosi citrin discoid: radiati disco habescente petalis albis in orbe jap: sub amaro subacri od. fragr: suavis molle subl.

Calef: Maxime ut ex suavi molle ejus odore unde @ anod: discutiens atq. sicd. In oibs doloribus capitis abdominis Uteri renz.

Usus in substa sit me... in Decocto ac Infuso Externe in Cataplas: & Sacculis. Ingrediuntr oes Clysteres Emoll:

℞ Fl: Chamom: Decoct: ... calefact Butyro recentiss. coquendo leniss. igne nam fortiori perit aromatic. absolunt ... Clystere ... in dolor. ibus Colicis

Romani st. Chamomil: nobilis seu Leucanthemi odoratioris ... flores corymbosi stipati numerosis ... petalis candidoris cingentibus ... Chamomill: ... longe praefero Chamo. vulgarem ... vulgaris possit substitui

Et Vulgari fit Ol: ... Romano ... magna ... copia florum ... adulterati Oleo ... insigne ... dolores internos.

Item Ol ... insignia ... in Clyst: ...

Cheiri

Sunt Leucoij lutei vulg. D. P. flores tetrapet: lutei sap: subamaris amaricantis od: fragrantis et grati

calef: sicc: Cephal: Nervin. Uterin:
Usus in subst: & infus: vel Aquâ appropriatâ aut Vino aut Spir. ut si ad dolores capitis et calculos ex Aq: [illegible] Beton: Serpill:

Hinc Aqua cujus usus in Epilepsiam: ad [illegible] affectus et utilis ad affectus uteri et [illegible] pellenda [illegible] affectibus hic specif: est. Hinc (et) Conserva.

Crocus

St. Croci sativi D. P. florum styli bessinae trilingues [illegible] inter sex stamina flammea e medio florum coloris aurei sap: subamaris subamari pinguis od: fragrantissimi.
Flores et breves [illegible] diu servant, altera anni [illegible] ac [illegible] infusi eorum [illegible] quasi extrahit [illegible] quo [illegible] diutissime servantur ac utilius adhibentur [illegible] ut humidi reddantur ac servantur.
Calef: sicc: Aromat: Anodyn: Narcot:

ubicunq Roborandi opus e Capitis, Pectoris: Uteri: Stomach: Dinstet.
Dosis a ∋j ad ʒß. majori copia he-
betudinē oculorū et tremorē adduc infert
ac videndo hoēs enecat. et aliqū in fu-
rorem irritat.
Usus in Pulv: ℞ 🜄 ℞ Extracto
Ess. Si in Pulv: ℞ pvis debet teri
et si ō facile in pulv: suffit ℞ addo
pauc panis bis. coct. pharmacopoei ad-
dunt aliqd aluminis quo color ē augeb.
Unde ℞ 4: destil: Spirit Extracto
Essentia. Quando faeco infusione ex 🜄
et destilo 🜄 sapore et odorem Croci
refert aoi Rocaes Spi: qd remanet
Extracto, qd si amplius extrahat vol,
Essentia. Ergo Essentia faeco infundendo
🜄 quem destilo ac novo Croco addo
cujus gutt iij ℞ iv. utilissime dant
q affectibus uteri et affectibus oīs Dysenteri-
ticis
Hinc Species Diacurcuma
Emplastr Diacroceus Oxycroceum Vim ha-
bentia anodyna et confortantia.
Stylus in umbra siccandi et inter duo fo-
lia Oleo tingit imbuta probe siccaindi.
Bonitas cognoscitur ab od: et sap. a col. aureo
et a stylis longioribus
Carthami
Alia st species vulgo Croco usurpata
Pollent vi quadā acrimonia Purgant
acbas et intestinorū debilitates confortant

Cyani

Sunt Cyani segetum B. C. flosculi caeru-
lei fistulosi quinque in summo labinis
dissecti et dentes ex squamoso calice in
ventre extumescente. Sap: aquae et leniter
adstringentis.
Refrig. et o nisi tempate in suspiciam
ominorum et derivits et aqua quae distill-
anda et dein infundenda novis floribus ut
Rd exhibet. horum derivits speciatim
ad et dimensim educendas Hydropicorum
aquas quod mihi notum quod habet sit ob vim
humectantem nam flores recentes aquosum
haud saporem sive [illegible] nullum

Lavendula

Sunt Lavendulae angustifoliae B. C. flores
parvi galeati et labeati pallide caerulei
Sap: amaricante od: fragranti gratissimo.
potius sunt florum calices ipsi cum: sic: penitus maxime
Calef: Jucund. Arom: Cephal: Neruin:
Stomach: [illegible] inmanimis capiti in sacculis
catapl: ad dolores capitis et Catarrhos.
et fit hinc infusio ex Aq: calida ut ex
herba Thea quae utuntur mulieres ad
strumi: uteri:

Malvæ Arboreæ

R: Malvæ Roseæ folio subrot: B. P. fl: Rosæ magnitudine modo simplici modo multiplici petalorum serie sapati coloris vinosi. Saporis amari lenitoris odi: aliquatenus Emolli: Anod: Specifi: in tumoribus Tonsillarum et in gingivis putrescentibus pulvis cum melle applicatus utilissimum. flores ex odore bono aliquo et ingrato sunt … adhuc … ad …

… coquunt cum aqua aut vino ad Gargarisma. … sap: ingrato …

Meliloti

R: Meliloti Offici: Germanici fl: … papilionacei flavescentes sap: subamari pinguis odi: grati et mollescenti

Calef: Emolli: Anod: Cephal: Medicin: internis dolorib: cum fl: Chamom: in Clystere Externis in Cataplasm:

Item Emplastrum insigne Emolliens et dolores sedans.

Aqua … valde efficax e

…

Nymphaea

℞ Nymphae: maj: albae fl: rosea magnitudinis compositi et multiplicis petalorum candidi: candis, laevis et rubeis in medio staminibus, habes guttibus ... aquei ... et adstringent.
Refrig: Adstring: in omnis Fluxionibus ... bi. in ~~decoct~~ Decocto et Pulv: ... in Gonorrhoeas, ut et Aqua ex eis destillata, et in adstringentibus ... externe ... et in inflammationibus faucium decoctis et gargarismo.

Paeonia

℞ Paeonia maris B. P. fl: polypet: Rosea magnitudine rubentes sapori ... od: mullius.
Sive magno vires ... in his. ... ...

Papaveris

℞ Papav: erratici maj: flor: tetrapet: ... Rose magnitud: rubicundi sapo: ... od: gravis Narcotici.
Calef: ... Narcot: Anod: ... in Inflammationibus, internis Febr: ... Decubiti ... ... similiter amarim... dis sipantes ... in ... inflamma tione provenimen... ... in Pleurit: & Aqua & Decocti & Infus: & ... & ...

ex Syrup. et nil melius hic ad Flenitiem
novi, sed obs: hujus usu Flenitide suppri=
matur solum, quasi et si dolor præmitterius
semel cessaverit ejus usus omittendus nam
Cut et Corium sicut induit stare incras=
sat postea Sudores et humores ac fere eorum
dem excretionem impedit

Rorismarini

Rosmarini hort: angustiori folio C.B. C.
galeati et lab. pallide cærulei Sap: subacris
amaricantis aromat: Od: fragr:

Aromat: Calef: Atten: Cephal: Stomach:
Nervin. Uterin:
Usus in Substia qd raro sed Infuso vel vi=
no et V̇ ex aqua sua propria
Item postulant Aqua et Conserva et
in Officinis quidam Oleum flor destill: Essentia
dicta hujus gutt aliquot dantur

Rosarum Rubrarum

Rosæ Rubræ C.B. flores ampli modo
simplici modo multiplici petalorum serie
Vellati coli rubicundi: Sap: subacidi ad=
stringentis et recenter subacris amaricantis
et ingrati Od: fragrantis: ..

In[venio] in Rosis 1 sap. insuavē 2 amaru[m] 3 astring: et od: fragr: hinc colligo Calef.
In foliis sentio ō tēs acredinē p[rae] astrinc[tionem] hinc illa potius fing[itur]: ac ideo potes acre[dinem] p[rae] fugaces et existunt in superficie. Itē ac[re]dine decoct[um] ō refert odore[m] nec acredine[m] rosaru[m]. ac sap: amaricante ingrato colligo Laxare ac inde Electuar. e succo Ros. purgans p[rae] hoc de recentibus foliis diligend[um].
Pallidaru[m] eadem naa . rubris solummodo major his purgans ē in pallidis ex sap[orem] magis ingrato p[rae] tāo qui rubras sumit ō pur[g]at.
Calef: Iuvid. purg.
Usus p[ro] purgando in Syr. & in succo. si succus et ex rubris ad ℥iv. det. usuraw[ue] ua his purgans ē parva si e pallidis a ℥ii ad iij. Rosatum Moschat. si Damasc. purgant ℥j. nā fortiores st. p[rae] hoc succ[us] dandus solis eis qui facile purgant. dui potē ē infantibus. Bilē spec[ialiter] purgat. ideo dat[ur] ardoribus a bile ut in febricitantibus. mistus cu[m] cath. ac dulcib. Syrupus p[er] coquendo fiat frustrabit oibus ptiuntis purgantibus ū ideo fieri debet sic 4 Aq: Ros: om: infun[dantur] deinde flores sicc[o]s usq[ue] ... a fiat ac dein miscendus saccharu[m] tabulatu[m].
Inde Syr. et Conserva quae q[uae] sit plerumq[ue] e fol. siccis potius astringit et dat[ur] in fluxionibus a[l]vi. huic addit[ur] saepe ... unde acrior et gratior fit ac saepius astringit et confortat ventric[ulum]. si a ... fit addibus con[fecti]bus sedat supore dat aliquid inebrian[tis] bonibus excitans potius, unde ... fiat

eo utendo addendo. Hinc ⁊ Acetum Refrigerat in omnibus doloribus cap: a causa calidi. Et vis calefaciendi et Refrig: dat illis 2do temperantis verificatis, nam poste ad omnia dicta Rosa videtur si sicca temperata sit, nam in eisdem quadam fragrantia siccoreates calida. Et Conserva et Acetu possit usum pari posse ex calida ex ficula: et similiter sit astringendi sicca unumpando ad ~~Conserva et Aceti~~.

Hinc Aqua destill. et in Persia Oleo fragrantiss: Cum tale magnum opus est copia Ro, vij qd servant in vitro ex Aqua Ros: quam quotannis novam affundunt unde Oleum di: servatum bonum.

Ob odorem ⁊ refertur inter Flor: Cardi: acos.

Salvia.

℞ Salvia auriti et ō auriti ℥.ß. fl: galeati et Lab: purpurei sap: amarisantis aromatici od: fragrantis gr. abiungenti.

Cephal: Nerv: Uter: et propter gravem odo: vt in Asthmate ⁊

Usus in subst: ⁊ Infuso in Aq: ⁊ Vino

Sambuci

Est Sambuci fructus in umbella nigro fl: pentapetaloides albicantes pusilli sap: subacri invidente subpingui od: molliculo et grato.

Calef: siccat: Emoll: Anod: et expectoran: Dose Mestis et Cev. gratissimi Diaphor: et Diuret: blande movent sudores. Alex, ipharm: &c.

Hinc dicitur Alexipharmacum. et Aq: Specif: in Erysipel: ut et Decoctis ex, terne et interne. Specif. Et flores Hy, dropicis blande eu: pellunt urinā sed copiose

Schonanthi

Est Junci odorati s. Aromatici fl. H. glu, ma ferruginea pusilla papposâ Lanugine obsita sap: acris amaricantis od: fragrantiss

Alexiph: Carm: siccat. Atten: Efficacissime praestant folia sed egregia e vis in flor: et subtilior quam in fol.

Ex tota planta educi Aq: et Ol: frag, rantiss: Specif: c pl: gbra Hydrop: educens eorum aquas copiose

Stoechadis Arabicae

℞ Stoechadis purpureae ℞. ℞. Capitula oblonga squamatam ornata flosculis oblongis galeatis et lab: Sap: subacris amaricantis Od: fragrantis et gratissimi

Aromat: Incid: Cephal: Uterin: Nerv:

Usus in Decoct: potiss in Infuso

Item Syr: Specif: in Asthm. et tussi

Verbasci

℞ Verb: latifolii lutei ℞. ℞. fl: pentapetaloides lutei Sap: mollem subdulcem et pinguem Od: nullius.

Emoll: Anod.

In Cataplasm: contra vulnera lacera in Suevia. [illegible] eadem bis in foliis

Tilia

℞ Tiliae foeminae fol: maj: ℞. ℞. fl: [illegible], Sap: lutei albicantes cum [illegible] apicibus luteis et stylo [illegible] quem cingit calix quinquefidus pinguis, Sap: acris amari Od: fragrantiss.

Aromat: Calef. Atten: Cephal: Nerv:

Specif: in Apopl: Epileps: Syncope. [illegible] vertentibus [illegible] Infantes.

Item Aqua quae destillanda ex [illegible] flo.

vibr multa affusa aqua cu ut vulgo
fit, si in [illegible] fieri det. Alii affundunt
pauc[illegible] et stave [illegible] imbibunt [illegible] acrem
quendam spir et odorem et sufficienter
fermentatis ac tum spo fragrantiss: de=
stillat qui nobis flor: affundend ut fiat
sy: essentificata ac hoc sy: est equidem
specif: ad epilepsi: et apopl: et cardia
et dict.

Viola

Et viola martia purpurea flo: sim=
plici odoro [illegible] flo: pentapetaloides
oblongi [illegible] postea in obtuso calcari
notati [illegible] i recentes subacris amari[illegible]
[illegible] inquati [illegible] fragrantes.
Flores petala ob alabastris s. calic. separ
antea [illegible] capere habent ingratis [illegible]
excitantem. [illegible] et fragrantia valde
fragrantes sunt [illegible] digitis [illegible]
igitur recentes
Calef: siccat it temperate aut frigide
ac humi sunt recentes herbe cardiace ad
odore quo cor et mens refocillantur
ac cor exhilaratur ac sit recentes calef
humid: sitten: flor laxant. ac o nobis
medicis ulla purgans quod frigidus sit.
Flini syrup. p tussi asthm: pleuritis:
pleurit: et o purgantibus. sit det fieri
e flor: recentibus et sola infusione ac
hac repetita. Sic purgans debilis e ideo
potius emolliens et laxans [illegible] qm purgans
Flini ad conserva et bis odorata non odor

abolat. Item ℞ Aceti Violarum, quo utimur ad capitis affectus ut Aceto Ros: Item ℞ Violarum vulgo estimatur Refrigerans ... ... ut dictis multiplici infusione potius calefant.

Semina

Acetosæ

℞ Acetosæ vel arvensis & rotundifolia hortensis ... Semina parva triangula fusco-spadicea ... lucida splendentia sap: subacidi blan, di.

Refrig. quæ constant particulis salis acidi et terrestribus unde motus sanguinis infringunt.

Usus in Emulsioni: ... ... in Febb. ardentibus. rari tamen est usus quia non nisi recentia ... st.

Agni Casti

Sunt ... foliis angustioribus Cannabis modo dispositis ... grana rotunda piperi minora ... exteriori pellicula cinericia in ... interiori pallescente sap: acris ... ex ... aliquantulum gratis.

bires rubie anthoros. mitti Calefacit ex sapiet od: verumtamen extinguit ut raro quando stimulat quasi pro diversa constitutione et hoc et illud faciunt. Multi inimica est veneri quia frigiditate, siccitate sua spongiosa siti absorbent genituram humidam. huic Lib. suis Antigonorhodii: addit.

Usus et in Pulb: et Aqua tum destillata odore referens feminis dits et aperire vasa Uteri.

Althea

Sunt Althea R. F. Malbe palustris Maioris Sem: semicircularia semilunaria exprimentia ex dorso crassiori in acutiore acie desinentia sapidis. vsi et mucilaginosi.

Ejusdem est efficacia cum radicis sit radix efficacior.

Hoc solent contundi cum Aq. Ros. et imponi cuti solenti a combustione solis. et ingrediuntur ciss Clyst. Emoll. etc. ut vend:

Ammios

Est Ammios ~~Ulg.~~ maj: R. F. semina parva striata petroselino minora ex cinereo radicata saporis amaricantis acris Od. Fragrantis.

Sunt virtutes cum umbellatarum sic: Incid: Atten: Diuret: Carminat: Emmenag:

Us: in Pulb: Infus: et Decocti in illa

bus ⊙ pueris et infantibus

Amomi

Sunt Ammios alterius sem: apii B. P. sem
ina parva striata petroselini minora et russ
spadicea sap: acris aromatici qui: ex pipere
et cumino compositi od: fragr: ad origanum accedentis.
Easdem habent vires sed longe efficaciores.
oes muliere: utuntur ad menses obstructos
in pulb: [illegible] ad ʒj.
 Item habui aq: destill: et Oleum quod
in Electuarii: ad menses et urinam suppress.
[illegible] mira mihi praestitit.

Anethi

Et Anethi hortensis B. P. sem: foliacea et mem,
branacea ordinaria compressa in parte exteriori
triplici striis s. sulcis notata atrorubentia sap: ac
ris aromatici od: fragr: grabiusculi.
Easdem habent vires. urinam odore tingunt
propter odorem gratum aliquod specif: uter.
quia tamen odor sporiam bi dicitur venerei obesse
 Item Ol: destill: et e Ol: coct
ʒ β ad [illegible] Clysteribus Carmin:

Anisi

Sunt Anisi herbariis B. P. sem: oblonga rot.a
in obtusum acumen desinentia parva striata vol:

otie et rufo spadiceo, sap: acri aromatico grati dulci od: fragranti.

easdē hent vires. sporosi in affectibus ven triculi et flatibus abdominis. nota honjum ... infantibus datus aliq laxat quasi esset Rhabarb: hoc ex sap. ō colligitur sed tamē oleum hinc destill: aliqd in se habet nauseosi ut eius pauce guttae purgent.

Utendum sicca qua recentia aliqd habent humiditatis excrementitiae flatus excitantis.

Anisum destillatum ac recentibus sic Aq: et ol. simpl. sti oleum Coralla emollit et in pulv: pa redigit unde postea ℣ Tartarizato ... elixi potē. Hoc id opti: ē Asthmaticis praeservtimque si sale vol: aliquo mixtum ~~ut~~ ego usus sum sale volatili Benzoin i:e: eius floribus ...

Antherae Rosarum

Sunt crocei flosculi, qui capillamentis in medio floris rosae adhaerent, sap: subadstringentis amaricantis.

Astringunt sistuntque laxas

Apii

Sunt Apii Palustris sem.a parva striata formis seminibus minora ex fusco spadicea sap: ... ris aromatici od: fragrantis.

Urinas ut reliqua. Sporosi diuret: ubi ...

urinaria seu ? obstruunt

? in ? ? Semi Petroselini

aa ? in Aqua aliqua

Asparagi

? Asparagi ? ? ? rubicundo rotundo pisi magnitudi ? ? nigros corneo duritiei sap: subacris et subdulcis odoris nullius.

? ? ? ? vim ? aperiendi Urinas movendi

Usus ubi radicis

Aquilegia

? Aquilegio ? sylvest: ? hortens. ? ? semina parva oblonga rotunda angulosa nigra splendentia cubrica sap: ingrati cimicos redolentis cum obtusa acredine.

Ex obtusa acredine calida. ? sudores movet ? ? obstruunt ? ? ? ? in ? variolis et morbillis pueris ad gr: XXV ? ? ? ? ? Card. Benedi. ? sudores ? ? ? ? ab ? ? ? mulieres ? ? ? ad ? ? cis ? ? ? in ? ? ? ? ? purgantes. ? ? ? ? ? ? emulsioni miscentur. contusa inflam. applicantur combustis. ? ? Gargar: ad ? inflam.

Atriplicis

Hortensis albae s. pallide-virentis C. B. P. ... nauseoso spicato sem: compressis binis foliolis inclusis. Folliculi membranacei orbiculati et binis foliolis [illegible] ... semen unicum compressum orbiculatum ... [illegible] ... et nauseosi et nidorosi odoris et sap. inveniunt aliquando in sylvestri ... spatu et quae nascuntur in fimetis et nidorosa ... nauseosa aliquatenus herba.

Laxant alvum ... purgant ... Dantur in clystere. Sic lac credo quae obstructiones reserant ... quod bilem mitigant. Pellunt ... urinam quod faciunt humectando quidem ... alvum laxant.

Bardanae

Sunt Lappae maj: semina oblonga striata fusca ... capi: squamosi, ... Od: nullius. ... definitionem vide in Rad:

Aliquando ut et radices ... amara sentiuntur. ... ut radix ... Dantur in Emuls: urinam obstruentes et amaricabis ... ut a ... Dantur ... aliqua ... in Emuls:

Berberis

... Berberis Dumetorum C. B. P. frutex spinosus baccis rubentibus includentibusque nucleos ... oblongae ... cylindraceae ... includentes ossicula oblonga bina conjuncta ... fructus pulpa ... seminibus ...

Tartrz: ut et suco expressus ex quo syr: et julap: ad oes ebullitiones san-
guinis et febr. ardentes roborandos
Hinc succus liquidus et siccus in officin:
et praedict Tartarus succi sic express:
aliquo succi limonis qui exsiccans ali-
quantulus in sepontibus ad Crystallizandos
in Crystalli ex quibus opt: ad Di. in pulvere
ad dentes

Bombacis

It gossypii frutescentis Cgl: Lanigerae an Xylon
Baccis Cgl: Laniger: sem: oblongo rotunda ali-
quantulum compressa magnit: Ciceris quae involuta La-
nugine candida includuntur pericarpiis nucis amplitud:
corticosis in quatuor partes cavinas dehiscentes; Sap: subdulcis ...
Nascuntur in India Orientali et Occid: ubi ... amygdala ...
grata serviunt quotannis ... Od: nullus.
Virtutes o et Tante minus ... temperate
...ricae ... ubi ... in mamm. quod plinius
... ea imbuebant.
Hinc fit lutum: ut ex Sy: Hyssop: ad
Inflammationes. Dicuntur enim ad ... diuretica ut
oia farinacea genituram augere. fit adeo
grata sit ac ...:

Canabis

It Cannabis sativae ... Cgl: spicata mas. et fem:
Arbori ... fol... grana subrotunda parva quae
duobus ... ex ... glabro et ...
includunt ... oleoso ...
... ab odore ... ca...
... calida sapor ... temperata ...

cephalicis odoriferis aut cum pinguibus in vulneribus.
Fluorquoque fit et si' dantur in decoctis et
clyst: Cum fluor: Specif: fit ad febres
ubi sc: febres oriuntur a bile nimis spirituosa
seu et volatili quae horum decocto obtunditur
ō quod vasa billiaria hoc possint, species in quo
ceu magis volatilia adhibenda sunt. Decoctum
fit in Serbe aut aliquo alio liquore pingui.
quidam pulpam seminum miscent cum butyro
majali et dant in febre. Quidam aiunt
genituram nocere et eam extinguere. forte
ab odore capiti molesto, quod tale dici non
possit. sed ego nil tale nobis nec video nisi in
quantum dolores capitis possint excitare qui
venerem possint facere oblivisci.

Cardamomum

Minoris, fit plerumque Judicio liber multis dicitur Cho-
sa radice quae Zedoariae cum illa membranaceo cap-
sulo oblongo trigono pallescentes, tribus per longitud.
oblongo, trigono pallescentes intus angulosque ex fusco
divisis cellulis quibus includuntur acini angulosi ex fusco
nigricantes involuti tenui albicante pellicula. Sapor
acris amaricantis Aromat: camphoratus fere. Fragrant.
Majora vero præstant. raro jam ab Indiis adfe-
runtur. Non nascuntur in Indiis omni-
no nisi Jaba. Flos gratus capitula profert,
gravabat et in terra jacet an capsulae cum
suo terram revolvunt. capsulae ō in usu
exsiccatae i.e. albido exprimendo.
Aromat: fluor: Stomachic: Specif: Ce-
phal: Semina effundentur fumcaida ad
usum. ex recenti
Hinc fit: destillati et oleum fragrantissimum
florum, seminibus seu acillis Indi optime purg.

ardia corrigunt.

Majoris S. pl: Indico [illegible] dicto [illegible]
ejusdem capsulis membranaceis triquetris Cardamo-
mo minori triplo longiores [illegible] Continent
in superiori tenui [illegible] [illegible] fungosa Sap: et
Od: Cardamomo minori debiliores.
quo Sp: et ol: [illegible] et unimorg.
Aqua Sal [illegible] oleosa instar nitri quod ô fere
ar- [illegible] quod Solutio [illegible] in affectib:
cephal: quod bene [illegible] ô potui [illegible]

Cardui Benedicti

Sunt Semin: [illegible] S. Cardui Benedi:
S. [illegible] pl: capitab: spinos: [illegible] flosc: [illegible]
[illegible] Semi: oblonga [illegible] striata ex fus-
co [illegible] [illegible] [illegible] Sap: insigniter amari,
[illegible] eadem [illegible] herbam [illegible] [illegible]
Od: carent.
Hinc [illegible]: in morbis malignis ad et
Sudores movendos et urinam et menses.

Cari

Sl. Cumini pratensis S. Carvi officin: Semi: par-
va striata oblonga tenuia paul: incurvata [illegible]
atra fusca Sap: acri aromatico Od: fragrantiss.
pl: [illegible] Umbellata.
[illegible] ut [illegible] [illegible]. [illegible]:
Carminat: ad flatus in Abdomi: [illegible] infantib:
in [illegible]. [illegible] in Aqu:
Hinc in [illegible] [illegible] [illegible] Aqua
opt: ad [illegible] quos ad [illegible] corrumpe-
[illegible] Aq: [illegible] infervire potest ut
[illegible] [illegible]. Hinc Ol: ad [illegible]
[illegible]. et ad [illegible] infervire potest
in pauco [illegible] Sp: quod Ol: Menthæ [illegible].

Ciceris rubri

Est Ciceris sativi sp. semine vero angulosa ... majora ... arietini capitis ... colore ex fusco rubentis ... leguminosi farinacei lenti ... Est pl. ... leguminosa ... siliquis propendentibus.
Refert omnia leguminosa alimentosa, sed quae ... ac medicamentosa quia ... Urinam ... pellunt ut ex turbida urina ... patet ab humoribus ... deinde ... quod ... faciunt ... abstergendo ac ... unde solvunt ... quod ...
Ingrediuntur syr: ... Fernel:

Citri

Sunt ... Citri grana oblonga pallido ... in ... includentia ... pellicula tenui ... longitud: nervosis ... mollem ... sap: ... et aromatici.
Referuntur inter Cordialia aromatica ... temperata, amara ... quae inest ... in ... decorticantur. ... fervore sanguinis in febr: ardentibus ... specif: ad ...
Usus et ... in emuls: ex Aq: appropriata aut Aq: Ros:

Citrulli

Est Anguria Citrullus dicta B. P. Cit: pomif: scandens monopet: fr: sem: oblong: plana ulcum. borden ad margines aequalia absq eminentiis (nulla circa margines elata linea a limosis) modo nigra modo rubicunda seminib. melonum et cucum: majora et compressiora sub cort: duriusc: includentia medullam albam sap: sapore subdulcis tenuitate non ingrata.

Habentur in sem: frigida majora. at ego nullum indicium frigiditatis nisi in dulcedine tenuitate et mucilaginositate. ac ideo temperata sunt, possunt tamen dici frigida quae mitigant acrid: effervescentia quae tenuitate sua humectant et fundunt salia ac per urinam educunt cum sanguine diuretica sunt. ab mucositate frigida sunt et dantur in doloribus abdomin: a bile nimia et effervescente ortis quae diluunt et temperant.

Usus in Emuls: et Syr: Ros: aut aliis aq: frigida. Et aliquando in Clyster: sed bene intenda sunt post contusionem similiter et sic conquassanda alias facerent Clyst: nimis mucilaginosos.

Cnici seu Carthami

Est Cnici sativi s. Carthami officin: B. P. Col capitata spinosa pappos: flosculis discis tubulos: sem: oblonga angulosa testa alba includentia sub cort: duriusc: pulpam albam sapore primo subdulci postmodum leviter amaricante ingrato cum lentore.

L

Vix aliud ē vegetab: cuius vis purga-
ntis difficilius ex sapo: colligi potest.
Sunt ponderosa, et huius potentia in
aqua refracta est et orti^a. Sapor pro
varie loci natura differt nā in Italia
repertori ēius iucundus et grata st. Com-
ista ingrata st ventri et movent nausea
et vomitus. — Purgant specif: in Hyp-
[illegible]
dosis in decoct: aut infus: in vino
ā in Sumith: ℥ ʒy: Tamar: ō aliā, si
in substia ad ʒij. si in infus: ad ʒiv
ō v. sed ō exuberat sola nō visci-
ditate, sed adhaerent parietibus ventri
et intest: et tormina ideo addenda
Aromat: ut ℞ sem: Carth: ʒiv. sem:
fenic: ℈iiss: infus: in vino. Dantur ē
in Clysteri: dentur ē inde Sindoni
post ytusioné ob mucilaginositaté. Ob
dulcedinem Asthmatica, st. ideo sicis
opus ē purgante dantur ex his syrupus.
Prostant Electu: et Species
huius nois. Purgant serum.

Coriandri

St Coriandri maj: ℞. ℞. sem: rot: striata circa
rea fibra iucludentia sub tenui cort: medulla
fibra duriuscu. in medio o differmentis distincto
sapo: subdulci: subacri: aromat: grati od: fragrans

ol: e Umbellata vestibulata
varia sunt judicia de eorum virtutibus
quibusdam venenata et frigida nam re-
centia sunt virosa et causant nausea
et tormina imo tota pl: similes ve-
delent. Fateor equidem recentia excre-
mentitio humore infesto abundare sed
in exsiccatis hic totus abolat. et sic-
sicca ex sapi sunt

Calef: siccant: Carmin: dolores abdom:
mitigantes.

Dantur in subst: aut pulv: et in in-
fuso in vino.

Augustani corrigunt aceto sed male
nam acetum extrahit aut figit omnes particulas
aromaticas ac sic inutiles reddit.

Hinc potest educi Aq: et Ol: quod in de-
bilit: ventri multum e viris suis potest.

Cubeba.

Sunt fructus globulosi ab oriente Crumini vi-
di grana vel: piperi illa, hisce rugosa, scabra
et appenso tenui pediculo caudae instar, intrinsec-
entia sub cort: tenui nigellae partis vel: candi-
cante inter albicante sap: acri amaricanti aro-
matico pertinaciter linguae adhaerente Ol: fragran-
ti grato.

Aromat: Calef: Sicc: Specif: Cephal:
et Nervin: nam odor fragrans ibidem in
caput ascendit.

Hinc Habui Aq: et Olea praestantiss:

Cumini

Est Cumini Sem: longiori H. B. Semi: striata oblonga ex cinereo subflava foeniculi Semini, sed longiora et crassiora sap: acris aromatici postmodo ingrati cum quod nidorulentis Od: fra-
grantis.
In usu est horum Sem: Calidi 3 qui exsiccant
sap: et od: [illegible] movent [illegible]
corp. aq: [illegible] eis [illegible]. Est Carmi
[illegible] ut omnes aliae umbelliferae [illegible]
[illegible] dies ad [illegible].

Cydoniorum

Est Mali Cotonei min: H. B. Sem: oblonga depressa obscure rubicunda sap: mucilaginosi viscosi subadstringentis.

Possunt respectu quorundam dici ~~[illegible]~~
frigida, unde temperata. Sanguinem
incrassant et emolliunt ac sic stomachum.
Usurpantur in Emuls: ex aq: appropr: vel
decocto hordei. [illegible] cum [illegible]
[illegible] in Dysenteria et inflammati-
onibus. Usurpantur in Clyster: emolli: et
[illegible]

Dactyli.

Descriptio sequitur vires.

Ex sapi: temperata: Usurpantur assatae ac in multis: bella eis pbs astrictione Cero opus e ut in Sudore Anglico. Ad varios in usu. potius nostri utuntur pulpa tantur.

Sunt Palmae maj: B. P. vulgo Dactyli. Fera officula et fusio spadicea oblonga crassa superficie rugosa una pte secundum longitudinem sulco profundo excavata altera elata lineola notata in cujus medio im-pressus umbilicus qui intrinsecus respondet. antro exiguo germinis conceptaculo in quo medulla alba cartilaginosa dura instar eboris. sapi: dulcescentis et astringentis.

Dauci Cretici

Est Dauci folio foeniculi tenuissimis B. P. semi oblonga incana pte superiori acutiori villis tectum sapi: acri aromat: grato od: fragranti.

Calef: sicc: incid: Carmin: Laudantur in Lithias: in infuso ex vino & Cerab: Modus quo operantur hoc semi: ola umbellati sapore dictum.

Dauci Vulgaris

e Pastinaca tenuifol. sylv. s. Dauci officin. B. [illegible]. Semi: compressa cinerea Dauco Cretico brevi ora [illegible] circa marginem utrinq. villis obsita Sex. Dauco Cretico debiliore Od: fragrante.

Vires eadem quae prioris (ut et usus) sed debiliores

Eruca

latifolia alba sativa J.B. Semi: parva flavescens rotund. insula paululum compressa seminibus Sinapios majora Sap: acri subamaro et fervido Od: nullius.

Calef: humid: urinam pellentia specifice ut [illegible] [illegible] urinam pellunt adeo e venere excitant eis qui tempore frigidiori licet calidioribus potius [illegible] exsiccent.

Usus in Salsf: et Emulsion:

Cucumis

Sit Sativum Sativi Cathol. s. Cucumis vulg. C.B. Semi: parva oblon. angulosa striata in summo mobilia [illegible] [illegible] virore notata Sap: aquei [illegible] subdulcis et ingrati.

Quando recentia sit potius sit subamara. Semi: Citrulli [illegible] eandem habent Sapi ut dixi [illegible] [illegible] communiter vulgo dicunt frigida [illegible] temper Spec. sit [illegible]: ut de Citrulli [illegible] ut calid. refrigerant eos sc. qui calidiori sit sanguine et alii ab eis [illegible] refrigerentur.

Usus in Emuls. in aq. quandam appropriata ut Foeniculi.

Foeniculi

Italici et Dulcis B. S. Semi: ex cinereo spadiceo oblongo striata Vulgari foeniculo rotundiora una parte qua sibi invicem jungunturque plana altera gibba Sap: acris dulcis et stabilis, Od: fragrantis.

Calefac. Sicc. Carmin. Diuret. odoremque infirmunt

Usus, ytundunt et ex aq: aliqua appropr: praparant. V in Infuso.

Quae vocantur Sem: Foenic. dulcis nascuntur in regionibus calidioribus et sunt rotundiora haec eadem vero in nostris reg: sata in alia degenerant

Vulgaris s. Germanici B. S. sunt Semi: Foeniculo dulci simila sed longiora et colore obscuriori Od: et Sap: debiliori.

Vires debiliores

Hinc Aq: et Ol: Fragrant: Jngr. Aq: Diuret: et Diaph: ac in tabulis medicis usitatissimus e seminibus. Ob Dulced: et sunt Thoracica simul cum: incidunt ac Emolliunt.

Fumaria

Officin: et Dioscr: B. S. et Sem: [illegible] rotunda parva ex nigro viridantia Sap: amari ingrati.

[illegible] non diu durat ac ideo sicca e [illegible] nere [illegible]

Eadem et herba sunt virtutes sed tota planta potius usurpantur ac ex illa om. praeparata

Foenugraeci

Habet R. F. et semi: oblonga flavescentia sesamaeea compressa angulosa, ore quasi dolabra cavitate media, semen utrinque secante sap: leguminosi mucilaginosi aliquantulum aromatici od: jucundi cum quadam gravedine.

Hoc est o [illegible] calimbosa et medicata ab od. et sap: Quia leguminosa ideo alterativa constant enim parte humidiori mucilaginoso farinacea una ubi attenuatur, quia mucilaginosa ideo emolliens et ab od: ideo stomat. et confortantia aliquomodo.
Usus in decocto ad dolores abdomi: singularis dicitur Clyster.
Hinc Europ: de fluxilatis emoll: [illegible] usitatiss: Quidam hinc faciunt syrupos pectoraticos mira praestantes. Quidam utuntur in infuso seu decoctis melius quidem sit corpus mucilaginosum.

Genista

Angulosa ac viminea R. F. et semi: reniforme compressa fulva sap: ex dulci amaricante ingrati aliquantulum nauseosi.

Calid. aliquomodo cathart. usus ex aqua calida movent vomitus. Spargi. [illegible] urina quod ex sap: o facile colligitur sed etiam plus siliqui: papilion: et flore derivi: usus fit ℥j. ex turionum semi: in aq. cali: ad vomitorio purgandum.

Grana Paradisi

Sunt tuberis Guineensis Malagueta villi anguloi nibidi fusci fragm^tis capillorum granati similes sap: acri piperato aromatico od: fragr.

Aromat: calefac: sicca. valde resolventia Itali ea utuntur loco aromatum nostrates vero utuntur. possunt usurpari ut omnia alia aromata observando quod sit dentibus exp. in aq: appropr: egregie pellunt urinam et odorem tribuunt fuerunt enim potenter urinam. minus o. possunt usurpari sicut eis qui temperati sunt calidioris nimis calefacerent.

Hordei

Polysticha hyberni &c. &c. grana oblonga ventricosa angulosa ex spadiceo flavescens sulcata striata in longum et aspera arista desinentia involuta sub gluma s. cortice crassiusculo medulla albicante sap: subdul ac farinacei od: nullius.

Hordei mundati

Sunt eiusdem Hordei grana excorticata s. a gluma molari ofivicta purgata.

Temperata absterg. et mundificat. Vero refrigerat sed non nisi eos qui temperati sunt calidioris. omnia haec possunt dici quae de sem. citrulli;

Pulpa solum in usu et mundata.

Usus in decocto ad temperandum febrium p. ui: cum eo ^13 et nutriendum. Et in huius frio

Decoctum ejus temperata [illegible] forent [illegible]
[illegible] med [illegible]

Hyoscyami

[illegible] [illegible] exigua rotunda
compressa ex cinereo spadicea Sap: pingui
aliquantulum [illegible] Od: narcotico [illegible]
[illegible]

Calidiora a Sap: et Od: Narcosin inducit
a [illegible] pinguis involventibus particulas spir
[illegible] earumq motus sistentibus Hinc (O) Anod:
Usus in Emulsi: 7 Cap: Papav: alb
ad Narcosin et Dolor: sedandos.
Hinc (O) Ol: expressum ad Dol: tollendos
[illegible] interne et ext:

Hyperici

[illegible] exigua oblonga cylin
drarea ex fusco nigricante Sap: subamaro
resinoso Od: [illegible].

Od: et Sap: [illegible] adeo in [illegible] [illegible].
Calef: Anod: Emoll: Vulneraria [illegible]
[illegible] int: Hinc Emuls: unde Balsami
[illegible] Chirurgis et int: et ext:

Noth:

R

Lactucæ

Sunt Lactucæ Culti: B. L. Sem: parva oblonga compressa pallida utrinq acuminata Sap: aquei tenuis gr: nullius.
Diviser coeunt et Sem: frig: majoribus de quibus mox

Semina frigida majora

Melonum Sunt Melonis Culti: B. L. Sem: oblon: ex flavo albicantia ad Sem: cucumeris accedentia minora sub cort: tenui durinsculo includentia medullam albicantem Sap: aquei tenuis subdulcis Odoris nullius.

Cucumerum sunt Cucum: sativi culti: B. L. Sem: oblonga plana in medio paululum tumida s: gibba candicantia Sem: melonis angustiora pusillo fastigio acumine praetenso includentia sub cort: tenui durinsculo medullam albam Sap: aquei tenuis subdulcis Odor: nullius.
Cucurbitæ sunt Cucurb: maj: sessilis B. L. Sem: [illegible] oblonga plana compressa pallida parte superiori acuminata s: [illegible] duabus oppositis eminentibus q. angulosis et duabus lineis oblongis excurrentibus utrinq includentia sub durinsculo cort: medullam albam Sap: aquei tenuis subdulcis Od: nullius.
Peponum sunt Peponis compressi modo majoris modo min: B. L. Sem: oblon: [illegible] lata plana in medio tumida cucumeris Sem: majora et marg: lineari s: fimbriis elatis ceterum [illegible] [illegible] includentia sub cort: tenui medullam albam Sap: aquei tenuis subdulcis grati.

ses et plantaru pomisferar. quae dis-
tinguenda ratione seminis.

Habent equidem facultatem refrigeran-
ndi qdo ... sanguis vehementer ferv
bus cum tenuitate sua et aquositate
qua obtundunt acida in sangue unde
... falso ... efferescunt pinguia
... ... acidis infringunt. sed ea
se sunt temperata. Habent et im-
pellendi urina aquositate sua saliaque
dissolvendo ac serum ad renes de-
ducendo. Hinc ubi ... vinis volatile et
effera ... ... et eis qui siti aut
aciditate famis laborant.

Usus in Emulsion: ... aut
... in Febr: ... ...

Fesistici

Pistacia vulgaris ... sem: oblonga ...
membranacea striata sap: ... ...
... subtilis Od: fragrantis.

Eandem habent virtutem qua radices
... ... et ... dulce ...
...

... in Decoct. ... aut ...
aliquo dulci in ...

Lini
Sabibi [illegible] Sem: oblonga compressa splendida
lubrica lucida in medio tumida ex fulvo
purpureo sap: mucilaginosi . oleosi

Antiqui his vescebantur ex Hippocr: de [illegible]
[illegible] quae libro quodam [illegible] forant.
Vires Temperata et Anodyna Laxan
tia Emollientia
Usus Interne in Emuls: ad tormina
abdominis et quando acres humores [illegible]
tumores, et in [illegible] albi induratis [illegible]
[illegible] oleum expressum exhibetur [illegible] in
Clysteribus, quod [illegible] sit non
tam bene dari potest interne quam aliud
[illegible] admisto [illegible] ut omnia
alia olea rancida et [illegible] quod
patet

Praeparatur admiscendo aquam et mo
vendo [illegible] deciderit in fundum vasa
[illegible] subsidit et hoc [illegible] aqua [illegible]
usque, [illegible] amplius [illegible] Sed
melius paratur coquendo [illegible] ad ter
tias [illegible] consumtione hoc rancore tollitur
[illegible] at oleum sic paratum dari potest
per os ad dol: abd: et pulmon: et in [illegible]
clyst: Emoll. Lini [illegible] habent hoc
Sem: in [illegible] morbum expellendo in E
muls: [illegible] ol: [illegible] ext: ad Em
olliendum. Datur cum [illegible] Axungia.

Lupini

Vulgaris sativi C.B.P. St semina orbi-culari plana compressa sap: leguminosi amaricantis ingrati

ō usurpantur interne q^a tormina caus-ant. Ext^e c. Ol: Amygd^l. dulc: et mu-cilagine admota vermes infantum necant

Malvae

St vulgaris folio sinuato, flore roti. C.B.P. Sem: semilunaria s. semicircularia ex dor-so crassiori in acutiore aciē desinentia sap: mucilaginosi et oleosi.

Eadem facult. cuncta quas rad. Emolliunt et Anodyna st. raro praescribuntur, po-tius folia in clysteribus

Milii Solis

St Lithosp. sem. maj. erecti C.B.P. Sem: rot: glabra laevia splendentia ci-nerea duriss: sap: farinacei Od: nullius

Vires ex experientia quod fortissime pellant urinam sed vix ulla sapiet od: tenui. Hoffmann dicit fieri q^a in terendo, liquore in-quinati albicante fiant. & aliae quae adstr.

punt qd minime ones impediunt, sed hoc
non admitti potest. Ergo in his eandem vim
diureticam statuo quam in ... quod
sc: absorbeant et insptringant acidos per
aliquod alcali in eis occultum quod acidos ..
agulabat et incrassabat sanguinem unde serum
non satis curate a sanguine potuit separari.

Dantur in substi ... aliqui ag: diuret:
aut lithontript: subtiliss: trita. diurett
... Febb: ... fugare quod ... dic
de ... ...

Sapo
Sunt ... sem: parva ... vrssa
Sapo: amaricantis acris odoris mulierem.

Calefac: ... diuret. diaphor: ...
... omnium viribus ... ...
sed hoc non dando eis qui tempo... ...
...

Hinc oleum expressum ... possit ... post
... ... aqua ac dein exprimi oleum
... pannum ac aqua evaporari. Sed Ol:
expressum ... magis spirituosum at
... possunt ... sem: olea exprimi

Nasturtii

Et Agalici supini et hortensis B.B.
Sem: parva oblonga subrubea aliquan
tulum compressa in acumen pallidus
desinentia.

Calef. Incid: Antiscorbut. Diuret.
ubi sanguis crassior et viridior
Datur in subst. et infus: et melius
in subst. raro est in usu

Nigella

Flore minori simplici ~~[illegible]~~ candido B.B.
Semina nigra sap: subacris odo
aromatici.

Radices valde astringunt. Semina et
incid: attenu: aromat: Cephal: uter
ina.
Usus in sternut. naribus applicatus in
affectibus capitis. Quidam utuntur eorum sufi
[illegible] in v. ad affec. capitis Catarrhosos. [illegible]
adeo fragrans. Oleum nullus [illegible]
Recentia solum usurpanda

Nuclei Cerasorum

St fructus Cerasi maj: et sylvestris s. dulcis B. S. nuclei albicantes subrotundi et exacuti inclusi mediante flavescente tenui officulis orbiculatis labris pallidis duris sapo: leviter amaricantis subdulcis et oleosi.
Temperata. Anodyna. Usurpantur in doloribus capitis in Epithemate, stranguriam solant et Febricitantibus grati max^e conveniunt.
St Sibthorpij: Dimet. ... vino. ... frequentius in usu. st in Frontalibus

Nuclei Persicorum

St fructus Persici vulg. B. S. nuclei callosi exacuti albicantes bini et plurimum ad se invicem juncti inclusi mediante tenui flavescente tunica officulo durissimo sulcis et scrobiculis exarato sapo: amaricantis et oleosi.
Eisdem affectibus conveniunt et eodem modo usurpantur.

Nuclei Pini

St fructus Pini sativae B. S. nuclei oblongi candidi pingues et oleosi inclusi mediante rubella tenui officulis crassis et duris in turbinatis et squamatis cono dispositis sapi subdulcis oleosi grati.
St Pa alimentosa quam medicamentosa. Dantur in Atrophia Marasmo. St Anodyna.
Dantur in ... cum ... ante Hordei. Venerem stimulant quia ...

oberis semen. alia sunt venerea quia stimulant ac titillant. Recentes ex, cupti e fructibus sunt usurpandi

Ocymi

Sunt Ocymi vulgatioris B. P. semi: parva ob-longa fusca nigricantia sap: acris aro-matici odor: grati, et debilis.

Sunt calefac: incid: stomachi: Cephal: in Cataractis aftriis comforbunt. [illegible] et stimul aromatica cordi [illegible].

Dantur in subst: et infuso ex vino. Recentia sunt usurpanda

Oleris atri

Sunt Brassicae fimbriatae B. P. semi: rotundiglabra nigricantia sap: acris aromatici et amaricantis.

Cum reliquis tetraspermi: viribus conveniunt calef: incid: Diuret: Antiscorb: quae tale multo vol: polleant.

Usus in subst. melius quam in infuso in vino et in Emuls: Sed raro sunt in usum. potius praescribunt medici nostrates Cochlear: [illegible]:

Orobi

Siliquis articulatis semi: majori B. P. it grana angulosa subrot: fusco spadicea. Sap: leguminosi alligantibus amaricantibus et ingrati.

Sapor e crassus et crudus unde interne producunt tormina ventris. Externe st in usu ad emolliendum pro varo.

Paeonia

Maris C. B. P. st grana oblongo-rotunda nigra lucida sub cortice crassiusc: membranaceo includentia pulpam albicante. Sap: subacris subdulcis tenuis Od: nullius.

Sapor cito perit mox ideo fortis est ut tres vires habeat antiepilept: [illegible] Medici dant in subst: ℈ in vino ad ʒj. Contra arguunt in destillando prodere multum salis vol: sed sal illud nil aliud e quam [illegible] acidum qui ex [illegible] aquis oritur. at tanta copia non edunt ut in ʒj assumpta [illegible] inseniat ut [illegible] in [illegible] [illegible]. Quidam [illegible] [illegible] celi utrinque et pericarpiis [illegible] [illegible] pericarpiis [illegible] [illegible] [illegible].

Papaveris

Albi sit Papav: hortensis, simpl. semine albo C.B. cum: minuta rot: rugosa can-
dicantia sapo-is subdulcis grati et o-
leosi.

Nigri ō differunt a priorib: nisi colore. at hinc pruinae post [illegible].

Temperata (licet planta sit calida) Ano-
dyna, Thoracica in Phthysi Tussi:

Usus in Emulsi: in aq: Cordi &c. aliqua appropriata.

Hinc exprimitur Oleum qd Emolliens et Anodynum ē usitatiss: Chirurgis ad dolores sedandos. Sem: Minib. temporib. dolores leniunt ac somnum inducunt.

Hinc Syrup: Simpl: et Compos: et Electuar: Diacodii Oia Emollientia et Anodyna:

Petroselini Vulg:

seu Apii hortensis C.B. cum parva oblon-
ga striata atroviridia sap: acris aromatici
od: fragrantis.

Vires habent quas pl.a radix. i.ad.
Alter: Aperit: Diuret. Lithontript.

Us. in Subst: Infus. & Emuls.
Hinc Aq: destill: earunde vires.

Petroselini & Apii maced: Semina par-
va striata villosa atro viridia Petroselino vulg:
longiora et tenuiora Sap: acris arom: Od: fragr:
Viribus prioribus praestant

Portulacae

Latifolia sativae C.B. Semina exigua nigra
Sap: aquei terrestris Od: nullius.

Refrig. Incrassant, Absorbent, febri-
citantibus utilissime
Usus in Subst: Emuls: quae particulas
salinas volat: obtundit in sang.

Plantaginis

vel Latifolia & angustifolia C.B. Sem:
parva oblonga pulicis formia coloris obso-
leti aut ferruginei Sap: aquei terrestris.

Refrig. Incrassant. Usurpantur in tenui-
ori sang. et in fluxibus alvi magis
Sem: Portulacae. Et hoc & illa raro in usu.
Usus in Emuls: in aqua appropr.

Psyllij.

Maj: erecti S. S. sunt semi: parva oblonga pulicisformia lubrica et lucida ex fusco ni-gricantia sap: 1° mucilaginosi postmodum ama-ris et nauseosi:

Constant partibus plurimis. Refrigerant ipsa et Calefaciunt. Sic stirpes praeva-lent. ac Cathartica sunt. ac sit calida appellanda nec nullum simplex frigidum purgare nobis. Observatum quotare boni-tas a practicis medicorum unde medici non nisi robustioribus solent praescribere. Tor-refacta aut cocta amittunt omnem vim sine nauseosa et bene purgantem un-hinc sic praescribuntur in Dysenteria.

Dantur in Emulsione cum Aq: pura vel alia aqua ad ℥i. Sit Emulsio primo debet agi-tari ut misceatur cum aqua. Purgant praecipue bilem. Egregia vero est eorum Emul-sio cum Aq: Plantag: aut Solani ad Com-busta illinita vel cum linteo ei imbuto applicato

Raphani

Majoris orbicularis sativi S. S. sunt semi: rotunda rutila parva sap: acris et ama-ricantis

easdem cum rad. habent vires superius di-cti: in Nephritide usurpantur.

Usus in sulphia & Emulsi:
Hinc Olei Expressi eorundem virib. nihil notab. ol: & V. solutis ad Stimuli in felicius simoro . In decocto ois aroma perit. Non etiam Oleum p destillationem nullus habet odorem.

Rusci

B. F. st. Baccae rot. Asparagi baccis majores rubentes includentes sub cuticula tenui modo unum modo binos acinos durissimos . . . sap: subdulcis et tenuis.

Coimunt & Rad. et ego huic plus tribuerem q altribus. ac vero omnis . . . radice seminis in iniberatis plane perit. Numerantur inter Aperientia et Diuretic.

Ruta

Hortensis Latifol: B. F. Semi: sub rotunda aut semilunata . oloris modo flavi modo nigricantis sap: amaricantis aromatici ingrati od: gratis.

Coimunt & pl. flava q st. perfecte matura et nigra.

Sunt Calef. Sud: Resolv: Alexiph:
Sed Pericarpia habent sap: et Od: longe potentiorem qm ipsum Semen ac inde ullis majorem longe vim altribus. ac Semi in a.

unlabis 17 Sem: p vomit. ft in usu ut dictū
at Rivi Sem: sola destillant nullū parā
bent Ol: si 7 p: inaequis vagio prodbeat.
at hoc Ol: opt: ē sudorif: et Alexiph:
17 ℞ solutū. tales ℞ 17 Ol: sumunt
haustulū quotidie bubus pragnis.

Sambuci

Fructu in umbellā nigro B.S. ft acini ex
igui oblongi plani sap: subacris ingrati et
quodammodo nauseosi

dicunt vulgo Grana Actes.
In Sambuci flor: ē vis emolliendi. in
Cortice astring: et Purg: in baccis
& Sem: vis purgans ac sap: et in vicem
comedunt movent vomitū. ft a nostris
medicis ut in usu ft solū ad Diuretic:
Aliud Ol: ft ō officinale p expressionē
Hoc lenissime movet vomitū et alvū lax
at. p̄bē sumi ad ℥j. nam l bbe ē. Semen
datū ad Diuretic: ad ℥ij. si majori q̄titate
dat purgat.
Hinc Trachea i:e: pasta ex farina
siligineā ac melle. quo usus ē Quercet:
ad Dysent: feliciss: qa ō solū astringit
ft et: cau morbi participant ex sangue.

Santonici

Est Absynthii S. Santonici Alexandrini S.S.
Semi: parva oblonga q. ex squamosis tunicu-
lis cum parte flavescentia Sap: acris amari-
cantis aliquantulum nauseosi Odi: graviusculi.

Calef. Incid: ac aliquo modo Cathart.
Specif. in Lumbricis enecandis a ʒß. ad ʒj.
Sunt Sem: contra Lumbricos divinum. Aegrota
oes his ~~adm~~ utunt in Tractica cum melle
quando non absorbent nisi macerata in aceto
per hor. 8 vel 10. Sem:a cruda melius dantur et
macera cum fuliginitate cum Aq: graminis quae
et e Specif. contra vermes. Quidam ℞
Sem: Santon: Rad: Polypod: ana ʒß in
pulv: cum Aq: graminis. Hoc Sem: (e contor-
tunt ventriculum ac Intest. Item sudorif.
et in majori qtitate purgant.

Saxifragie

Rotundifolie albe S.S. Est Sem: tenuia
oblonga et fusco nigricantia Sap: subacr-
vis amaricantis.

Diuretica et in calcul: pellendo.

Usus in substa: ad ʒj. ℥ decocto ad ℥j.
In substia dantur in Aq: Petroselin.

Scariolæ

Sunt Intybi sativi angustifolii S. P. Sem: Endivæ seminibus forma et sap: simillima.

Aliqui confundunt pharmacopœi hoc et sem: Scolarcæ s. Cornini ac eorum illa pro his dant hoc

Est Temperata. si sanguis effervescat refrigerant si sanguis temperatus nulla alteratione inferunt. Conveniunt in semine salia ac sine vivet.

Seselios

Hæc sunt ligustici qui Seseli officinis S. P. Sem: oblongum striata et viridi ... p ... fimbria exigua foliosa sap: acris amari aromat: quæ ex coriis fumant: et Cumini p

– X mixti
Od: fragr: Cominum et reliquis umbellatis.

Calefaci: Incidi: Carminat: Diuret:
Specif: confortant ventriculus.
Usus in subst: aut infuso in vino

Sileris

~~...~~ Montani ... Libanotidis latifoliæ maj. S. P. Semi oblonga ... ut plurimum alis foliaceis ornatæ sap: acris amari: aromi: Od: fragrantis.

easdē ex praedict: h̄ent virtutes
Vulgaris

earundē viri.
Praebent hae omnia Ol: destill:

Sinapios
Rapi folio S.P. sunt sem: russa vel purpurea
... seminibus minora Rap: acri amaricanti fervido.

Calef. Sicc: Diuret: Diaphor:
Hinc Ol: Express. copiosiss. quo saepe
usus sum in affectibus nervorum frigidis. Certa
virtute oc: ambitum.
Usus in subst: aut infusi in vino. ...
calidiorib. ... praescribunt.

Sophia
St Nasturtii syl: tenuiss: incidis S.
P. sem: minuta subrubentia sap: acris
et fervidi at nasturtii accedentis.
Cum Nasturtio coinunt ... in Nasturtio
major vis. ... rara in usu.

Staphidis agriae

Sunt Staphidisagriae ℞. P. semi: rugosa nigra angulosa triquetra sap: acris fervidi excurentis ingrati et postmodu nauseosi.

Est apophlegmatiz: sed ob nauseosu sapo rare est in usu. sed expe[illegible] stam [illegible] in vino fortissime purgare humores serosos sed anum moleste inflammare. ac hinc raro est in usu. sed

Hinc unguentu contra pediculos.

Ad apoplexiam: [illegible] [illegible] [illegible] et Rad. Pyrethri

Sumach

Sunt Rhois folio ulmi ℞. P. grana orbiculata villosa parva rubentia s. rotinea, includentia nucleu s. semen orbiculatu spadiceu, sap: acido astring: et terrestri.

Sapor acidus potius sentit in pulpa, e m na continente.

Refrig: Incrass: in Dysent: Fluxu mensiu, fluxu albo &c.

Usus in substit: e Decocto qd saporem habet gratis a malicorio.

Thlaspios

Arbensis vel siliqua lata vel vartarie folio B.B. Sem: parva oblonga rufa sap: acris et ferbidi.

Extant in offic: sem: by Thlaspios & hu, [illegible] et bis ē cadē

Coitur [illegible] sem: Nasturti: sophie aut sinapi. et specit: fit ad abscessus [illegible] in quarbis [illegible] rumpendos [illegible] maturist abscessus [illegible] eis chirurgi utunt ad [illegible] interne exhib:

[illegible]

Vulgaris sit [illegible] max. B.B. sem: parva compressa [illegible] cubito [illegible] sap: sub= acris et [illegible] tenuis.

Romane definitio sequitur.

Romane a sem: vulgaris ō differunt nisi magnitudine. vis ē eadem. [illegible] vulg. [illegible]

Propter [illegible] [illegible]. [illegible] [illegible] subacrem [illegible]: et q.ª Tennes [illegible] sit et educunt [illegible] incisa et [illegible] educunt sine ulla molestia q.ª [illegible] sit [illegible] in [illegible] [illegible] pulmonum.

Usus in [illegible] et [illegible]:

Romane [illegible] describunt [illegible] Rom: [illegible] [illegible] B.B. sem: pene orbicularia compressa

Cortice lebia splendenti et spadiceo nigricante. Sap: subdulcis subacris pinguis et quadam tenuitate.

Fructus

Alkekengi

Sunt Solani vesicarii B.P. bacce rotundæ cerasi magnit: flavescentes inclusi folliculo folioso et maturitate rubenti continentes sub pellicula tenui pulpam flavescentem in qua sem compressa orbicularia rugosa Sap: subacri amaricante.

Solanum planta ē baccifera nonnull: quia ejus seminis debito flore scibus virgatis donus vesicis.

Ex sap. B Calid. sicc. Ocs bacciferæ plantæ juvant in affectib. Urinariis.

Usus in Decoct: Infus: Suffit: cum aq: appropriatis.

Amygdalae

Dulces sunt fructus Amygdali
sativae C.B. Arb: univ. floris penta
petali Nuclei oblongi compressi sub
cuticula tenui rufa includentes medullam
albicantem oleosam Sap: subdulcis et grati
Amarae sunt Nuclei ejusdem formae et
p[...]stio Sap: amari.

Sunt dulces Temper: alimentosae Lenientes
emolli: Dantur in Tussibus et Morbis
pectoris

Hinc Ol: expressum quod sine igne ex
primitur optimum ignis enim partes volatiliores
absumit, quod flatus discutit et Urinae ardo
rem mitigat

Amarae Calidiores sunt Incid: Attenu: Men
ses et urinam pellunt

Harum Ol. prostat in Inflamm:

Anacardium

Est (arboris Malabarici Bibo s. Oepa- ta dictæ (Hort: Malab: tom: 4.) Fructus compressus similis cordis figura nigri- cans splendens includens sub duplici involucro exteriori corticoso duro interi- ori tenuiori rufescente nucleum solidum al- bicantem sap: subdulcis et grati et in- tra duplex illud involucrum q. in variis fabis ac? sitibus liquorem nebulosum gluti- nosum, rufum sap: acris et urentis

Zarb: nuri fert

Multo his nucleis ascribunt vires ad fol: Cor Cer et Memoria(m) confortandi. Sed non alias habent quam fungit(ur) dulcis.

Liquor intra involucra in opere usum- ari nisi externe tam Caustici

Alia species extat apud Pharmac: Pa- rum illa [illegible] inutilis ejusdem constit et sor.

Baccae Hederae

Sunt (Hederae arboreae Dioscoridi antiquis Baccis. Corymbos:) baccae rotundae, maturitate nigrae, ciceris magnitudine in summo operculo nigriori, circuloso q. umbilicato includentes sub tenui membranâ pulpam in quâ tres ut plurimum acini oblongi gibbi turgiduli albicantes. Sap: cum herbacei et austeri postea acris et nauseosi.

Sunt Calid: aliquo modo expellunt sic et urinam sed raro usurpant.

Item Ol: elicit quod egregie c. lithontripticum

Judicatur arbor venenata a quibusdam ob saporem mixtum. Usurpantur baccae in Hydrop.

Juniperi

Sunt Juniperi vulg: fruticoso S. P. bac-
cæ rotundæ p maturitate nigricantes in-
cludentes sub tenui pellicula mediante
parva rufescente pulpa acinos tres ob-
longos triangulos sap. subacri subdulci
resinoso.

Dicti a Iuvenis et pario qa semper
juvenis e et fructus parit.

Calid. humid: Atten: qa sapore resinoso
dco leniens. qa gla baccifera diuret:
datq in urina ciendis et sudore pellendis

Sim destillatq Oleu uterin: diuret:
leniens. in stranguria Collo: datq.

Vin e Sp: ex baccis fermentatis fra-
grantiss: in morbis malignis utilissimus
ut et in praedictis affectib.

Usus in subst: Infus: Decoct.

Lauri

Sunt (Lauri vulg: B.C. arboris bacci-
ferae pentapet: nucleo gemino) Baccae ob-
longae rotundae nigricantes sub pellicula
tenui includentes nucleum geminum
nigricantem. Saporis acris amari aro-
matici oleosi Od. ō ingrati.

Specif. pellit ꝑ sudorem urinam
menses. qa ai: oleos: Leniunt et sud.
qa aromat. flatus discutiunt ac contra
febb. et morbos malignos ꝓderunt.

Usus felicis.: in suffit: ꝑ

Hinc Ol: ex iis fit Expressu longe
melius nā vires amittit ptes volatiles.
hoc ē summo successu in doloribus Colicis
externe et interne in Clyster: in flor.
Chamom: et sabb. In doloribus item ner-
vorum et articulorum admit.

Hinc ē fit Ol: Destillatu qd potest mis-
ceri in expresso.

Mezerei

Sunt Laureolæ folio deciduo flore purpureo: C. B. baccæ rotundæ rubentes majores rubentes p maturitatem nigricantes includentes sub tenui pellicula nucleum rotundum [illegible] candidum vel flav[illegible] sap: acris fervidi et nauseosi.

Laurentiores sunt acriores. Vocatur [illegible] per Germaniam.

Calidiss: valde siccant purgant serum et bilem Dan. in [illegible]: Gebero

Dosis ad gr. xv.

Extractum ex fo: [illegible] ē opt: Utiliss: ē nabigatoribus ad gr: vii. Acetum ū, aut in quo fiat Extracto qᵃ [illegible] qm possit inspissari ab igne [illegible] ptes subtiles

Myrti

Sunt Myrti minoris vulg: Baccae ob-
longo=rotundae nigricantes sub pellicula
tenui includentes sem̄ unicum ossa alba la-
bia lunata curvata renis figura gus:
adstringit et sub acidi;

Folia sunt Calida
Decocta frigida
et adhibentur in decoctis frigidis ut in
sudore nimio fluxu. in Febb. item ard-
entibus in Clyster. refriger: adstringunt
valide. sunt etiam stomachica.
Item Oleum per insolationem et Syr-
opus Myrtinus in Fluxibus albi ut et
in vulneribus usurpatur. sunt ō c̄ vomi-
tibus ubi c̄ suspicio sanguis coagulati

Sambucci

Sunt Sambuci fructu in umbellâ nigro B. C. Bacca rotunda Piperis magnitudine ꝓ maturitate nigra includentes sub pelliculâ tenui et pulpâ nigricante grana ut plurimum trina exigua plana saporis subacris et aliquantulū nauseosi.

Hinc efficit Rob Calid. Confortans Emolliens Sudores Urinas ꝓmovent. in Febb. item malignis.

Hinc item Sp: ut et Pulpa et R°

Capita Papaveris

Sunt Papav. Hortensis simplicis B. C. vascula seminalia oblonga rotunda calida cinerea scabriosa in summô Sub radiis stellata quæ intus continentur nucleum Sap: subacris et lenti odoris grave olentis narcotici Opij emulantis.

Vires ex Od: et Sap: patent: habent eundem usum quem Opium. Observant q. ex his fit Meconium. immo ex his fit Opii in India Orientali.
Itidem fieri potest Extractum cum V.

Carpobalsamum

Sunt Balsami Aegyptiaci Prosperi Alpini Fructus oblongo-rotundi rugosi piso minores fraxinco fusci, in parte acuti, de lineolis quatuor ut plurimum notati quadam Intumescentes aliquando q. cortis sunt medulla exigua molli Balsamica Oleosa albicante aliquando nulla sed primam tamen tenuem insitum, Odoris grati.

Hi fructus hic nullius sunt usus q. recentes ad nos non adferuntur.

Caryophylli Aromatici

Sunt arboris Caryophylliferae Tzinka dictae fructus Summitatum oblongi instar clavi unguem depressi rugosi ex rubicunda nigricantes quatuor in summo stellarum decussatis apiculis notati cum medio capitello globoso et raro futuri floris rudimento. Sap: acri amaricanti grato Od. fragrantissimo.

Not: arboris flores pentapet: fructibus insidentes claudentes nucleos ejusdem.


Anthophylli

Sunt fructus arboris Caryophylliferae Tzinka dictae fructus maturi oblongi clavi instar nigricantes caryophyllis crassiores et tumidiores quatuor in summo stellatim decussatis apiculis notati includentes sub cortice tenuiscula binas s. grana oblonga fusca. Sap: et Od: cum Caryophyllis iisdem.

Hi et praecedentes sunt Calid. Atten: Aromat. Alexiph:

Usus in Subst: Infus:

Tinct. parat. Syrup: Spir: Aq: et Oleum. et Specif. in Cephalalg. Apopl: Affect. Nerv: interne et ext.



Cassia Fistula

Est (Cassia Fistula Aegyptiaca) siliqua oblonga rotunda cylindracea nigricans includens sub putamine [illegible] rotundo dwinculo in cellulis ex ordine dispositis loculamentis seu [illegible] nitida [illegible] et pulpa nigricante melleae [illegible] subacris subdulcis et nauseosi

Dicta Cassia a voce Cassima quae signat Corium & pellem. Est multiplex [illegible] alia e Alexandrina alia Indica alia Americana [illegible] nobis ostendit [illegible] [illegible] [illegible] in illis [illegible] [illegible] [illegible]. Alexandrina e nostra officinalis. haec ab Indica dinoscitur quod in [illegible] cortice nulla e rufescendo plane enim nigra e. Quo gravior pulpa eo melior. et sonitum edens quassata minus valet haec semina eius in cellulis variis sonant. Cum Dr. Alpino dicit signum bonitatis esse quod sonitum edant [illegible] e de fructibus pendentibus ad [illegible] ab arbore qui vento afflati cum mutuo allidunt et sic strepitum faciunt signum e maturos esse.

Pulpa Temperata quoad dulcis et Calidus et quoad nauseosa. purgat omnes humores [illegible] [illegible] in [illegible] [illegible] [illegible] humores serosos Dos: ab ℥i ad ℥iss. Alternum [illegible] aliis purgantibus Ob [illegible] [illegible] aliquando Urinam. In Gonorrhoea [illegible] & biruel: [illegible] et semper in usu e in Italia cui addunt & [illegible] ego id in India solitus eram dare ad Gonorrh ex:— ℞ Cass. Fist: ℥i. Pulp. Tamarind. ℥ß & [illegible] gr. v. Ol. Anis: gutt: iv.

Corrigenda e Pulpa Aromaticis ad [illegible]

rigidiores conditiones emendandas. Mon dandae Biliosa quae pticula dulces fuxle pulverantur in brevi undulato. Et vbi facta e gesita abstineant ab hoc purgante qua diminebitae.

Impuditas Cortex Ellebaria purgantia Americana e longe acrior et fortior sed o in usu e

Colocynthis

Sunt Colocynthides mali fructu rot: B. G. Fructus rotundi pugni magnitudine ex flavo viridantes includentes sub Cort. tenui coriaceo medullam candidam fungosam levem aridam parvam compressam oblongam cucumeraria albicantia q. fortida sap: sub acris amariss: et nauseosi.

Colocynthis idem e ac parva cucurbita. Cortex stilus in malo dulce abjicitur pulpa nostris ex India affertur. Multis capitibus a Persiis sed quis nascitur in locis montanis et qui solus a planta aliqua nascit qui in locis humidioribus nascit multis cumulabilibus sicubi qui flatus excitant et qui solis longe fortior e.

Intus ols fomentis fortissime purgat. Doses a ℈j ad ℈ijss. qui solus ibi una planta nascit o detrahit ultra ℈ss. Conjungunt Radici bulgo i7 aliis ut ♃ Pulpe Color: ℈j. Diagryd: gr. vi. f. pulv: Ex loc

. ōis remotiss: purgat ōes humores pr.
cipue Serr. Damn. Persp et Indi in oibr
morbis a lue venerea
Item Extract. et Resina 17 ℥. Dos:
ʒß ad ʒj.
Hujus Pulpa sindoni inclusa (& coquit.
in Clyster: ad Colica.
Persæ eligunt Pulpã quæ strictiores hab.
poros quæ fortior eius est. Indi appel
lant hanc foeminã et quæ laxiores hab.
poros et colorẽ nigriorẽ marem.
Sola in usũ Pulpa q^a semina et cor.
tex magna tormina excitant ob flatuum
bid. Et qui Extr: faceret ex eis cum ℥.
bon. satis haberet purgans

Dactyli

Sunt Palmæ Dactylifera maj: B. P. fruc
tus oblongo-rotundi Juvenis glandis magnitu.
et forma includentes sub pelliculã fulvã
et tenui pulpã molliã sav: subdulcis cũ
ovali officulum uniter oblongo duro.

Temperati sunt o fere in Ficus. Emolliunt
dantur in Asthm: tussi, Inflammat: fauci
Colluvionibus oris &c: ut et ficus. Sed quia
ō semp Boni facile en: corrumpunt
nec o sæpe exsiccunt. In Clyster ad
Emoll: Indi hinc exprimunt Pulpã
suo foã mellis quo vin. servant.

Ficus

Sunt Ficus communis C.B. fructus pyriformes ex viridi rubentes pulposi et molles blandientes sub pellicula tenui pulpa carnosa mollea pallida subrufa innumeris granulis minimis referta Sap: mellei dulcis et grati Od: debilis non iniucundi

Temperati. Emollient. in Asthmi: Tussi. boni nutrimenti cum sicci. sed facile in bilem mutantur.

Galla

Sunt foliorum Quercus tubercula ex excrementitia rotunda in superficie salebrosa partibus tuberculis exasperata Levia rarius uno ut plurimum foramine intus fungosa et cavernosa Sap: austeri acerbi et astring.

In cavo qui postea foramen habent semper inveniuntur vermiculi qui in posse [illegible] ily.

Astringunt siccant coagulant. In omni Fluxu [illegible] et in collutionibus famosae. raro proficiunt

Gariophylli Plinij

Sunt Arboris fructus aut Caryophylli Rotundi [illegible] rotunda ex fusco nigricantes piperis magnit: et fere in summo umbilicata includentes sub tenui pelliculu et substantia fun gosa binos ternos nigros paruos tenui membra na [illegible] et [illegible] Caryophyllos accedentis [illegible] decoctionis

[illegible] arboris cuius cortex est

Cassia Caryophyllata [illegible] ante

Ex [illegible] aftesunt ac [illegible] non sunt [illegible] Dioscoridis [illegible] ne [illegible].

[illegible] fuit eadem [illegible] Caryophyllo [illegible] sed paulo rotundiore. Cortex est sa pore et odore fortiore.

Transferunt a Lusitanis in Indiam [illegible] Oleum destill: quod [illegible] pelle [illegible] ac Ol: Caryoph: cui saepe [illegible]. Vidimus majorem speciem [illegible] [illegible] eandem [illegible]. Et [illegible] Cardamomum [illegible] quidam dicunt [illegible] Dioscoridis sed falso.

[illegible]

Sunt Indicis vulg. B.B. fructus oblongi ro tundi pollicis crassitie dactyli magnit: et forma includentes sub putamine [illegible] corticoso spa diceo nucleos [illegible] ex albo spadiceo sapor: aus teri acerbi et astringentis.

Refrig. Astring. Sang. inhibent. [illegible] fluxibus albi in decocto aut Clystere [illegible] raro usurpantur. Multi [illegible] [illegible] magis prosunt [illegible].

Jujubæ seu Zizyphi

Sunt jujubæ majoris oblongæ B. C. Pruna si-
fructus olivæ magnitud. et formâ puniceo rubescen-
tes sub pellicula crassiuscula ossiculum oblongum utrinque
acuminatum rugosum includentes pulpa molli fungosa. Sap:
Medici subdulcis et blandi.
Easdem het quas [illegible] vires
Prostat Syrupus ad Tussim, Asthma, [illegible]
emollit etiam alvum.

Grana Kermes

Sunt Ilicis aculeatæ cocci glandiferæ B. C.
grana excrementitia rotunda pisi magnitud. ru-
bicunda ejusdem foliis adnata, ex recentia plena
vermiculis alatis et succo sanguineo fatiscentia in-
motis in substantiam fungosam raram colorem sa-
poris subacris et subamaricantis.
Non sunt fructus arboris sed excre-
menta quoniam [illegible] adsunt [illegible]
abesse foliorum et ipsa arbor profert
glandes sed quercu minores. Arbores ju-
niores solum ante quam glandes proferunt pro-
ferunt hæc grana. Sunt colligenda ante
maturitatem et antequam vermiculi intus
perforaverint et evolaverint, et tum
linteo excipimus ac primo in linteis
expandenda ut exeant vermiculi et
ut simul cutis granorum rumpatur et
sic vermiculi mortui procidentes colli-
guntur et in massam redigantur. Ver-

mesnd. Tinctoria. Qui syrup̄ in
faciunt et inde Confectionē potius
granorū ut dictis collectorū experimunt
fuerunt. Quæ ad nos adferuntur, sive
e Gallia Narbonensi feruntur.
Illi vermiculi in e granis sumpti
ardorem spirant flosculo gratiore. ac
inde si Conf. fiat in illis locis e rece-
ntibus granis insignes hēt vires Car-
diacas Cephal: uterum Antepil: et ad
memoriā labilē Laudat. si odor ille
ortus sit unde qd e granis ut ad nos
allati sunt fit ō adeo magni estimo.

Mespilus

Est Mespili vulg: Germanicæ folio Laur. uno
ō lorato B. P. et sobustiori ? fructo immaturo
rotundo hirsuto in basi acuminato in summo 5 q fo-
liolis oblongis mucronatis umbilicati includentes sub
e fliculi tenui offinula compressa triangula uno et
altero 5 q inbolute pulpa carnosa valide sap: ferubi astring:
fr...
friger. sang. incrassant. ... raro
prstant et raro in usu sunt

Myrobalani

Bellirici st. fruct.us Myrobalani fere figura nucis Indicae folio Laurino subcinericio C.B. et Jonstoni. fructus rotundi sine angulis magnitudine majoris gallae in pediculis crassiore desinentis ex rubiginoso flavescentes includentes officulum durum sub putamine carnoso crassitudine lineae sap. primo astring. postmodum subacris dulcis.

Expetuntur propter corticem et pulpam.

Constant particulis et aperientibus et astringentibus et astringentes praevalent. Estimantur inter fructus albos solventes. et saepe initio particulis acres intestina stimulant et pituitam educunt at postea astringunt. Hinc utimur eis praecip. in omnibus fluxionibus albi.

Ad astring. potius in substantia. ad [illegible] Purg. potius in infuso ad ʒij. nam infusum potissime imbibit particulas laxantes acres. Omnes 5 species multo simul perscribuntur.

Chebulae sunt fruct.us Myrobalani fere figura Dactyli Indici Persici folio salicis C.B. fructus oblongi in quinque costas elevati et magni inter caeteras Myrobalanorum species omnium maxime colore obscuro nigro includentes officulum oblongum crassum cavernosum sub putamine crasso carnoso sap. acerbi et obscurae quadam acredine et acorde

magis Refrigerant ob aciditatem et ma-
gis Astringunt quam praecedentes Si-
mul prosunt bulbo

Emblicae sunt arb: Myrobalani: folii minutim incisis Jobust: fructu rotundi sex angulares Bellericis minores ex cinereo nigricantes includentes ossiculum leve album Avellanae magnit. Hexagonum tribus cellulis insignitum in quibus nuclei pomaceo radices triangulari ubi pericarpio carnoso pulposo crasso per maturitate imbras subsistente Sap: subacris acidi. Conveniunt cum praecedentibus. usus et usus ut dictum purgant et astringit omnino obscura acredine. Decocto magis astringit.

Citrini sunt arb: Myrob: Sorbi foliis Jobust: Fructu oblongi rotundi Pentagoni rugosi Chebulis minores coloris Citrini includentes ossiculum angulatum foraminulentum cum scrobiculis notatum sub pericardio pulposo Sap: acido quam Chebulis.

His magna vis ascribitur evacuandae et temperandae motus Bilis. quod sit per acriditatem suam et astringentiam quam inrassetur sanguis ut videtur o adeo efferveseere queat

Indi sunt arb: Myrob: folio Salicis Jobust: Fructus oblongi reliquis Myrob.is graciliores et Sillae tenuiores: superficie octangulari solidi et duri intus et extus pice nigredinis instar bituminis Judaici includentes nucleum et nucleo vacui. Sap: subacidi acerbi astringens relinquens vis in lingua acredinem obscuram cum mordentem salivam.

Inter oes spes hoc magis purgat ut sibi ex expertus sum quod ex salsedine et nausea colligo. Danturque in infuso aut decocto ad ʒß

dis in dubia. Et nostri medici non prae scribunt solas quod ego feci.

Fructus Cupressi

Sunt Cupressi F.F. fructus in conum tur binati conis laricinis similes aequales quasi ra gosi compositi e clabalis tuberibus ex flavo nid compactis per maturitatem sponte dehiscen tibus intra quorum commissuras clauduntur semina russa oblonga latiuscula membranacea alata medulla eminente donata. Sap: acerbi et astringentis.

Nux Moschata

Est Carbonis uniferae aromaticae Halo dictae mois nuclei rotundus solidus maculis rugosis sub solidis oleosis extus cinereus spadiceis vel pallide flavescentibus venis undatim sine inde inter vo lati juxta arbitrarium mixta spadiceis lituris con... dorsum spargit persursum. Sap: acris aromatici et ... et pinguis odoris fragrantissimi: et grati.

Nascuntur in insulis, Orientalis specialiter in Bantam. Tota arbor e aromatica.

Colliguntur bis in anno cum maturae sunt decussantur putamina et ab exteriori in oleis involutis ... alio nomine dicuntur Macis vocatur. Nux Moschata feminea quod dicitur et alia est quam nux Moschata monstrosa comparatur, nam in eadem arbore et alia nascitur. Nux ... mas dicitur longe rarius sponte nascun... nec colunt, ut adeo frumentaria ac .... apud nos majori est pretio ... .

varis adferunt.

Sunt Calid: Hum: Stomach: Cephal: Uterini Uterini Studyn:

Dat. in Subst: Infus: & Decoct.

Item Essent. R. ... Destill. & Express.

... fit per vivello & coquendo. ... sic fit ... Destillare volo aquam affundo ... post destillatione in aheno restat pinguedo crassa ... oleum ... Sed Expressum ... multo melius & multo magis stomachicum.

... ad astringendum & sanguinem incrassandum ... ab acido ... pinguibus ... oleum ... stimulis suis acrioribus ... ... melius ...

Ole: Express: Basis ... Balsamor ... ejus genuinus sapor et Od: tollendi ... rectificatissimo

Pistacia

Sunt Pistacia peregrini fructus racemoso ... nuces ... fructibus oblongi avellanae magnitudine angulosi una parte elatiori altera depressiori costa notati includentes sub putamine tenui corticoso rugoso ... glabro ex flavo pallido ejusdem ... fructum forma in quo mediante membranula tenui ... nucleus solidus ex albo virescens Sap: ... grati ad

Amygdalas redolentes Od: suavi sed tenui.
Vis ac viribus eadē bis quae Amygdali [illegible] [illegible] [illegible] [illegible] [illegible] aromaticum, et ideo stomachicis ac ante partes a [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] ideo dicunt [illegible] [illegible] [illegible] [illegible].
Hinc Ol: Expressu, [illegible] in usu [illegible] [illegible] vantur

Nux Vomica

Sunt [illegible] Malabarice Cunivam Hort. Malabar: quae ē arb: mediocr. flor: monopet: oblongis in 5 segmenta divisis racematim dispositis fructibus rotundis aurantiis [illegible] et magnitud: includentes sub putamine tenui duriusculo fragili pulpam mucilaginosam involventem nucleos illos qui sunt nuclei orbiculati plani compressi cornei duriter coloris argentei umbilico utrinque medio occupante sapor: amarissimi
[illegible] a [illegible] [illegible] longe minor [illegible] [illegible]: ē [illegible] [illegible] quo [illegible] [illegible] minores.

Vehementer Catharticum: Vomunt [illegible] 4 vel 5. canes lupos et [illegible] [illegible] necant. In pulvere [illegible] [illegible] Medici [illegible] praescribunt in Febbr. intermi: dant ad ℈j. o ʒß. [illegible] usurpando, vomitus [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] ad Pestē. Ego usq [illegible] [illegible] ad robustiores in Febb: [illegible]

et successu ~~magis ...~~ sed aliis ob utendi author sum.

Passulae

Majores sunt uvae passae maj: B. p. barrae ex siccatae depressae rugosae ex obscuro rufo rubentes continentes sub pellicula tenui acinos angulosos involutos pulpa molli subacida sap: acriusculi dulcis grati et vinosi.

Corinthiacae sunt uvae passae minores B. p. barrae exsiccatae passulis maj: multo minores bentes exredentes sap: ut pass: maj: ejusdem.

Temperatae sunt ingrediuntur via decoctionis ... varica et Lenientia

Hinc Mel syrupus ½ vinum passulatum et arundem vinum.

Piper

Nigrum sunt fruticis sarmentosi piperiferi grana rotunda pisi magnitudine: globosa nigricantia rugosa includentia sub cort: fuscis nigricanti: intus albicante tenui tecto nucleum ½ nullum ½ exiguum sap: acris fervid: Arom: od: fragrantis.

Album est fruticis sarmentosi piperiferi grana nigro piperi, folia cortice cinerea lato pellicula minus rugosa sup. et ad q piperis nigro ejusdem.

In initia soli usurantur piperis res sed propagant solummodo sarmentis & seminibus et plantantur in locis incultis.

Piper album e naturale vel artificiale quod fit maceratione nigri in aqua calente qua pellicula nigra absumitur et nucleus reliquus tingitur colore albo hoc fit Amsteled. lucri gratia nam album multo carius quia subtilius aromaticum e. dignoscitur autem ab altero rugis adhuc remanentibus, pellicula e sua adhuc indutum.

Calid. Aromat. incidit ad res cruditates vent.

Potius exhibetur integrum quam atritum, quia atritum adhaeret tunicis ventri & usq. rodit integrum vero rursus dejicitur & insipidum tota vi sua aromatica intus deposita quod e fit cum infunditur liquore ullo.

In destillatione pauca acquiritur olei et horum nisi subacre unde colligo hinc aromat. e valde volatile et posse piper in decoctis usurpari.

Quidam dant integra pipera ad feb. interm. sed e debet nisi robustioribus.

Longum sunt fruticis sarmentosi piperiferi fructus oblongi teretes julorum instar cinerei de numerosis minutis granis bene circulato plexu dispositis compacti saporis fervidi amaricantis aromatici pipere nigro acrioris fragrantis odoris.

cardo oppositis in culina ac alia quia habet amaritiem quandam.

Hinc species diatrion pipereon.

Prune

Sunt prunae fatibus f. bulg: B. p. fructus oblongi in utraq: parte obtusi medio ventricosi nigricantes includentes sub pellicula tenui ossiculum compressum oblongum involutum pulpa crassiuscula carnosa de obscuro russescente sapore subdulcis sive acris cum grata quadam aciditate.

Ob dulcedinem a silibus dulcibus 1mo emolliunt deinde ob aciditatem postea astringunt aliquomodo. In usu sunt in thoracicis affectionibus in decocto imo laxant deinde astringunt.

Hinc Elect: diaprun: Laxant. &c. quae lenius vires suas purgantes habent potius ab aliis admistis.

Sebesten

Sunt sebestenae domesticae B. p. fructus prunis domesticis similes nigricantes in plures f. cuneos ab ultra[?] includentes sub pulpa carnosa molli dulci ossiculum cavernosum tribus angulis & costis notatum in quo nucleus candidus &c. pilis

Emolliunt et leniunt thoracica etiam.

Siliqua dulcis

Est siliqua edulis C.B. p. Fructus lobatis siliquosi oblongi compressi paululum intorti crassi digiti longiores pollice latiores fusci splendentes dorso elatiori includentes pulpam carnosam crassam dulcem et gratam sub qua intra membranaceos loculos latitant nuclei plani compressi orbiculati lucidi fusci.

Easdem hent vires

Hinc Syrupus quem commendant ad sedem seu ardorem ventri qd tem ō probo n. dulcia potius augerent.

Tamarindi

Est siliqua Arabica Tamarindus dicta C.B. p. Fructus pulpa membranacea de siliquis dempta de fusco nigricans sap: subac: subdulc: et acerbus est longitudinem ligni in filamentis plecta dicta in membranacea loculamenta quae inclusa latent ossicula dura quadrata de fusco rubicunda et splendentia.

Arbores est spinosae tiliae magnit: folijs acaciae similibus Gentes siliquarum abjicit

Saporibus ẽ diversis, ob acr: calid: est ob dulced: porro Salinarum dulcis Emolliunt et alvum subducunt

ob aciditate s. sc: illa probabet tum
potius massa sanguis incrassant et sic
refrigerant (motu sc: inhibendo) ac as-
tringunt. ideoq Leniunt et astringunt
hinc in Dysent. Diarrh: et Haemorrhagiis. sive summe laudant in Febb:
biliosis aqua sc: diluti horum pulpa
dantur id in Decocto sed potius in aqua
diluta.
Ingrediuntur fere ora Elect: purgantia
Medici qui simplici quam proponunt purgandi & astringendi varia addunt.
Destillare nihil hinc acquiritur.

Farina

Fere oes Emolliunt constant cum: globulis
mollibus flexibilibus ad oes poros se acco-
mmodantibus.

Fabarum

Fabae B.B. sunt semi oblonga lata compressa
pollicis latitudine ictu ex uno radice oblongo
in summo umbilico nigricante intus albicantes
sap. leguminosi farinacei et subadstringentis.

Imponitur eibus tumoribus et inflammationibus. Usus in Cataplas: 17 Semi: Foenug:

Foenugraeci

Semina ipsa explicata. Farina solum in Cataplas: usurpatur. Semina vero in Decocto.

Hordei

De semine jam dictum

Lupinorum

Pariter ac de Fabis et Foenugraec:

Farina volatilis

Est pulvis flavescens sulphuri trito similis subtilissimus tenuissimus concipiens ad ignem inflammationis natus in summitatibus Musci terrestris clavati folijs expressi. B. L.

Inonia ita inflammatis suppurare nȭ ē. Corrigit vasis Bugl. is nimis acrem unde in Epilepsia puerorum admiscetur cum Epil:a alia a mãi saliuã oberit hujus enim acido salina acredine corrigit Datur ad ʒß. & ʒj. cum Butyro Majali & Lacte

Succi Liquidi

Lex describendi cum ipsa simplicia e pōt admiunt descripta sint

Agresta s. Omphacium

Est jus aquea austeria expressa et uvis immaturis Vitis Viniferae sap: acidi et austeri

Refrigerat Astringit datur in fluxibus albi et in ventri^l debilitatibus Stim syrup ad fervi ventri^l debilit:

Berberis

Ad bilis acrimonia retundenda et in Febr. ardentib.

Cydoniorum

Laevius astringit.

Fumaria

De herba jam
Ex succo fiunt pill: ad Melanchol:

Limonum

Vis fere eadē quae Berberis sed limonum succus summe Cardiacus sub ex odore recenter expressi patet. Usum in morbis et morsibus venenatis et malignis summe Ꝯdunt assumptus. et sudor medici ipsis morbis infundunt venenati summo cum successu et ego saepe usus sum in morbis hepaticis

Rosarum pallidarum

Succus hic exprimitur a rosis contusis at vero nobis rosis affunditur quae contunduntur et vero fit expressio ac fit saepius repetitus. Purgans est cum oleo o dato addito aeque scammonii Ʒj:

Succi Condensati

Absynthij

Fit ex succo Rosarum et vino sup ignē
Condensatur lenem.

Vires quod herba
Hinc fit syrupus qui in officinis extat
Succus dilutus vinis aqua herba destilla-
ta et tum cum saccharo coquitur ad consis-
tentiam [illegible] affunditur succus et parum coquitur.
Hinc fit syr. melius quam [illegible] inita

Acacia Vera

Est siliquarum non maturarum Acaciae folijs
[illegible] leguminosae [illegible] succus expressus
[illegible] et induratus nigricans sapi acerbi aus-
teri et astringentis.

Nullam vim Alexiphar: hic sentio. Nigredinis
tae Theriacae. Puto Veteres aliud p Acac-
iam vera intellexerint succum [illegible] mel-
leum in ipsis spinis arboris ē foraminibus
[illegible] existentem qui equidem [illegible] aromati-
cum odorem et astringentiā. siliqua nullum
nisi astringentem et terrestrē [illegible] saporē.
Succus a [illegible] e spinis nunquam ad nos adfertur
[illegible] colligitur.

Acacia Germanica

Est succus prunorum silv: B.S. succus expressione inspissatus nigricans sapore acidi austeri et adstringentis.

Eorundem vires et dosis Refrigerat astringit in fluxib: in febr: ubi sanguinis nimia tenuis.

Aloes

Hepatica Est Aloes Asiatica succus gummosus et resinosus foris nigricans intus flavescens Hepatis instar Labile expressi ex foliis Aloes dissectis in sole gerens et condensatus sapori acris amariss: nauseosi pinguis oleosi et adstringentis. Od: ad myrrham accedentis.

Saccotrina s. Lucida Est Aloes Asiatica succus gummosus et resinosus et fusco nigricans dum fractus in Lamellas splendens et pellucidus Labile expressus ex foliis Aloes dissectis in sole gerens et condensatus sapor et Od: cum Hepaticam ejusdem

Caballina Est Aloes Asiatica succus gummosus et resinosus nigricans Hepatica et Saccotrina gravior ponderosior crassior et impurior expressus ex foliis Aloes dissectis in sole gerens et condensatus sapo: amari fœtoris amarissimi ingrati nauseosi Od: gravis ad picem et myrrham accedentis. Est in usu solummodo equis

Ex sapore Constat particulis salinis acidis incidentibus Catharticis dein pinguibus oleosis balsamicis et sic plecipharmacis ac denique etiam astringentibus. Primum igitur sanguini mista incidunt et purgant ac postmodum articulo particulo vim suam exserunt balsamicam aut astringentem. Venas aperit. ac hinc hæmorrhoidibus laborantibus [illegible]

Datur fere solum in [illegible]: quando fere omnibus basis est. Dos: ʒß ad ʒj. [illegible] aliis vulgo proscribitur. Datur potius [illegible] aqua [illegible] aqua diluit illas particulas salinas [illegible] aperientes.

Vulgo præfertur [illegible] [illegible] ob odorem aromaticum majorem [illegible]

Diversæ hæ species sunt unius ejusdem plantæ diversis locis natæ vel magis aut minus munde parati.

Gummi Ammoniacum

Est substantia gummosa et resinosa et [illegible] [illegible] solidis [illegible] grumis modo [illegible] [illegible] [illegible] [illegible] [illegible] collectis ex Ferula Ammoniaca [illegible] in [illegible] coactis [illegible] manibus tractatis [illegible] mollescens, sapori acris amaricantis [illegible] [illegible] aliquantulum nauseosi od: fragrantis et gratis.

Gummi pituitas gestant aquosis & inflam-
mabilib; et fluiditate in aquâ solubilibus
Resinae contra pinguib; in aquâ & re
solubilib;   Gummi=resinae ambabus.
Vasicu Ferula haec in multis Judeae et
Aegypti locis ac copiose haec fundit quod
in hanc justificio pervenit. et hac etiam
te sponte effluit et ex purissimo e gummi
& exprimit, et hujus purum e. in principio
candidissimi et hujus gummi postea magis
flavescunt.

Oēs fere Gummi et Resinae exceptis pau-
cis st Calid: Incid: Atten: et Cephal: et
Uterin: qd ex eorum sapet et odo: patet Et
Hoc: potestas qd fere oia simplicia acria
gratis odoris et sunt uterina st qd majori
copia sumpta Purgantia. haec igitur

Est Calid: Cephal: Uterin: Uterin:
Catharct: bim in afficiis stiptici Uteri

[illegible] dissolvitur in Aqua & in liquoribus oleo
sis. vulgo fit in terra, qd hoc o... e
sui potest bene in Aqua solutis. ad Uteri
qui potest bene in Aqua solutis. ad Uteri
affli ʒj. si ad ʒij dij. dal. Purgat.
Item edere potest Oleum destillatum
so aqua cui qd in Judia utilissimum in [illegible]
externis sy in afflib; uteri.

Purgat vulgo solutione in aceto atius
frigidâ offeret in aqua, qd melius ipsa
quam unde puriora usurpantur via infusas
ne etenim magis volatiles aufugiunt.
[illegible] Usurpatur in Emplastris Discutientibus

..

Amylum

Est farina candidiss: et subtiliss: ex tritico trimestri multiplici infusione aquæ et tunsu in glebas coacta et siccata sapi[illegible] navei lenti [illegible] et viscosi Od: in [illegible].

Aqua ex ipsis granis et [illegible] decorticatis extrahere potest farina.

Temperatis [illegible] [illegible] Cardiaca [illegible] tota ejus vis cardiaca consistit in ejus nutritione [illegible] [illegible] ut et panis Martius. [illegible] [illegible] in [illegible].

Assa Fœtida

Est succus [illegible] Gummosa et Resinosa ordio vis cerae instar lenta et segnax ex variis splendentibus granis modo albescentibus modo rubescentibus modo elegantiss: incarnati coloris collectis ex [illegible] Persico [illegible] [illegible] [illegible] [illegible] in [illegible] coacta sap: acris mordacis lenti aliquantulum nauseosi Od: fragrantis [illegible] mentientis [illegible].

[illegible] hujus [illegible] [illegible] una impurior [illegible] rubicundior flavior [illegible] a [illegible] sponte [illegible] [illegible] [illegible].

[illegible] [illegible] cum summonia[illegible] [illegible] [illegible] et [illegible]: Uteri ut ex [illegible] patet solet [illegible] ad uteri [illegible] ad [illegible] [illegible] si ad [illegible] [illegible] purgat ut [illegible] [illegible] in [illegible] Liquoribus [illegible] [illegible]

et in forma pill: redactis. Dat(ur)
et in Empl: Antipodagr: et Discut:
[illegible] Item et Oleum opt: uterin:
Indi hoc gummata cibis condiunt Aro
matis loco at eo [illegible] mihi
e satis gratus videtur condimentum.

Balsamum Album
Peruvianum Album

est liquor Oleos: viscosus tenax balsaminus
limpid: ex albo flavescens Terebinthinae
consistentia Emanans ex arb: Americana,
[illegible] Per Hernand: [illegible],
et [illegible] aromaticis od: fra
grantis et gratus.
Arbor ipsa e qua [illegible] Balsa
mum Peruvianum dict: [illegible] sunt
Calid. Sicc. Balsamic: Vulneraria
[illegible]
[illegible]
[illegible] obsunt. Et e oleo [illegible]
soluta in [illegible] hoc pro [illegible]
[illegible] interne

Balsamum Nigrum

Est liquor Oleos: viscosus tenax balsa
minus nigricans ex arbore dicta [illegible]
cortice et ligno ex coctus [illegible] et Ol:
Balsamo albo [illegible] et ignobilioris.
In coctione aqua [illegible].

ut sint recentis ut eadem colore ...
... luce ignobiliore

Balsamum Copaiba

Est Liquor oleosus liquidus tenax resina
tenuis gustu balsamicus limpidus e ...
ius ramis et arboris Americanae Copaiba
vulneratis ... ad medullam usque ...
tissimus amaricantis aromatici odoris fragran:

Od: fragrantior et ... gratior ...
recentiores. ...
...

Bdellium

Est subst: Gummosa et Resinosa primum
et ... instar tenax glutinosa, coloris e flavo
ferruginei ad myrrham accedentis, obscura
ex arbore Americana spinosa sap: pinguis lenti
oris amaricantis aromatici odoris fragrantis.

Integra arbor mihi non nota, fragmenta vidi

Calefacit: Uterum: et in majori quantitate
cathartic: ad ℈i ad ʒß. si ad ʒij purgat
... Vide de Bdellio Uterum: sed po
tius ob nimiam quantitatem myrobalanorum adstrin
git. ingreditur ~~...~~ plura Emplastra. et similia
Cit ut fere omnia gummata ac resinae

Benzoin

Benzoe est subst: Resinosa arida et indurata ex rubris splendentibus minis mixtis ... ascentibus modo albescentibus in massa ... acta collecta ex arbore Syria Benzoifero sum ... sap: resinosi et pingu. Od: suavi et ... sponte ex arb: ... in ... ipsius arboris ... ... aliud quod Amygdaloides dicitur in fragmentis sit: q: ex amygdalis ... et est in massam ... ... est.

Emollit Anodyn: Nervin: Cephal: ob gratiss: odorem quem spirat.

Usus est in substa ... ... in ... solutum ... optime. ... ego ... ... nisi in ... qui odorem ... longe gratiore ... sunt ... subtiliores ... possunt in ... ... Fiunt imponendo ... resina ... in vitro sublimatorio unde statim ... ... Flor: ... vulgo fit

Bitumen Judaicum

est subst: resinosa lenta tenax et ... coloris nigri splendentis emanans ... ... Lacuu et fontium sap: lenti viscosi picei Od: dum accenditur gravis.

a terra ipsa effluit aque imitans.
... ... ex Judea ... effe ...
... ex Armenia ipse in Judea ... in
... ... mare picea effluebat et in
Persia tales sunt fontes partes ... bitumen
fundentes magni pretij ... ad reges ...
... ...
Ascripta est ei vis ... unde Theriac.
ingreditur ... ... potius astrin
... sanguinem ... et in ... ...
... minus ingreditur in emplastra ...
... astringendi.

Camphora

Crudam est substantia candidiss: facie salis vel
nitris pinguis et oleosa ... ignis sublimata ex
ligno arboris Camphoriferæ Japonensis et com
pacta in glebas saporis acris amarican(tis) aro-
matici odi: fragrantis et gravis.

Alia ... ...
... quæ ... e Japonia adfertur ...
... ... China. Arbores scinduntur
in frusta quæ imponuntur ... et
per ignem sublimatur Camphora in ...
... ... salis ... nitris formam
... ... sal vel: oleosum.
... ... allata multis sordibus ...
... ... sublimari ... igne purificari
... ... qualis apud nos ...
Naturalis ... ...

pellendo in ipsis [illegible] nobis in urina
et Borneensibus in Sumatra [illegible]
et [illegible] camphorae [illegible] inter [illegible]
[illegible] affectibus potius [illegible]
[illegible] qui [illegible] ubi volunt ad [illegible]
[illegible] in cutaneis et in usu medico
[illegible] sunt [illegible].
Ego ipse saepe Camphoram destillavi [illegible]
oleo Cinamomi [illegible] aquam affundendo [illegible]
destillatum habui oleum [illegible] et salem [illegible]
et hanc reliquis longe praefero.
Constat partibus subtilissimis, calefacit,
attenuat humores [illegible] incidit [illegible]
contra omnes morbos malignos et venenatos
et externe praestantissimum [illegible] ad gangraenas
et sphacelos et [illegible] difficulta quos saepe [illegible]
sphaceros curavi
Illud et in pestibus qui tale minus ingratum medicamentum
ut in [illegible] et [illegible].
Si moderate sumitur [illegible] urinam et pro[illegible]
facit venerem. Si immoderate castrare [illegible]
minat extinguit [illegible]. Et omnia fere odo-
re gravi prohibita veneri [illegible] amica.
Sanguinem dicunt quidam [illegible] aptissimus
[illegible] venosis arteriae [illegible] ab
maxima [illegible] [illegible] [illegible]
potius [illegible] quod patet ex eo quod sanguinem
a [illegible] coagulatum dissolvunt in [illegible]
[illegible].
Optimum oleum praeparatur [illegible]
Ipsa conservatur in vitro bene clauso et
longe melius cum [illegible] semine lini [illegible]
Fiunt etiam extractio oleum per vesica [illegible]
lentissimo igne quod aquam in recipiente recipi-
endo

Colophonia

Est substantia resinosa arida et indurata
habetur ex resina laricis, abietis
terebinthi excocta saporis pinguis oleosi
et resinosi

Est autem (aliquid etiam) resinae quod crassius est post destillationem
spiritus et aquae.
Usus externus in oleo soluta ad emplastra.
[illegible] cujus usus in pulvere,
[illegible] interius [illegible] ad [illegible]
pro suo potu [illegible]

Eupatorii succus

Est Eupatorii Cannabini [illegible] succus ex=
pressus et inspissatus saporis subamari et a-
romatici.
Prostat quoque ingrediens pilulas [illegible]
[illegible]:

Elaterium

Est fructus maturior Cucumeris silvestris et asinini
succus inspissatus (recens decerpti sponte vel levi compressione e[illegible]), coloris subviridis saporis acris amari.

amaricantis nauseosi odor: virosi.

Fit ex succo fructus Cenj [illegible] inspissato ... Pharmacopoei sumunt succum integrae plantae.
Qui ex fructibus egregie Catharticus ... pituitae humores ... ad gr: xv. vel xx.
Qui ex integra planta ad ʒß vel ʒj. dari potest. Qui e fructibus in ... fit ... dari potest ultra gr: x. ... praestat ... ex tota planta.
Optime datur solutus in ... ad ...

Euphorbium

Est substantia gummosa et resinosa concreta in guttas s: carunculas ex pallido flavescentes splendidas, modo rotundas modo oblongas ramosas et ... [illegible] ... Tithymali ... [illegible] ... spinoso sarmentoso sapo: acerrimi ... nauseosi. Od: nullius.

Est lac ... [illegible] ... fronte effluens ... inspissatum calore solis. Etiam in India nascitur haec planta ... ubi copiose fundit ibi euphorbium. Olim exprimebatur succus ... sic farinae instar ...

Acerrime purgat humores serosos hydropicos ad gr: v.
Datur in Extractis in Pillulis deaurandis et tegendis ne in transitu fauces adurat.
Est externe e Vesicatoriis ... inspositis in Emplast: ... purgat.

Galbanum

Est subst: gummosa et Resinosa pinguis cerae instar et Ammoniaco similis ex ... et albentibus splendentibus granulis in massa compacta collecta ex Ferula galbani, fera syriaca sapo: subacris subamarescentis et fragrantis et gravis.

Proxime accedit ad Gum: Ammoniacum. Calid. sicc. Attenu: Anodyn.
Ingreditur emplastra ...
Hinc habui ... pro ...
Ammoniacum praeferunt propter majorem saporem et odorem

Gutta Gamba

Est subst: gummosa et Resinosa indurata et flavescens collecta ex arbore ... Chineis Indis Codampulli ... Canna Ghorka ... in aqua soluta et calore ignis in unius formam massa redacta sapo: acris et nauseosi odo: nullius.

Arbores ... cortices ... Chinenses. Ex arb: et radic: incisis ... succus qui in aqua dissolutus purgatus et siccatus. Cum ... gustatus sapor inflammans ... post ...
Purgat ... Serum ... ad ... ideo addunt Diagryd: Resin: Jalap: ... et ut plurimum in pillul: ...

℞ gub: Gamb: ℈I. diagryd. gr: v. Aloes ... ℥ pil: ...

Succus Liquoritiæ

Est Glycyrrhizæ Siliquosæ Germanicæ ... radicis Succus expressus quis calore inspissatus et in glebas coactus coloris nigricantis saporis subamari et dulcis Od: debilis.

Exprimitur aqua et leniter inspissatur. Tria subamari aliquando calid: qua dulcis ... temperatis. In morbis ... Tussi Phthysi &c: datur.

Gummi Animæ

Sunt fragmenta Resinosa et Oleosa ... magnitudinis variæ foris albida intus et candido flavescentia aliquatenus ... transparentia Succino similia ... abilia collecta ex arbore Occidentali

Contio ... Sap: resinosi et pinguis odoris ... fragrantis et ... accedentis ad odorem Thuris vel Olibani.

Qualis fuerit Myrrha Aminea Dioscoridis in-
certum.
Hoc gummi effertur ex Aminea regione Ammi-
nea dicta unde nomen habet.
Calef: sicc: Emoll: sicc: mod: [illegible] nec acceus, egregie spirat odorem [illegible] gratissimum.
Sicut ut ex Benzoe destillati flores gratis-
simi spirant odorem nobilissimum, ergo i-
deo flores Benzoe opt: sunt in affect:
pulmonis ut Phthysi.
Si detur in substantia crudi interne [illegible]
et solutis partibus inde solvitur in massa [illegible]
nam et inde fit odoratius ac ideo solum
in floribus interne datur.

Gummi Arabicum

Arabicum est [illegible] [illegible]
natum illud est substantia gummosa in
grumos varia magnitud: et forma condensa
ta foris [illegible] granulata pallide fla
vescens aut omnino albicans intus pellu
cida vitri instar, collecta ex arbore Aegyp
tiaca Acacia dicta [illegible] aquei [illegible]
[illegible] melius

Determinata ex cuius [illegible] arbore [illegible]
[illegible] est ac varius.
Datur ad [illegible] e [illegible] [illegible] ideo
[illegible] [illegible] nec in usu est nisi [illegible]
[illegible].
Frigid: condensant et incrass: in [illegible]

strictas, salinas et arenas. Inveni in[?] ...
ibus ubi et aquiductibus fumi ... bimontis[?] ...
Usus in Pulv: morbum calefacto ... in
aqua solut.

Gummi Caranna

Est Subst: Resinosa grata laxa ... tenax ... instar ... sine ... agglutinationem et colligationem ... inveterata ... et friabilis foris ex cinereo nigri... intus picei coloris, collecta ex arbore ... Caranna itemque ... Hisp: Nov: ... odoris ... amari ... accendit ... fragrantis.

Est minor ... quae magis ... ... quod jam ... apud nos ...

Calefac: ... in ... dolor ... capitis ... in dolori ... capitis et dentibus. ... ad usus ... ex Caranna ... dissolvi aut ... unguentis ... quo faciliorem usum ...

Elemni

Est subst: Resinosa pinguis ex flavo albicans ... in massam compactam ... inveterata ... Collecta ex arbore ... Elemni ... resinosi ... pinguis ... fragrantis ... gratissimi.

℞ [illegible] [illegible] fit [illegible].
[illegible] ex [illegible] fiunt ad [illegible]
[illegible] [illegible] fiunt [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] et [illegible] in [illegible] [illegible]
[illegible] [illegible] in [illegible].

Calid: [illegible] [illegible]: [illegible] [illegible]
[illegible] et [illegible] [illegible] [illegible] in [illegible]
[illegible]: et doloribus [illegible] a frigiditate
[illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] vestigiis [illegible] [illegible]
[illegible] [illegible]. [illegible] [illegible]
[illegible] [illegible] in [illegible] [illegible] captus.
[illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible]
ut [illegible] [illegible] [illegible] ut [illegible]
[illegible] [illegible] et [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible], ut [illegible]
[illegible] [illegible] [illegible] [illegible] ad [illegible]
[illegible] [illegible].

[illegible] [illegible] manducatus [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible].

Gummi Hederae

[illegible] [illegible]: Resinosa [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] et [illegible] Hederae
[illegible] [illegible] [illegible]: [illegible] [illegible] [illegible]
[illegible]

[illegible] [illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible] tum
in [illegible] [illegible] ut ad [illegible] [illegible]
[illegible] [illegible]. [illegible] et [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible] [illegible]

potest. Unum valeat ut viri[illegible]
[illegible] vetro
Olea [illegible]

Tacamahaca

Est, ut[illegible] Resinosa [illegible] ex luteo et cinereo et rubro et flavo [illegible] in glebas [illegible] modo foliis [illegible] modo globulis inclusa collecta [illegible] in [illegible] Siqui Aromaticii [illegible] [illegible] Frags. [illegible]

Aut [illegible] [illegible] [illegible] [illegible]
Arbores eadem [illegible] [illegible] [illegible] Caranna ferunt et [illegible] eadem [illegible] [illegible] duo
Calef. [illegible] Nervin. Cephal. [illegible] in affectib. [illegible]. [illegible] Caranna [illegible] [illegible] [illegible] Liquidambra quo optima in affectibus podagricis.

Succus Hypocistidis

Est hypocistidis succus expressus inspissatus niger saporis austeri subacidi et [illegible] stringentis.

[illegible] Hypocistis a Cistude [illegible] [illegible] et colore floris

Liquid. Storiani: in Stomacho. Ste- mochaq: interius et fluxu albi. Prov. Del. ... quare ē video Liqui- dat ... aut ... fuerie ... bestiis.

— Acca

In ramulis Est ... Resinosi sū ... inequali veluti granulata, ... fa pellucida intus cavernosa elabor ... a formicis alatis rubicundis et circa extremos arbor. ... gesta. Sap: Resi- nos. Od. ... fragrantis et grati

Arbores ... illis ... elaborata ... Sunt ... collig. ... ipsis ramis.

... combusta ... fit ... in ... ... acidi ... Sap. sis ... ... sanguinea ... cum ... effervescentia ... et ... pere.

In ... Est ... grana resinosa ... pellucida Capillis ... similia ... et ... Indica ... dicta Sap. resinosi Od. ... fragrantis et grati.

arbores hic [illegible] [illegible] [illegible] [illegible] experientia austriaca cujus infusione [illegible] [illegible] ad [illegible] aër.

Eadem [illegible] [illegible] quas [illegible] [illegible] potius haec in gravius [illegible] [illegible] [illegible] [illegible] [illegible] Lini in [illegible] [illegible] potius ea in gravius [illegible] soluta [illegible] in V rectificatis [illegible] [illegible] ultimum

Ladanum

Est subst: potius Resinosa potius gummea [illegible] pinguis indurata et griseo et fusco nigricans mollis [illegible] [illegible] in [illegible] [illegible] collecta ex foliis Ladani [illegible] [illegible] [illegible] sap: amaricantis odor: [illegible] fragrantis et grati.

Colliguntur instrumento pectinis instar ferreo ab ipsis foliis [illegible] [illegible] Calid. [illegible] [illegible] cephal: [illegible] [illegible] [illegible]: cerebri et [illegible] [illegible] [illegible] aeris odor [illegible] [illegible].

[illegible] [illegible] melius solvit in V rectificato [illegible] in Resina [illegible] solutioni [illegible] ut qua resina magis [illegible] [illegible] [illegible]. [illegible] enim [illegible] Ladanum et [illegible] [illegible] [illegible] [illegible] et [illegible]

Liquidambra

Est liquor resinosus liquidus pinguis [illegible] fistulae [illegible] consistentiae tenuis [illegible] rubri coloris ex flavo rubescentis [illegible] a [illegible] Liquidambra Xochio et Zolquahi [illegible] Hernandi [illegible] [illegible] fragrantis et [illegible] [illegible] in [illegible] et India [illegible] et [illegible] [illegible]

[illegible] in [illegible] affectibus [illegible] [illegible]. [illegible] solum in vino [illegible] alio [illegible] est [illegible] [illegible]. [illegible] [illegible] [illegible] [illegible] [illegible] [illegible]

[illegible] [illegible] Oleum destillatum [illegible] [illegible] in affectibus capitis

Manna

Sunt grana ex albo [illegible] pinguis figurae variae [illegible] et alia quaedam substantia quae est collecta ex arboribus Orni et Fraxini in Calabria nascentibus saporis subacris subdulcis pinguis et nauseosi.

Est in officinis Syriaca et Calabrina [illegible] prior [illegible] [illegible] Calabrina optima. In Calabria [illegible] [illegible] [illegible] colligunt [illegible] [illegible] et [illegible] [illegible] ex [illegible] [illegible] [illegible] qui liquor in [illegible] [illegible] [illegible] ad [illegible] [illegible] aliqui in [illegible] colligit et [illegible] humore aqueo [illegible]

abundat qui semper exsiccandus. hunc pharmacopoei simul in unum exsiccant Mannam. Frāx. stirps atque insitione simile simul unde ...

... in arbores ... ex mel... simul e fraxino ... ab ... eius cortice foliis et foliis. ... in ... India ... in Judaia ... inveniuntur ... Manna ... ... in ... ... me observante ab apibus quoddam fit.

Eligenda est ... ... nauseosi ... ... et q. crystallizata.

Purgat subducit album ... bile evacuat. Datur in substantia in aqua in vino in electuariis ... infantibus ʒß. adultis ʒij. iij. iv. ... ... efficacior est. Et e flore ... ardentissimus.

Prostant hinc Pastilli ...

Rusticha

Est ... Resina ... ... pellucida ex flavo pallescens granulosa modo oblonga modo rotunda proveniens ex Lentisco Chiensi sap: aromatici resinosi et subadstringentis odore ... crescentis fragrantis.

nascuntur arbores in Chio et abunde in [illegible]
Gallia sed debiliores [illegible] Chio in iis [illegible]
ubi [illegible] mastiches gratia coluntur
Mastiche in Gallia collecta non adeo ne[c]
dura nec alba sed magis friabilis raro
est in usu
Calef. Emoll. Corrob. Astrin. [illegible]
et acredit vim [illegible] purgandi [illegible]
gendo corroborat [illegible] a [illegible]
me quae ibi [illegible] nam in ligno [illegible] ubi [illegible]
[illegible] in subst. [illegible] in V. [illegible]
[illegible] componendo [illegible] in Suffim.
[illegible] Vulnerariis [illegible] Chirurgis [illegible]
Firm. Ocer. Cephal. [illegible] Antidotes.
Firm. Pillul. Cephalicae.

Myrrha

Est succus Resinosa arida dura ex
flavo [illegible] et nitens et in glebas
compacta unguibus subinde pallidis [illegible]
[illegible] gravis [illegible] Hola
[illegible] Sap: [illegible] amari et aromatici Od:
fragrantis.

Distillat [illegible] sponte [illegible] Duo [illegible]
species [illegible] Stacte dicta
[illegible] melior. Stacte sponte absque incisione
fluit [illegible] ad nos
adfertur in granis multis sordibus [illegible]
Calef. [illegible] Aperit. [illegible] Ulc. [illegible]
Foetor [illegible] excellit [illegible] gradibus [illegible]
Resistit ut [illegible] amara [illegible] malignis.

In Asthmi itidem et Tussi ubi qd maligni in pulmonibus latet in gangrenam uinat. [illegible] Cluuerus eum in ulcere gangrena et phagedaena [illegible] ut [illegible] in V solutus [illegible] ved.

Opium

Est succ. ex capitibus Papaveris [illegible] nigricans [illegible] [illegible] inter [illegible] [illegible] capitibus Papaveris semi albo et in massa redacta [illegible] [illegible] Od. grabil.

Florum Thebaicum ex Aegypto et Mauritanii [illegible]. et incisione capitum papaveris maximorum unde [illegible] cum [illegible] calore solis concrescit. Copiose [illegible] in India [illegible] albi [illegible] nigri [illegible] [illegible] capita [illegible] magnitudine capitis infantis [illegible]. Quod Experimentis [illegible]. [illegible] [illegible] brevi et [illegible] est et [illegible] [illegible] [illegible] in igne flammat. [illegible] et [illegible] [illegible] differunt.

Quod [illegible] [illegible]: [illegible] [illegible] frigid. [illegible] sit [illegible] et [illegible] et [illegible] [illegible] [illegible] [illegible] et [illegible] volat. et [illegible] [illegible] inflammabile. Constat [illegible] [illegible] [illegible] [illegible] [illegible], [illegible] [illegible]. [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] et dein [illegible] [illegible] sudores [illegible].

Quid loco eius explicatione [illegible]
[illegible] Alii aiunt [illegible] [illegible] Amerotium
[illegible] spiritu[illegible] et [illegible] [illegible]
[illegible] multis [illegible] [illegible] eadem [illegible] [illegible]
[illegible] unguis [illegible]

Dati in [illegible] in [illegible] ad [illegible] [illegible]
[illegible] in [illegible] opt. [illegible] [illegible]
[illegible] Nullas Compositiones ingre[illegible]
[illegible] Audi ante eius usum ~~[illegible]~~ convent
[illegible] [illegible] Nostri corrigunt [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible]

Oxobalsamum

Est subst. liquida [illegible] [illegible] [illegible]
[illegible] Balsamica collecta ex arbuscula
Aegyptiaca Balsamum dicta sapore acri et
aromatico fragrantissimo

Hoc verissimum ad nos transferri [illegible] [illegible]
[illegible] [illegible] et [illegible] purissimum [illegible]
[illegible] [illegible] [illegible] [illegible]

Calet [illegible] stomachi [illegible] [illegible]
[illegible] [illegible] Int. et Ext. [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible]

Opobalsamum Americanum

Nam usus ejus in nostris Pharmaciis nisi in Linimentis. [illegible] usus est [illegible] [illegible] Uterina et foetum mortuum expellit.

Opoponax

Est subst. Resinosa et Gummosa ex rufo et albo flavescens molliuscula q. ex grumis [illegible] crassis in massa adducta collecta ex rad. Panacis herculei dicti folio [illegible] sap. acris amari: et ingrati aliquatenus nauseosi.
Calid. [illegible] Cathart: [illegible] modo [illegible] Uterin. [illegible] in Uteri affectib. ad ejus dosis [illegible] a ʒj ad ʒij. [illegible] dosi [illegible] [illegible] ingreditur Emplastra

Pix.

Est subst. Resinosa nigricans solida [illegible] ignis calore seu destillatione per descensum ex taedis et arboribus resinosis pini abietis aliarumque producta, sap: Resinosi odorati.

Emoll. Anod. Aperitiva [illegible] [illegible] ab odore. Emplastrorum multorum est basis

Resina Abietina

est subst: liquida resinosa oleo crassior et melle liquidior ex flavo candido, di... ...

Resina Larixa ab altera non differt nisi quod sit a junioribus Laricibus collecta, ali... [margin: ...]

Vires et Calid: Sicca: ...

... Colopho- nia in fundo remanens. Ol: et Spir: in usu ... Benzoin ... inter...

Resina Pini Est subst: liquida resinosa oleosa candida transparens Resina ... Pini sylvestris in eadem ... Sap: acris ama

virantis Od: fragrantis et gratis.

... non nisi in ...
q^o ... adeo fragrans.

Resina Terebinthi

Resina Terebinthi est substantia Resinosa transparens mollescens Resina Laricea crassior coloris flavescentis ad coerulea vergentis colliculata et bruma Terebinthi fovetur sap: ... Od: fragr^{ti} et gratis.

Colligitur in Cypro ... longe ... est ... et crassior ... minus ...

...

... aromaticus ...

... Resinae ... ad ... ad ... fluxionibus albi

Sacharum

Est subst: gummosa albida et flavescens ... sap: ... pinguis ... dulcis et grati Od: ...

Arundines ... in Judaea ... gaudent. nostris arundinibus ...

materiis colligunt continuent. Experiuntur succum cogunt ad inspissationem et tum salibus lixivialibus in aqua eluunt omnem maculam nigram quae rubescere facit saccharum si succus non bene [illegible] [illegible] sed incrassatus fit [illegible] [illegible] saccharum.

Saccharum Rubrum ab arundine [illegible] adduci.

Temperatum est et [illegible] [illegible] quae si coquatur cum lixivio vel maxime [illegible] saltem quod calidum [illegible] [illegible] dulce et [struck-through text] sale dulci quo potius etiam subducit acidum. Eo utuntur medici ad [illegible] oleis unde [illegible] fiunt. Et pharmacopoei eo [illegible] [illegible] ad syrupos electuaria [illegible]

Saccharum Candum Est [illegible] crystallina transparens o albida et ex russo, [illegible] ex saccharo dissoluto et ad iustam consistentiam cocto in crystallos [illegible] [illegible] [illegible] pinguis ac gratus [illegible]

[illegible] saccharum et maxime gratum [illegible] vulgo in Candido albo magna [illegible] nam si [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] saccharum [illegible] crystallizato. [illegible] [illegible] et difficultate solutionis [illegible] [illegible] humido

Sacchari Candi Rubrum fit eodem modo ex saccharo rubro

S

Sagapenum

est subst: Gummosa et Resinosa Con-
cretum in glebas foris ex russo flavescen-
tes, intus candidas grumis collecta ex Fl. [illegible]
Ca Assyriaci Sagapenifera Sap: acris mor-
dacis nauseosi od: hirci et gravis.

Aliquoties cum Ammoniaco [illegible] sagapenum
[illegible] est et [illegible] [illegible] [illegible]. [illegible]
res ferè eadem sed Sagapenum [illegible]
[illegible] magneticum in [illegible] ad [illegible]
[illegible] intestinorum cui emplastro Hoffman-
nus admiscuit alia gummata ut Sarcocolla
et ante ejus usum dedit in [illegible] d. [illegible]
[illegible] et [illegible] [illegible] perstitit.
Datur ad ℈j ʒj [illegible] intentione medici
Hysteric: à Uterino

Sandaracha

est subst: Resinosa arida pallide fla-
vescens splendida in guttas et stirias modo
oblongas modo rotundas [illegible] similes [illegible]
vera collecta ex trunco Juniperi [illegible]
[illegible] Sap: Resinosi Od: [illegible] ardendi fragr.
et grati
[illegible] cum Oleo Lini fiunt Vernix. [illegible]
oleo solum [illegible] [illegible] [illegible]
et [illegible]. Datur ad [illegible].

Sanguis Draconis

Est subst: gummosa et Resinosa ru-
bicunda ex partib. q. granulis modo ... rami
... in offis ... parti folliculi foliaceis
inclusa collecta ex trunco arboris ... maxime
... dict. sap: astring. et ...

Qui in folliculis est purus qui in offis im-
purior ... ut in folliculo reduratur necesse
sunt solvi in spiritu aliquo et tarde ...
o adeo arte depuratis ... ut ...
... ... cjus ... ideo
potius in offis eligendus. falsissima quæ
narrantur de animalculo in fructu hujus
arboris

Temperat: potius frigid. astring. ...
... ... fluxion: et ... ...

Datur ... p. ... t. solutus in Vino ... V.

Datur ... in Gonorrh. ... ...
... ... et ...
... ...

Sarcocolla

est subst: Gummosa et Resinosa in
granulos et sabulo ... ex albo ruffescens
quasiq. ... spongiosa inter ...
... ...
lineam abietis collecta ex arb. Persica ...
sarcocolla... sap: amarescentis et ... ...

obscurā quādā dulcedine od. dr nocumenti
in jugulati
robore, et stringit ... [illegible]. Optim.
[illegible] [illegible] ... [illegible] marianis
Consolid. eugenii [illegible] ... et
[illegible] species [illegible] ubi opus est
consolidare ut in [illegible] et [illegible]
[illegible]

Scammonium

Est subst: gummosa et resinosa nigri
cans dum frangitur, alba et splendens col
lecta ex radice scammonii, friabil. sap: amar.
et nauseos. od. nullius

In Syria incidunt herbae caules brachii
crassitie, [illegible] caules et praecipue radi[cem]
et lac exstillat ac resiccatur. Saepe inde
adulterant lacte tithymali et farina [illegible]
[illegible] discernitur nisi quod adulterata [illegible] effect.
faciunt.

Purgat. Est basis fere om. purganti
[illegible] dat. ad gr. x ad ʒj.
Crudum vero dat [illegible] [illegible] Cydoni
[illegible] [illegible] fumo [illegible] scammonio [illegible]
[illegible] sup. charta posito et [illegible] sulphuris [illegible]
1o. dabat in omnib. formis.
Item est Resina et V. quae ad [illegible]
[illegible] dat.

Styrax Calamitha

Est subst: Resinosa pinguis mollecu-
la ex flavo rufescens in grumos et micas
vario magnitudinis concreta, collecta ex trun-
co Styracis folio Mali Cotonei &c.
Sap: subacris Leniter amaricantis Od: fragrantis
et grati.

Styrax Liquida

est subst: Liquida Resinosa et Oleosa
Terebinthina crassior et spissior ex li-
bro ferrugineo expressa ex corticē arboris
Styracis folio mali Coton: Sap: acris Aromati-
ci et oleosi Od: fragrantis.
Hoc sponte & incisione ex arbore fluit. pri-
mū exprimunt, habet easdem vires, praeter-
mittas et fere mortuo.

Succinum

Est subst: Resinosa in lapideam duri
tiem concreta formæ et magnit: variæ lu
cida, rufescens v flavescens v albescens
nata in visceribus terræ Prussiæ mari
Baltico vicinæ sap: subacris et resinosi
od: dum accenditur fragrantis.

Tartar ÿ

Est subst: sabulosa in lapidem petrea
ut ex rubro cinerea vel ex rubro candicans
intermixtis saepius quibusdam rubicundis micis
nata ex vini vel crassioris et musti partibus
terrestribus ex vini fermentatione praecipitatis
et coagulatis. Sap: subacris est acidi odoris
nullius.

Thus

Est subst: Resinosa ex flavo pallescens
et splendens in guttas parvas Masticinis
similes parva et rotunda collecta ex
arbore Arabica thurifera. Sap: aromatici Re-
sinosi. Od: fragrantis.

Quidam cum Masticine exit differunt
solo aliquatenus colore, iustitiae magis sunt.
In usu est praecipue in suffumigiis, ingreditur
et unguenta &c:

Tragacantha

Est subst: gummosa candida albi-cantis gracilis in parvas micas vario mag-nit: et fōā gravela collecta ex Radice Tragacanthae D. S. Sap: subdulcis et mucilaginosi.

Involvit particulas in sanguine acres. Hinc in Asthm: et Tussi usurpatur. Vulneraria ē ob eandem cau:

Datur soluta in Aqua simplici & cum saccharo mixta syrupi instar.

Terra Japonica

Est subst: Gummosa et Resinosa indurata ex russo nigrescentis vel fusci et obsoleti coloris expressa ex fructibus immaturis arboris spinosae Judit Catsjū dictae et calore ignis in massam redacta Sap: 1mo astring: et austeri postmodum dul-cis et grati Od: & mitis & debilis

Incrassat sanguine particulas acres involvit et demulcet. Hinc in affectibus, fluxionibus et Inflammat: faucium usurpatur. Japonen-ses hinc faciunt pillulas quas sub lin-gua tenent in dictos usus vel simplices vel additis succo Liquiritiae et Ambra et Mos-cho. ac his odoratis utuntur curiositatis et deliciarum gratia ut nostri melius olent.

in eum finem et apud nos nunc usurpantur.

Adipes

Omnes constant articulis mollibus et nudis
...de

Lapides

Bezoar Orientalis Est subst[illegible] lapidea foris splendida et glabra atque la[illegible] vigata coloris foras olivo-virentis intus [illegible] [illegible] forma modo [illegible] modo oblonga [illegible] [illegible] magnitudine varia [illegible] plurimis Camellis [illegible] [illegible] [illegible] in morbis [illegible] notabilem [illegible] [illegible] [illegible] [illegible] aliaque [illegible] [illegible] [illegible] [illegible] [illegible] Swalter [illegible] Sap: et Od: [illegible] [illegible].

Lapis ille [illegible] ejusdem [illegible] in nostris [illegible] [illegible] ut [illegible] [illegible] transierunt [illegible] [illegible] vatta et [illegible] capris domesticis [illegible] [illegible] [illegible] illis dispositi [illegible] morbifica ab [illegible] lapidifico in ventre [illegible] [illegible] [illegible] [illegible] illo capre nullis aliis [illegible] plantis [illegible] nostro. Interdum inveniuntur qui aequant magnitudine fere totius ventris. [illegible] [illegible] lapis ille [illegible] [illegible] Camellis non studio [illegible] ut lapides [illegible] [illegible] [illegible] [illegible] et [illegible] [illegible] [illegible] et [illegible] [illegible] lapis [illegible] [illegible] extrahuntur. [illegible] [illegible] [illegible] lapide frigido dicto qui [illegible] [illegible] [illegible] aquam refrigerat [illegible] pulverizati [illegible] [illegible] [illegible] [illegible] [illegible] Bezoar. [illegible] [illegible] in rotunditate formati [illegible] [illegible] [illegible] [illegible] ex eadem massa [illegible] [illegible] [illegible] [illegible] et ego [illegible] nobis in [illegible] [illegible] [illegible] [illegible] [illegible]. [illegible] lapides [illegible] [illegible] forma et colore diffe[illegible] [illegible] [illegible] [illegible].

[illegible] Cardanus [illegible] in [illegible]: ad [illegible].

ſi tincta hic vim o videt. fiet quidem pulveri affusa efferbescit ac si vire sicut alkali ut ... ol: ...

Nota o R^a Bezoarti: quod fit ex In=fusione huius lapis in ... ex camphora quam multi theriacæ ... at ego non ... si vires ... habet a camphora. potest me lapis exhiberi ad ... licet hic in mundi ... superius ... titulo vulgo ...

Bezoar Occidentalis Est

... lapidea lapide Bezoar Orientalis ... ... scabra et minus ... ... coloris modo ex viridi nigricantis ... cinerei ex multis ... incrustatis composita forma ut plurimum rotunda magnitudine variæ habens in me dio ... cavitate ... ... in ... Capra ... Peru in ...

Capra ... ut ... ... notioris ... ... sunt ... minores ... majores.

Quod ... ... orientali ... ... et ... ... lapis famosus Cordialis vocatus Petra cordialis colore qui ... ... addendis Margarit: Hyacinth: ... ... formant. Sed ... ... lapides ... in quo ... ... nec sanguis noster ... ... R^d ...

Oculi Cancri

Sunt lapilli Cretosi, sunt albicantes [illegible] orbiculati [illegible] majores [illegible] compressi et [illegible] altera convexi [illegible] et [illegible] unus in ventriculo Cancri fluviatilis [illegible] et [illegible] abundantis.

Notam [illegible] Astacos [illegible] duos menses [illegible] quo tempore [illegible] crustas renovant [illegible] et deinde ventriculi [illegible] tunica interior [illegible] quotannis [illegible] tunica [illegible] et [illegible] [illegible] postea in Capud [illegible].

Experientia [illegible] acidis [illegible] et [illegible] insipidi [illegible] ac ideo aliquid [illegible] in [illegible] salis [illegible] marini. Sunt igitur [illegible] absorbentia [illegible] acidi [illegible] in [illegible] nimis [illegible] in fame [illegible] in [illegible] qui [illegible] in [illegible] ad [illegible] [illegible] impedit. [illegible] semper [illegible] sanguis [illegible] laudem [illegible] [illegible].

Cantharides

Sunt Animalcula oblonga [illegible] [illegible] omnia [illegible] [illegible] [illegible]

Sep. tarsi et i rodentibus.

quo conveniunt, in primo opor ... o prinipij ...
oleoso quoda intimo ... ...
... ...
... simul ... ...
rulis ... ... et rodentibus. ... ...
... ... magno ...
... dantur in obstructi. ... et ... ...
... ij ad gr. iij. a majori ... ...
... ... posit ... ...
... Et dantur in ... ... simplici ... ...
... in ... et ... ...
... aut ... ... potuerunt ...
... ... et ... ...
... ...
videm ... ...

Castoreum

Est subst. glandulosa oblongo rotunda
crassa ... magnitudine ... in inguinibus
fibri ... utrinque una Castoris sive Fi-
bri ... ... crassa et ... ...
... oleoso et ... ...
... ...
... Odor gratus ... fragrantis.
... ...
... ... magnitudinis et ...
... ...
... ... dantur in ... ...
... ... in ... ...
... ... in ... ... in

dium b ℥. ac ex tōi ℥ V̇ [illegible] stat
id tutior effic. Item Olea et sal vol
tilia qd ad [illegible] et [illegible] aperiens in
ipso parox° Epil: naribus admota.

Cera

Flava Est subst: pinguis oleosa Con
densata flavescens ex fabis primum et floris
ignis calore [illegible] Sap: Calidi [illegible]
oleosi [illegible] [illegible] id mel [illegible]

Alba est Flava multiplici lavatione in
colorem albi versata. Sunt qui ut flavam
[illegible] [illegible] [illegible] infusa [illegible] [illegible]
soli exponunt siccanda unde cera flava a [illegible]
[illegible] sap: [illegible] flavi ejusdē qd. de [illegible]

Tempor: Emoll: Anod: Intro vaso [illegible]
usurpatur nisi forte in [illegible] inter
nis sed externe Ops sive [illegible] et [illegible]
[illegible] ingreditur et Emplastrorum basis est
[illegible] sine [illegible] [illegible] [illegible] [illegible]
nam pulveres [illegible] [illegible] ingrediuntur.

Item destillatur Oleū e Cera [illegible] argilla
composita quod ad guttas aliquot [illegible] ℥ V̇
[illegible] [illegible] [illegible] [illegible].

Cornu Cervi

Quæ sponte a cervis quotannis deci=
dunt sunt adeo multū habent salis vol: ac
ea quæ ab occisis absumuntur.
Typhi qui sub cornubus sunt et appar=
ent plus habent salis vol: quam cornua
Sapore eius igni subjiciuntur et ave salis
volatilis ideo sunt Alter: ad Epileps:
Apoplex: &c:
Hinc Sal vol: . Oleum et Spiritus
subinde ☉ sale vol: ponant.
Hinc C C. Philosophice pp dicitur: Calci
nando in collo alembici suspensus. Vulgar
i modo pp fit Limi. Ustus ☉
et nox in igne aperto ei est albissim
loco clauso et niger est ab utroque sal vol.
avolabit sed sale alcali:o pregnat.
[illegible] Idem efficit cornu ad ... .
Si melius decoctus leni et diuturno igne
quod acquirit guttis acidi in Gelatinam bestiis
itide Gelatina opt: in Diarrhœis flooribus
Sudorific: et ☉ in Lue Venerea. Diluit cum
diaria sed hoc solus abigendo per ... quæ
nocent.

Cranium humanum

Eodē plane modo usurpari quo C.C. et
exinde eadē parari post med: da ...

Hoc ē violento morte extinctus plus habet salis vol: et sp[iritu]s fragrantiorem. Eodē fit vires quae C.C.

Ebur

Sunt dentes Elephantis extracti prominentes easdem habent vires quas C.C. et examinantur. At hoc duo ebore praestant. Hinc fit Gelatina

Sanguis Hirci.

Est caprae Hirci sanguis exsiccatus.

Medici volunt illos solos hircos usurpari qui herba Caparavia, vel besonicis et rore solis Lambunt.

Caud. Albert: Datus eis qui ceciderunt ex alto magno cum fructu et datus ʒ ij in vino ℥ cum Sperm: Ceti ʒi:: pellit urinam.

Hinc fit Sal. Volat: eisdem viribus cum Sale C.C.

Ichthyocolla

Est subst: ex albo flavescens glutinosa acquista ex pisce Huso in crustis inpelliculas diducta et in spiras conta sap: glutinosi od: nullius.

Incrassat sang. et Anod: e. Sumpt. una 17 Tragac: in Exulcer. Pulmon. et faucis Quidam dant e in Dysent.a Sed apud nos raro e in usu medic. Sed in domestico loco glutinis soluta in V vel aqua sed melius in V o rectificato

Lucii Mandibulae

Sunt ipsa Mandibulae inferioris Lucii piscis sap: et od: nullius evidentis.

Effervescunt 17 aceto ac proinde eorundem viris sit 17 Oc: 6. Sternuunt sang.e nimis aridi tum specif. in Pleuritid. 17 vini V aut Sp. Cl. aut cum tum aut alio quovis sale vol: praedito.

Mel

Est subst: liquida crassiuscula ex albo flavescens sap: dulcis subacris pinguis odoris fragrantis collecta ab apibus ex vegetabilium variis floribus et in

Albearis egesta.

Non potest ea Rore qui erga ex ipsis absconditis flores angulis colligunt ubi ros non pervenit. et in ipsis floribus saepe guttatum percipitur in Coronam supini et inferni recumbentium pertuis ubi sunt guttulae mellis pendulae quae ex ipso flore exsudant et quae absumi post renovantur de die. Et diversae sunt apes quae ceram quae Mel quae Propolin colligunt et sub coxis recondunt et domum ad alvearia referunt. Mel suâ sponte effluens e fabis et non coctum venit in usum medicum

Est semper inclinans ad Caliditatem ut ex sapore fragranti et acredine quae sentiuntur in Melle Virgineo. Resolvit. Abster: Detergit Subvolt: Sine in Morbis frigoris datum et by ext by inte Vulnerarii et et in ulceribus ... sordidis datum.

Est et basis Multorum Electuar. et usus patet ubi Saccharum non est ad manum.

Item Sp: instar Sp. Vini

Lumbrici Terrestres

Sunt Insecta anoda exossia digiti longa crassitie penne anserinae mollia et carnosa coloris diluta sanguinei collo rubicundis annulis cincto in terram ingentia et decedentibus pluviis ex ea venientia sup: et Od: nullius evidentibus.

hinc lebic(?) igne acquirit Sal. Vol. copi:
:osiss. fortiori [illegible] ardentissimum. Hinc
Specif: in Sangue attenuando et in Odbs
Arthriticis affectibs. Rustici dant Puluo:
Siccatorum in Sacro expressi ipsorum lumbri:
corum.
In officinis solum extat Oleum Lumbrici:
qd fit Infusione in Ol: Olit. qd in
Arthritid. usurpatur

Moschus

Est Subst: grumosa pinguis et unctuosa san:
guini exanimato simils et ferrugineo nigri:
cans collecta ex Dorcadis Moschiferae Assi:
atic folliculo sito in abd.e pope umbilicum
Sapo: subacri subamaricante et pinguis Od.
fragr: et grati.

Ego ipse Moschum collegi. Dorcas cerbuse
sine cornubus. Illa nalia in Indiâ copiosiss
ima st. et ab horibs infimae sortis capiuntur
ac occiduntur. Ego folliculos vidi in qbs
Sanguis adhuc purum et ō coagulatum erat. ipse
Sanguis oatis [illegible] eunde odorem Servat.
Calid. Atten: Cereb. Nervis et Utero
gratissimum. Inluneratis datum qbus Sanguis
e Vulneribs ō effluit congellatus gr. i. ut
alterum sangue sanct felicissime ofluere.
[illegible] foeminis ō coit.
Hinc fieri potest Sal. Vol. et Ol. Lubidum.

Mumia

Vera apud nos vulgo prostat [illegible]
Est subst: Resinosa induratā nigra splen
dida confecta modo ex carne modo ex sangui
ne condito Pissasphaltho Myrrha et Aloe
succis succi amaricantis et Resinosi
odo: fragranti.
Nostra officinalis fit carnibus ex sangui
ne et Pissasphaltho
Nostra quae apud nos prostat potius
caro est a sangu. [illegible] ut sanguis [illegible]
[illegible] in sangu. [illegible] dissolvendo
ut in cassia.
Terra Egypt: ex Pissasph: Myrrha
Aloe ac [illegible] virtute [illegible] aro
matis ex [illegible] fit.

Sanguisugae

Sunt Insecta aquatica oblonga exossia lu
brica tenuis et pennis nigris [illegible] qui
busdam [illegible] colligata in paludibus de
gentia.
In Judaea repiuntur inter gramina et ad
[illegible] [illegible] pedibus quos exsugunt.
Applicantur ad extrahendum sangui. e parte a
Chirurgo prius fricata et aspersa [illegible]
sale aliquo [illegible] decidunt [illegible]
[illegible].

Sapo

est substa: scabra pinguis ex co.ta ex se
cũ sale alcali et oleo et in massa coacta
sapo: pinguis acris od: ingrati.

In nra regione fit ex cinere sale alca-
li et Oleo Lini. Cum vocabulor Sapo fit
addit sebum et Calx viva.

Pharmacopoei suum faciunt pomo odo-
rata et aperte odorata. Solutio .: &
innumeris tumoribus Attulit.

Scincus

Est ãal quadrupes oblongum Lacertae siile
cute squamata albicante rectum cõsiã
a capite ad caudam decurrente lineã
in ripis degens Nili.

Invenitur sp̃ carne in fluviis ebulitã lon-
gos

Putarunt veteres vire eximiã vim
Cardiacam. hinc Theriac: ingredit. sed nil
tale percipio. Quivultus mihi eadẽ et
cum Lacertis & aliis ejusmodi vetis pavis.
Hae abundant sale vol: et oleo hinc
sicut fuori: fit et eximie diuretica &
Sanis Contra in aliquo Elect̃ui sed va-
rissime praescribantur. Raro ea capimus

ex centerant sitiunt et [illegible] mittunt.

Os Sepio

Est piscis testacea candida [illegible] utrinque tumida parte superna durior nulla [illegible] et glabra inferna fungosa mollior [illegible] aspero et friabilis [illegible] in dorso piscis [illegible] dicti Sepi aliquantulum salsi ac [illegible] [illegible] nullius.

Est animal ita dictum quod supra testa est [illegible] humor niger qui collectis ad nos mittitur nomine atramenti. [illegible] aut [illegible]. [illegible] in nostro mari [illegible].

Habet [illegible] salis [illegible] sal [illegible] Cent [illegible]. [illegible] in [illegible] et [illegible] non sanguis minus [illegible]. [illegible] [illegible] [illegible] assumatur [illegible] et [illegible] [illegible] ad [illegible] [illegible] iij [illegible] iv. [illegible] expellit urinam et [illegible] [illegible] et [illegible] exsiccat. [illegible] [illegible] [illegible].

Serici [illegible]

[illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] ex [illegible] [illegible] [illegible] [illegible] [illegible] et [illegible] [illegible] et [illegible] nullius [illegible].

[illegible] [illegible] [illegible] aliqua [illegible] et [illegible] [illegible] nobis [illegible]. [illegible] [illegible] [illegible] [illegible]

... sed huic ~~ad~~ undas aeris vires praeter eas quae sunt in ... etiam fit sal ... per incinerationem pulveris inspergendum sed illud non differt ab aliis salibus fixis

Sperma Ceti

Naturale est subst: squamosa albalucida mollis pinguis et oleosa q. ex partibus variis ... squamis oblata nata in capite balaenarum ... aliorumque majorum piscium post mortem effusa in maris superficiem ... et eo collecta ... ... in albore redacta ... pinguis butyracei et piscosi

Quod ad nos transfertur raro colligitur a summo mari potius qui in Groenlandiam navigant colligunt ex ipsa superficie cerebelli balaenarum interfectorum et ... exprimunt ac ... domum veniunt lixivio forti extrahunt pinguedinem omnem superfluam et ... albus fit quod alias flavum ~~aut~~ est. Optimum ... ... candidius est et hoc est Artificiale.

In ... piscis talis materia ... quae ... est inter lobos cerebelli. Et hoc in ... officinis ... vendi... nomine cerebelli ...

Sperma Ceti ... affundens ... ... absorbet ... ... pinguior.

Dat̃ ꝯ Ocu: 3i et alijs pull: [illegible] El-
col: raro ꝑ sola q̃a nauseã excitat
[illegible]: ē in sang̃e grumefacto a casu

Unicornu

Animale est ꝑisis alicuius maioris
[illegible] habet dens prægrandis candidus
teres striatus tornatilis ꝓdiens ex mandi-
bula superiori sinistra.

Dentes hi eodē fere modo ꝓminent ac ei
Elephantis, ꝑ dextra vero decidit.
[illegible] scribitur magna vis Card. et Alexiph.
sed eandē habet vim ꝯ C.C. Cranio hũo
[illegible]:

Fossile est subst: Consist.ae mediæ
inter terram et lapidē alba friabilis pon-
derosa [illegible] ossibus [illegible] nata in variis
terræ visceribus [illegible]: sub adstringente.

In fodinis aliquādo inuenimus integra ꝙ vera
hoc modo [illegible]
Praestat q̃a [illegible] ꝯ [illegible] et [illegible]
[illegible] ad Cap ꝯ [illegible]: ē .. In variolis

Corrilis fit: Datur in Pleurisi.

Zibethum

Est subst: unctuosa pallida butyro consistentia et foetidi satis sap: sebacei od: fragrantissimi et grati collecta ex folliculis loco anus animal: Zibethini, sito intra anum et pudenda.

Sunt talia animalia majora quae aequant magnitudine canis venatici et minora quae felis instar sunt domestici. Nutriti quotidie ab ea sunt [illegible] cultello plumbeo. Et minor [illegible] nisi parva portio colligitur.

Procedit e calidis Africae partibus et opt: est odoris. Egregie demulcet et aperit in [illegible]. In ipsis passionibus hystericis naribus admota praestat. et Umbilico et inguinibus applicatur. Datur et ad Venerem excitandam.

Ungula Alcis

Ea quod paratur et CC. possit fieri ex harum Sal vol: specificum est ad Epilepsiam: et ipsa Ungula in substantia: datur ad Epilepsiam: et ipsa Ungula attenditur ut annulus [illegible]

in passionibus hystericis.

Mineralia

Aerugo

Est subst. grumosa ydeasala coeruleo-viridis facta ex cupri laminis velo vbi expressis aut vinaceis immersis ut in ubera viride qũ essis sapo. acris adstringentis et nauseosi.

In Gallia et Hisp. maxime ptim fit. In Gallia immittunt lamellas in urnas expressas quas affundunt acetu pars et nitro et alumen pulverizato ac ins salibus erodit cupri salibus illis et sale q̃ se miscentibus. In Hispania oleis ubis expressis immergunt. In Germania bas oreat. supp acets fortissimu ponunt cujus ptinus as. tandentibus erodit superficies basis.

Saturnii Veneris i ptat ptiniu aceo erod cutus. Est ptione as sub nera fordidissima et Aerugo pinorda nd acido ubsis nbtis putridi iuvari pote st lalo aeris illud encaust to ai feo fortiori illud acido tinctura qd in fit sunt ambustio in ois possibilme ut

igne fortiore
Sic itur fit Ung: Ægypt: ad ulce:
ra sordida
Sic fit Flos æris dictus
Et fit; æris astringens quem
describit Zwelfer. unguentum.
In ærugine potentia acida salinis
bino praevalent. Sed Sal æris fit ex
ærugine soluta et crystallizata

Æs Ustum

Est subst: pulverulenta ex cinereo ni
gricans facta ex laminis cupreis una
cum sulphure igne reverberatorio igne
reverberatorio in cinerem combustis
sapi: subacris et adstringentis.

Si loco sulphuris adhibeatur Alumen vel
Ustorum pulvis fit non niger sed rubeus
Interno vix usurpatur sed Ext.e
ad ulcera sordida propter Sal acre
quod infringit acidum ulcerum.
Præstat vel eandem vel Lotum aqua
calida ad absumptionem absumptione acre
dinis et tum fit desiccativum ad ul
cera consolidanda.

Alumen

Rochenum est subst: modo alba
modo ex albo rubicunda pellucida crys-
tallina ponderosa glaciei instar ex lap.e
aluminoso Rocca dicto calcinato et
in aqua cocto in crystallos vario magnitu-
dinis et formae concreta sap: acris [illegible]
nos. et adstringentis.

Est et in ipsis fodinis aliquando liquor
aluminosus albus qui coctus in crystallos
abit aluminis. In Germania fit e [illegible]
minera quadam.

Ex sap.e ē ex [illegible] salinis [illegible]
[illegible] [illegible] [illegible] [illegible]
bene [illegible] [illegible] [illegible] [illegible]
[illegible] sordidis ad carnem [illegible]
[illegible] excedendo. Et in [illegible] nimio
[illegible] in aqua aluminosa [illegible]
et [illegible] siccato ac [illegible] hoc
[illegible] debet fieri nisi cute antea bene
praeparata. Ego [illegible] [illegible]
[illegible] cardi. Benedi. aut [illegible]
[illegible] aut [illegible] [illegible] bono [illegible]
[illegible]

[illegible] est subst.a alba terrea porosa
[illegible] igne reverberatorio ex alumi-
ine in formam usque [illegible].
Est alumen [illegible] [illegible] [illegible] et
phlegmaticis [illegible]. In usu ē [illegible]
gis ad carnem mobilem excedendam

Alumen Est subst: media inter terram et lapidem quantitate exhibendi ... pinguis et numerosis tenuibus fibris plumosis aut lanuginosis sibi inbi... incumbentibus et facile separabilibus compacta eruta ex terrae fodinis. Sap. sub adstrict. subacris.
In Medicina raro usurpatur. ... desiccandi ... bet ... adeo ... atrizantia habet locum. Jm India ... pis est que ... dei ... ... in ... fortissime ... ... usque dum lapis ... et ... in fila ... fiunt. Lintea ... combustibil. ... qualia saepe vidi ... magno ... ... et magna mole lapidis parva fit ... quantitas fili:

Scissile

Antimonium

Est subst: metallica solida ponderosa ... ... plumbei coloris et longis ... variantibus striis ... aliquo ... compacta ... ex eiusdem minerae ... inaequalis et ... figura ut

plurimum effusa sap. ... multis ebride...
... eandem ... ...
... ...
... ...
mitis ... Sed potius ...
in usum ... ...

Argentum Foliaceum,

est subst. ... lamellata ... et aux.
...trum sine ... malleo ... in
tenuissimas lamellas redacta.

—

Si ... magna ... ...
... ...
... ... in ...
... ...
... ut fulgeant.

Argentum Vivum

est subst. metallica fluida ponderis
coloris ex ... ... ex Ci-
nabari minera ... ... descens.

sulphuris nativi invenitur in fodinis. sed quod constat factum est.

Purissimus ☿ fit mixtus cum Tartaro ex retorta destillatus.

☿ vitae non potest dici venenum sed tamen dari potest ad alvum subducendam ad vermes necandos ad Colicam ad Miserere mei in morbis malignis et Peste. Datur dosis in aqua quod pellit sudorem et mixtum cum ben. opt. est. Datur in pillulis cum levamine ... Chirurgi cum in dubio est num telum aliquod intestinum penetraverit. ... massa ... ☿ fit Corrosivus sublimati instar

Arsenicum

Arsenicum Est substantia Metallica condensata ponderosa albicans foris gypsi instar intus crystalli instar splendens facta ex Auripigmento cum salis ... ad candorem usque sublimato ... et excrementis.

... ad usus externos ... aves ... in Cancro et ulceribus sordidis ... pestis. non est bonus ... veneni. ... Auripigmento ...

~~Auripigmentum~~

Rubrum est subst: metallica quadrata ponderosa ex flavo rubescens et splendens facta ex auripigmento in olla clausa igni tosto et ad rubedinem usque excocto. Sapor acrimoniae et exurentis.

Dicitur Sandaracha Arabum.

~~[illegible]~~

Externo [illegible] usu [illegible] sola [illegible] in usu e. Pulvis tenuissimus ex hoc et [illegible] fit qui parce admodum ulceribus inspergendus ne nimia erosio fiat.

Auripigmentum

Est subst: metallica gummosa quadrata ponderosa coloris ex viridi flavescentis in [illegible] argenteis [illegible] splendentibus [illegible] effossa ex auri et argenti fodinis. Sapor acris [illegible] [illegible].

Interius non sumitur: erodit ventriculum et intestina [illegible] vomitus [illegible] [illegible]. [illegible] [illegible] et [illegible]. [illegible] ut [illegible]. Tinctores [illegible] colores parant.

Hinc fit vitri species splendida. [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] venenata qualitate [illegible].

Tinctores coquunt in substantiam solidam [illegible] Rubri instar quam Rubrum vocant

Bolus Armena

Est fossil. Terrea ex flavo pallide rubicunda ponderosa pinguis facile friabilis ex terrae fodinis effossa sap. astringentis et pinguis.

Jam ex Silesia ac ex Anglia a adferuntur. Distinguitur a Terra Lemnia qd haec friabilior sit nec digitos palpantis inficiat. Bolus vera [illegible] terebatur ... fluxibus ... [illegible] ... nil percipio nisi qd imbibendo ... in sanguine astringat aliquando ac ... in fluxibus adhibetur. Misceatur ... salibus in ... ut ... facilius ascendant.

... nil ... ... prestat plurimis terrestribus et aliis ... terris. Bolus ... desiccat ac cicatricem inducit vulneribus.

Bolus vulgaris Est fossil. terrea rubicunda ponderosa facile friabilis ex terrae fodinis effossa saporis terrei et astringentis.
Usus praecipue Externus.

Bolus alba

Effoditur in fodinis Angliae ubi effoditur Creta colligitur ac in ... ac ... Magdaleonis formatur solutione in aqua eodem quo ... modo. Desiccat paulum ac astringit

Aurum Foliaceum

Fit saepius caudefaciendo auri laminas quas inter duo coria tundunt et cudunt in ~~[illegible]~~ tenuitate.

Dicitur Cardiacum sed non credo
Prostat ornatus gratia et ad Pillulas obducendas.

Borax

est subst. alba pellucida glaciei instar alumine durior ex lapide quodam nitroso aut Chrysocolla calcinato et cum aqua dissoluto et posito in crystallos concreta sap. acris salini et nitrosi.

In Cypro, Hisp.a et India Orient. inveniuntur lapis ille e quo Borax vel nitrum educitur prout liquore dulciore vel salsiore aliqui solutio fit.

Pelluciditas acquiritur saepe repetita solutione cum filtratione. Hoc fit Venetiis lapide a Cypro advecto.

Est egregium Diureticum et Uterinum stimulis salinis solventibus ~~[illegible]~~ serosas in sanguine et ad venas [illegible] ac vasa uteri aperientibus unde ad Menses movendos, ad partum difficilem fac. Dat. [illegible] in Pulv. [illegible] in Electuario sed non adeo bene [illegible] aliquo modo [illegible]. Pulveres Uterini [illegible]

℞ Borac. gr. xxv. Assa foetid. gr. x cum [illegible] gr. i. cum Ol. succin. q.s. f. Pulvis.

Calx Viva

Est subst: lapidosa cinerea facta ex calca-
rio lapide ignis violentia in calcem exusta
sap: acris et mordacis.

Usurpat ext^e solu in ulc: sordidis Can-
cro Gangraena &c:

Cerussa

Est subst: alba gravis ponderosa friabilis
derasa ex plumbi lamellis sup acetu suspen-
sis et in glebas coacta sap: dulci et astrin
gentis.

Constat originis aliud plumbi qui nec frigus
nec acidi sed aliquomodo dulce ac astring.
Refrig: et astring. Medici vix dant
intus qa nimis refrigerat et spasmi vertigines
inde oriuntur. sed Ext^e Refrig. et astring.
unde in linimen: et Ingred. varia emplastra

Chalcitis

Est miner: Metallica dura gleeosa rubicunda [illegible] sulis multis intercurrentibus subinde splendidis fibrillis interpolata cruda ex venis aeris sap: adstringentis et aeris.

Non id quod stat in Officinis nec invenitur nisi apud [illegible]. Sed quod est in Officinis [illegible] nil aliud est quam [illegible] Ustum quod [illegible] [illegible] addunt. Verum Chalcitide o [illegible]

Chalybs

Est subst: Metallica dura nigricans ponderosa ferro compactior solidior et subtilior facta ex ferro saepius candefacto et in aqua extincto.

Si in fodinis invenitur vel ex ferro fit saepius repetita candefactione et in aqua immersione.

Hinc fiunt multa [illegible] praecipue ea quae dicuntur tum aperire tum astringere quod qui sint o facile explicatur ego dicerem genuinum effectum ferri ac [illegible] aperitiva esse [illegible] acido quod absorbet ac edulcorat et [illegible] effervescendo motum auget ac [illegible] vasa [illegible] inde opt. in [illegible] datur in morbis, [illegible] [illegible]. [illegible] contra in Dysenteria astringit obtundendo particulas acidas quae intestina vellicabant

Hinc Crocus [illegible] astringens et Crocus aperitivus. astringens fit [illegible] [illegible]

rnai oia salia csummuq et nihil relinqui-
tur praeter calcem inutilem quae ut oes
calces sive terrestres solum astringit. sed
separatibus poterit dicto modo et separare
et astringere

Chrysocolla

Est subst. Cristallina alba pellucida glarei
instar Boraci, quae facta ex Chrysocolla nati-
va calcinata in aqua infusa concreta et in
crystallos coacta sap: Borace acrioris salini
que: uncius.

Expetitur nativa potius quae in fodinis terrae in-
venitur potius ab Aurifabris. factitia tamen in Chrysocolla
maioritis praestat. Fit ex eodem lapide cum
Borax sit Borax puriore ac adeo Chrysocolla ipsa
potius ab aurifabris usurpatur. Borax e Chrysocoll.
fieri potest ulteriore purificatione. Et ex eodem
lapide haberi potest Nitrum sed non adeo saepe e la-
pide quam e terra colligitur nitrosa
Vires quidem Boracis Schimel et Ubarin:
Borax potius usurpatur

Cinnabaris

Factitia est subst. Metallica solida con-
ferosa rubicunda numerosis subinde inter-
candidis striis ac splendentibus minis intervoluta

facta ex mixtione ℥is et [illegible] in vi ignis
sublimati [illegible] nullius [illegible]
Arsenica [illegible] nisi a [illegible] usurpatur
[illegible] si [illegible] optimum
[illegible] intus [illegible] excitat
vomitus et purgationes usque ad [illegible]
unde a corrosivis [illegible] intercedat
[illegible] consistentibus ad
Usus [illegible] in suffumigiis [illegible]
ad [illegible] exspirare. Et si [illegible]
[illegible] salivationem excitat [illegible]
[illegible] fumum. [illegible] hinc [illegible]
[illegible] ad [illegible] quae feliciter [illegible]
[illegible] eis qui difficulter salivabant, [illegible]
[illegible] cinnabarim [illegible] fumum [illegible]
[illegible] [illegible] [illegible]
[illegible] successu.

Crystallus

Est subst: solida albicans glaciei instar [illegible]
pellucida effossa ex terrae [illegible] montis
[illegible] nullius [illegible]

In India integri montes Crystallini sunt. [illegible]
[illegible] crystallus [illegible] qui
liquescit [illegible] item
[illegible] in [illegible]
in [illegible] Crystall[illegible]
[illegible] [illegible] [illegible]
et [illegible] nisi [illegible] et ex [illegible]
solutione [illegible] colligi post evaporationem

De ista Sal crystallizato egregium ad Febres [illegible]. Magisterium inde fit soluto [illegible]
in aceto et [illegible] praecipitato per Sal Tartari [illegible]
[illegible] ascribunt [illegible] roborand. [illegible]
[illegible] ultimo
[illegible] crystallo integer [illegible]
[illegible] vomit

Lapis Calaminaris

Est [illegible] medio inter Lapidem et Terram
[illegible] fossilis [illegible] modo et [illegible] modo ex
albo flavescens effossa ex fodinis metallicis
[illegible] evidentis.

Est nativa & factitia. Illa [illegible] Metallo admixta & [illegible] in offic. prostat. [illegible]
[illegible]. Factitia fit e fornacis [illegible]
[illegible] et Lapis Calami. dicta & Cadmia.

Exsiccat [illegible] in ulcera [illegible]
[illegible]. [illegible] ebullit
[illegible]
[illegible] Lapis [illegible]
[illegible]
[illegible] Ung.[illegible]

Lapis Armenus

Est substa lapidea ad Metallica accedens pallide caerulea et quadam viriditate ex nonullis quasi granulis et intercurrentibus quibusdam argenteis micis composita eruta ex fodinis argti.

~~Est medius inter lapidem et metallum~~ ~~talis~~. Invenitur in fodinis argenti ut Lapis Lazuli in fodinis auri

Purgat sursum et infra, fere ejecius ut datus in Pilul: et vino & infusum ad ʒj. fere; vis ejus [illegible] inpotis volatilibus ad calcinationem purgat sed potius adstringit more [illegible] adstringit; its [illegible]: at datus ad grana: in Epilepsia Mania [illegible]: ad ʒj datus. [illegible] ad purgandos dandus solus vendi

Lapis Lazuli

Est substa lapidea ad metallica accedens saturate coerulea et splendentibus quibusdam aureis micis, Armenio Lapide durior et compactior eruta ex fodinis auri

Quae de praecedente dicta sunt applicantur possunt usurpari in eius comisione

Lapis Hæmatites

Est subst: Metallica media inter Lap: et terram [illegible] rubicunda ex striis et laminis sibi incumbentibus, [illegible] ex ferro, fortius ferro gravitate, sapore adstringenti.

Ex his [illegible] ferrum. Est et factitius ex Magnete calcinato. Lapis Hæm: Hispanicus [illegible] ex [illegible] et Silesiæ fodinis [illegible]

Astring. incrass: In omni fluxionibus albi et hæmorrhagiis.

[illegible] si admisceatur [illegible] qui [illegible] in [illegible] et [illegible] [illegible] Flores [illegible] qui maximo [illegible] dantur in [illegible] [illegible]

Lapis Granatus

Sunt Lapilli ex fusco rubicundi seu ex russo nigricantes parvi angulosi gravis [illegible] colecti ex variis terræ [illegible] locis.

Qui rubicundiores et meliores. [illegible] [illegible] nec colore [illegible]

[illegible] Cordiaca et Alexiph: [illegible] [illegible] refrig. [illegible] et incrassan [illegible] terrestres [illegible]

[illegible] Granati [illegible] [illegible] in [illegible] [illegible]

Hyacinthus

Sunt Lapilli ex flavo rubicundi, pellucidi, ignis instar fulgurantes. Granatis rubicundis dilutiores et pellucidiores. Colliguntur in variis regionum fluviis aut eorum ripis.

... ad fluviorum ripas colliguntur post inunda-tiones. ... desia ... ... eius

... Cardiaci: ... pestis ... ... imaginaria.

Lythargyrium

Auri Est subst. Metallica modo in glebulis modo in pulverem redacta, ex fusco rufescens et splendentibus quibusdam aureis micis, cocta in fornacibus ex plumbo dum aurum eo purificatur.

... aliud ... quae spuma plumbi quo aurum purificatur.

Easdem huic vires ascribunt quae plumbo.

Frigidum Exsiccantia et Refrigerantia et Leniti ... ... usurpatur in inflam-mationibus ...

Cum autem ... ... maximo ... ... magis ... major quam ex ipso plumbo. Et in plumbo ... Lythargyrium ... ...

Argenti Est subst. Metallica ponderosa cinerea et splendentibus quibusdam argenteis micis cocta in fornacibus ex plumbo

tum argenti eo auratj.
Quae de priori dicta hic repetantur

Magnes

Est proprie Lapidea ad Metallica accedens, ferruginea effossa ex variis terrae mineis, ferro gravidis, apud multos Obidentes.

Ex eisdem fodinis eruitur cum aliis ferrum et Lapis Armatilis. In Italia in ipsis agris eligitur invenitur.

Eadem habet virtutes quas ferrum nam est ferro cum spirit. et deo quae de ferro dicta hic repetantur. Sicut fit pariter Crocus, qualis est aliis

Minium

est pulvis rubicundus ponderosus factus ex plumbo igne reverberatorio et optima agitatione in rubicundam calcem ustulato.

Ultra dabitur in igne detentu multo in plumbi terris. Augmentum ponderis provenit ab acido ignis et alkali plumbi conjugente. Sic post acido, qui e lignis cum acidis extrahitur cum flamma, unum Minij fit ascendit igne sic e lignis vulgo ustorio. Color minij ruber est a quarta carbonum ... cui subditur est acido ut in Cinabari sub fuscitio. Redit in plumbum et acido ab igne assumpto ac tum ad pristinum pondus redit et dulcia acore ipse ponderis tamen potest. sic additione salis Tart. reduci potest statim in plumbum.

Hinc fiunt quae ex Plumbo et specierum
Saccharum [illegible] quod non est sal proprie dictum plumbi
sed potius sal aceti cuius dulcedo equidem est a [illegible]
Ingred. Empl.ª et est Exsiccans et Mundificans
imbibendo acidum Vulnerum et Ulcerum. Datur in
Pulv. Empl. et Ung. sed nunquam interne

Osteocolla

Est subst.: media inter terram et lapidem [illegible]
[illegible] alba friabilis tubulosa oblonga ex basi
crassiori in obtusum desinens mucronem multis
tuberculis exasperata. accrescens ex arena et
aliis locis [illegible] per: multis abundantis.
Ingreditur Empl.ª contra fracturas ossium. Cum
acido fortiori [illegible] effervescit [illegible]
[illegible] et Ulceribus [illegible]
Usus in Empl.: Ung.: et in pulveri [illegible]
[illegible] interne. Vix videtur quod agat ad consolid-
andum ossium praeter quod acidum imbibat

Plumbum Ustum

Sunt laminae plumbi in quae pulverizatae
[illegible] super strata ad cinerem usque
[illegible] cum aqua ablutae
et resiccatae.
Habet vero virtutes quas Minium Cerusse
et plumbi [illegible]
infantium. Exsiccat Ulcera imbibendo acidi-
tatem.

Pompholix

est pulvis tenuis subtinarius albicans fabilis instar sublimatus ex Cadmia et aere coctis in fornace saporis nullius evidentis.

Mundatur inducendo in sindonem et bullitando in aqua ubi pars subtilior aque miscetur et decantando colligitur.

Efficaciter exsiccat et ardet. In ocularibus et ulcerum putridis unguentis ut plumbum ustum

Dicitur et Nihili. Quod in pulveris [illegible] vilior reperitur quam dictis fornacibus Pompholix dicitur quod in crustis [illegible] vivo et pulverizando et ut dictis mundando fit Pompholix

Rubinus

Gemma lapillus pellucidus rubentes [illegible] granulata [illegible] colliguntur ex arena ad ripas fluminum

In Zeilona in maxima copia et ad colliguntur [illegible] pluviis post inundationem.

[illegible] Cardiaci Alexiphar. et ophthalmici. [illegible] collo suspendunt. Forsan [illegible] minime volatilis est si interne usurpentur

Sal Ammoniacum

Est substantia alba Crystallina Salina ex quinquplo urinae cum una parte Salis com: et dimidia fuliginis Sublimata. Sapor acris et urinosi.

Nativus hodie non extat. Invenitur aliquando tamen in Persia et Aegypto inveniri nos fabulantur, cameli [illegible] acquiritur.

Ingredientia dicta miscentur et sublimantur in Sal hoc Ammoni factitium.

Est Temperamenti calidi Calef: Obstr: tollit [illegible] cum [illegible] aeris Salbat: [illegible]

Cum hoc Sale [illegible] Lapis [illegible] et [illegible] in flores ad obstr. pertinacissimas tollendas.

Sal Gemmae

Est Substantia alba Crystallina, salina, cruda ex terrae fodinis Sapor: acris et Salsi.

In Silesia et Bohemia invenitur nativus. melior in summo primo non acrior et [illegible].

Fit ex Sale com: soluto in aqua et post evaporationem ad crystallizationem seposito.

Calef: [illegible] [illegible] hoc differt a Sale com: Crystalli [illegible] et hujus solutione in aqua magis obstinatur non licet in se non sunt volatilia [illegible] in uno [illegible] volatilia sunt non [illegible] poterunt [illegible] ac ideo in morbis Chronicis [illegible] [illegible] Crystallizatio non nisi difficulter [illegible] it.

Sal Nitri

Est subst: alba Crystallina salina ex terra pingui salsa et Nitrosa cum urina et aqua in [illegible] cocta et in crystallos gravata sap: amaricantis et acri.

Terra super quam jumenta steterint majore [illegible] Nitri

[illegible] frigidae et acri [illegible] et amar. [illegible] constat [illegible] cum subtilioribus terrestribus et [illegible] [illegible] inerassat et motum sanguinis impedit aliquo modo et refrigerat [illegible] ut et [illegible] [illegible] et acerbo [illegible].

Hinc [illegible] [illegible] quam [illegible] [illegible] [illegible] qui [illegible] [illegible] [illegible] [illegible] [illegible]

Hinc [illegible] sal [illegible] [illegible] [illegible] refrigerat et inerassat sangue [illegible] [illegible] [illegible]

Saphirus

Sunt Lapilli pellucidi diaphani modo caerulei modo pallidi [illegible] [illegible] [illegible] fluminum ripas.

Sunt Europaei et Indici. Indici plum igne calefacti perdunt colorem et indurant ac [illegible] [illegible] [illegible] vendunt. [illegible] cognoscunt duritie minore

[illegible] cardiaci et [illegible] [illegible] [illegible] si [illegible] inguinis gestant. [illegible] mulieres [illegible] [illegible] solent [illegible] [illegible]. [illegible] mihi [illegible] sunt reliqui lapides [illegible].

Hinc circumferunt Oleum caeruleum

in vino impregnato et miscendo hujus pulveris ... dolor ... modo sic extrahendo ... circumferanei faciunt hoc oleum e floribus Chamomi: quod destillant et ... oleum aquo innatans ... cornua ... colore ... dicitur ... color ... ubi se ... hoc ... ad Ophthalmicos usus. prior vary fisime extat ac ejus usus ad ulcera sordida ... saltem oleum ... adulterati.

Sardius Lapis

Est Lapis opacus colore ... in superficie ... subinde albicantibus ... collectis ex saxis ... adnascitur.

Qui nostris extant in Officinis ... in Bohemia et Silesia:

... sanguinis fluxus ... et ... in hemorrhagiis in usum ... Mihi forsan ut reliqui ... sanguinis.

Smaragdus

Sunt Lapilli ... viridis reliquis ... mollioris: collecti ad flumina ...

Sunt Indici et Europaei in Bohemia et Silesia: Indici magis ... et duriores.

Fiunt Cantiaci et Florini, quod in ponto.
Circumferuntur etiam Phiolae lapidis a circum foraneis sicut Phiolae Sapphiri. Adulterant in mendo Calcid Bolo cum sale Ammoniaco ac aquam hanc aquam postea infundunt in vas ... Pro aqua hac Ophthalmica et ... ipsa adulterina huius fini ... orbus inflammationibus oculi potest usurpari solummodo sufficienter dilui debet aqua com.

Mercurius Sublimatus

Est substantia alba crystallina ponderosa solendens sublimata ex una parte ☿ii vivi et duplo ☿ii vitrioli calcinati et salis com.
Sapor acerrimus et exurens.
Vis corrosiva orta a salibus additis fortiter ☿ii adhaerentibus.
Usus datur interne nisi robustioribus qui ... laborant ac ... aliis morbis ☿ alibus ad salivationem producendam ... ad gr. j.
... si nimis ... corrodit ventriculum et hoc ... prohibendo oleum in ... pro ... ☿ vesicae.
Ext: ... ad Ulcera omnia sordida ... cancrosa et pestilentialia pulvere ... in minima ... et ubi ... in ... a salibus ... acidis ... ulceris ... obtundentibus. Ejus ad ulcera sordida ... ex ... in ☿ solutio ... videbatur ... albicare potui augendo ... non ad ... mihi adfuit

Toparius

Sunt Capilli pellucidi transparentes aurei coloris ad solem radios de se spargentes ... et ex terris ... et ad fluminum ripas ex arenis.

Dicitur Chrysolithus

De cuius viribus ... de ...

Sulphur

Est ... flava pinguis ... ex terra sulphurea destillata et in magdaleones ...

Aliquando ex ipsis ... sulphur purissimum ... sulphurea extrahitur ... destillatione ... igne leni ...

Ex sap: Calef: ... siccat: ... in Colica ... item ad scabiem ... ad ... ubi sal ...

Hinc fiunt Flores ... floribus ... multis ...

Ex his floribus fiunt multa ... Flores

cita ut miscendo cum aliis floribus ut Benzoes

et C. oleo ut Ituisi Terebinth. ℞: quod emollit

ac involvit partes asres.

Item d. Sp: floris qui exhalatur ex

Retorta tubulata et per Campana.

Commendatur Sulphur contra Pestem. Item

Elixir Propri: tune pestis fit cum in tempore per

campum: Helmont: dicit se cum a V.S. ubi

sedabisset sanguinem ex putridis postquam per primos

dies dedisset sulphur et inde sulphurata per

sanguinem in statu laudabili restitutus fuisse.

Certum est in necessariis ordinibus ubi maxime aeris

contentus abundat sulphur et utilissimum.

Terra Lemnia

Est subst: argillacea sebacea pinguis et

ponderosa ex flavo rufescens cruda ex terra

odoris et implacentibili coarta sap: pinguis

et adstringentis.

Sanguinem aliquando incrassat et stomachi: primo

si plus acidores in sanguine abundant nec cum acido

effervescunt. si huic terrae affunderis sp. olei

post ebullitionem in lapideam generat duritiem

ac posita in loco humido dissolvitur in liquore.

Indita est haec terra Alexiph: et sudorif.

sudores [illegible] ciere potest confirmando basis

et in experimento saepe aliquid. alias non video

quomodo Alex: sit

Tutia

Est subst: Metallica ponderosa, subdura, crustis instar, iuxta latus ex flavo cinerea, extrinsecus tuberculis ac parvis scopulis exasperata, et caerulea pallido-cinerea egesta, flavi ex fuligine aeris in fornacibus metallicis et cadmia [illegible] et [illegible] acerior [illegible] [illegible] sap: [illegible] constat fere eadem subst: ut eisdem [illegible] [illegible] [illegible] [illegible] ut [illegible] est.

Vitriolum

Album Est subst: salina alba, salis instar genita, facta ex decocto et lixivio Vitrioli [illegible] sap: acris subacidi austeri adstringentis et nauseosi.

Hungaricum Est subst: Crystallina transparens ex viridi caerulea ex [illegible] vitrioli decocto et lixivio in crystallos genita sap: ut de albo ejusdem

Romanum est subst: crystallina caerulea transparens ex decocto et lixivio terrae vitrioli in crystallos genita sap: ut de albo ejusdem.

[illegible] habet vires [illegible] est [illegible] fort. [illegible] Cyprium et Romanum.
Constat partibus acrioribus subtilibus ac crassioribus [illegible] ut si detur in aqua dissolutum excitat vomitus et sedes.

Exteris in ulceribus sordidis et vulneribus ac-
cessit in pulvere. [illegible] inimis inspergatur Escharam sibi
[illegible] o [illegible] fieri. [illegible] utrique applicatur [illegible]
[illegible] vulneribus ubi Hemorrhagia insignior
e [illegible] cui [illegible] sanguinem coagulant ob [illegible]
[illegible] multa [illegible] Chymica

Vitrum Antimonij

Est subst: ponderosa solida Vitri instar hya-
cinthini obscuri coloris facta ex ♁mio calcinato
liquato et fuso [illegible] nullius abundantia

Vis ♁mii maxime consistit in ptes sulphureas
quae quo magis absumuntur eo minores fiunt
vires ut patet exinde q[uo]d e. g. fit Butyr ♁mii
♁ q[uo]d in fundo remanet (ptes sulphureae de-
latis ac ascendentibus in [illegible] potest quidem in
vitrum liquifieri sed aliis et q[uo]d nullas habet
vires nec ad vomitus nec sedes movenda. In
vitro hoc dum quo minus sulphur non adhuc totum
absumitur non ex eo adhuc fieri potest Butyrum ♁mii
datum in substant: ad vomitus ciendos

Marina

Ambra

Est subst: sebacea pinguis solida lapis cinerei
coloris effluxa bituminis instar ex scopulis
et saxis in imo mari condensata et in maris
superficiem & littus eiecta sap: pinguis aromatici
od: suavissimi.

Hoc vox competit c[um] cinerino. Grisea Am-
bra melior est Nigra. Potest fieri subst:
ambra similis ex Ladano styrace liquida et Mos-
cho. Fragmenta aliq[uan]do inventa sunt in [illegible]
aliq[uan]do inventa fuit fragmenta in ventribus Balenarum
et in eorum stercore sed suave prius degustata
[illegible] [illegible] in [illegible] aquosis. aliq[uan]do
albicantis c[um] coloris sed ut plurimum cinerei est co-
loris s[eu] grisei dicti sed majori in pretio cinerea c[um].
[illegible] [illegible] ibi [illegible] [illegible] [illegible]
[illegible] [illegible] saxi [illegible] e quo effluxit
vat instar Petrolei et Bituminis Judaici. et
[illegible] [illegible] post procellas. adeo[que] verisimi-
lius c[um] [illegible] [illegible] q[uam] [illegible] [illegible] de e[iu]s
origine

Nigra Septentrionalis & del Nor dicta
et Moscho mixta eundem odorem q[uam] grisea hab[et].

Ambra [illegible] Attenu: [illegible] constat partis tenui-
bus [illegible] atq[ue] adeo facillime in nostros spiritus
penetrat [illegible] in eos convertit[ur]. unde Panacea
quasi c[um] Cardiaca Confortans. ab Judis cedit[ur] a[d]
Venerem excitand[um].

Dos. [illegible] in subst: [illegible] frequentius in [illegible]
[illegible] & ubi is o[mn]ino postulat [illegible] Ros: calefacit
et [illegible]. [illegible] [illegible] [illegible] [illegible]
ad [illegible] [illegible] Cardiaco [illegible] [illegible]
ad Venerem. Dant c[um] in [illegible]. et Mos. [illegible]

ex ramis ligni Aloes ad usus dictos.

... Pomarbre dict. Et qua ... minus Ambra Nigra ... vilior et ... ideo ... dat internè

Dosis in his regionibus ad gr: iij & v. ... in ... ad ... rara minimi dosi danda

Blatta Byzantina

Est subst. testacea ad corneam accedens oblonga quadrata ... unguis ... propter ... nata in conchis rubri maris orificium ... apertum conchae claudens —

Odor: ... accedit Castoreo cumulatius in ...

Qualitas ... Dioscoridis ...

... Ruellius ... si quis ... sentiret ... Recenti ... usurpatur ... Uteri. ... in usu est ad Epil: ...

ut ... Cornu ... alia et hinc ... Sal vol:

Corallium

Illud e subst. lapidea dura ramosi fruticis instar excavata alba ... porosa ... ligni ... nata in ... lignis conchis ... marinis ... ...

Rubrum a priori non differt nisi colore et
[illegible] longitudine exiguis striis notata sit.
[illegible] et nigrum. Inveniuntur in ipsis lignis et
conchis. In mari tecta est cortice sanguineo
digitis cedente ac corallium nostrum cum medulla
sub cortice quod in ipso mari durum est. Cortex
expressione rumpitur ac decidit. Qui scripsere
Corallia in mari mollia esse decepti fuere
a cortice quod ego expertus [illegible]. Quae de
humore qui in ipsis coralliis inveniuntur in Lapide
ad substantiam [illegible] [illegible] confunditur in terram
mutato falsa sunt. nil aliud est ille liquor nisi
humor viscosus spumosus qualis semper invenitur
ad littora maris ab aqua spumescente.
Ut et excipiunt Card. Ludovici. Nil aliud in eis
invenio quam [illegible] alkali quale in [illegible]
[illegible] imbibit acidum ac dictum [illegible] attenuat. paulo tamen
major in eis vis est quam in [illegible] quod ex operationibus
Chymicis ac praeparatis evidens patet.
Dantur in pulvere [illegible] vix absurdo blandiori
ut ventris dissolvitur melius [illegible] [illegible]
super [illegible] dantur pollen cui subtile acidum
solvitur. Dantur ubi [illegible] acido ac acres corroden-
tes in sanguine molestiae sunt ut in Dysenteria et
Melancholia utilissime.
Hinc fiunt varia Chymica [illegible] Sali-
que fiunt solvendo in [illegible] acidis ac [illegible]
[illegible] ac exponendo ad dissolutionem. Et hoc
salia potius fiunt ex ipso acido.
Multa sunt [illegible] Coralliorum sed nulla genui-
nam vidi. nam color [illegible] [illegible] ab infusione Co-
rallorum obtinent potius a salibus corallia [illegible]
[illegible]. Langelottus habet [illegible] [illegible] Oleo [illegible]
quod poris colorem extrahit ac deinde oleo
[illegible] a spiritu vini [illegible] hoc numquam [illegible]
sed [illegible] usurpatur Cor. rubrum. Et [illegible] eun-
dem vim [illegible] ac ex eo eadem [illegible] [illegible] [illegible]

Corallina

Est planta capillaris muscosa multiramia lanuginis instar modo alba modo rubicunda excrescens ex Corallis conchis lignis aliisq maris sap: salini.

Effa ... ? ... ac siccas ... virtutes ... Or: 64.

Margarita

Est subst: rotunda & angulosa granulata alba pellucida lapidea duritiei nata in pisce conchae ... margaritifere sap: et Od: nullis evidentis.

... in conchis ... ipsis sunt meliores quae intra piscem. Sunt pisciculo morbus ... ac calculus vesicae in nobis et ... fiunt ex superabundanti ... illa ex qua fit concha. Sunt et ... coloris et variorum colorum.

... sunt eadem quae in Corallis et Or: 64. ... aceto ... possunt dissolvi ac ideo cruda potius quam ... possunt usurpari.

... fieri potest ... quae e Corallis. Dantur ... ...

Pumex

Est subst: lapidea porosa spongiae instar levis cinerea nata ex ... montis ignivomi in mare ... ... et

in littore pulsis, sap: et od: nullius evidentis.

Fit [illegible] metallica quae in mare proiecta [illegible] ejus aliqui excavat in tanta celeritate ut plurimi ejici possint

Incrassant sang: et in dysent: dantur [illegible] ad usus domesticos ad lotiones [illegible] ~~Galli~~ in usu est

Spongia

Est substant: laxa mollis rara porosa levis coloris [illegible] albicantis vel flavescentis nata fontibus instar in saxis conchis aliisque rebus marinis sap: et od: nullius evidentis

In [illegible] collegi integros fontibus [illegible] [illegible].

[illegible] [illegible] in [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] et [illegible] [illegible] [illegible] [illegible] in usu est Chirurgico ad sanguinem sistendum

1.§. Therapeutica Finis est restituere sanitatem. Media sunt solae [illegible] Remedia. Haec in morbis internis sunt vel Alimenta vel Medica ac in his morbis [illegible] alta medicus [illegible] faciunt. In morbis ceteris [illegible] Manuali operatione opus atque in hac [illegible] consistit Chirurgia dexteritate [illegible] operandi.

2.§. Medicina tota Scientia est [illegible] sola ejus exigua parte [illegible] scilicet Chirurgiam. Pharmaceutica ipsa scientia est

3.§. Scopus noster est Terminos Authorum obscuros Distinctis commutare et Numerosos in paucas Classes redigere Ut audientium et Memoria et Judicium exercea[n]tur ut scilicet postea sine [illegible] solis ex libris medicinae exercere possint

4.§. Alimentum est quod in nostram sanguinem introducitur [illegible] quotidianas. [illegible] [illegible] assumitur nunquam Altum est et quod curat [illegible] fiet medicina

ut patet inferius assumat̃a itaq. Med: parte ret̃ta ... non nisi vaud medic̃ri tenuo dicunt benè post exhibit̃onem eorum usum. qd̃ fecit et Mag: et Exp. Nam tangens tandem ofuerit obserui ... eorum parvas doses med: et Veneni in sangu. introducto. Expio ... quale e in Mithridati et multis ... conformaveris ... Venena ex ... multiplici ... conveniunt

5. §. Med: Act: seu Acta Med: ... duoru gradu ... et ofuetis et inofuetis ... insensilis ... alterabil.

6. §. Hae discrimina inter Act: Med: et Med: Simul: sunt solummodo Relativa ad nos ... vocis ... rei ... suas ... expli... Relat ... nihil ponunt in Rebus.

Cap: 2.

1. §. Med: Actu talia sunt quae operand suam exserunt ... à calore nostro ... Potestate talia sunt modo ... immovari ... habent.

2. §. Divisio Qualitat: in Manifestal et Occultas tantum est Relativa ad cognitionem nostram, nihil ponit in re.

et licet plurimi multa nobis sint In=
cognita sperandum tamen est occulta rosa fu=
tura tandem Manifesta. Et qui Qualitates
illis, nil debit Qualitatis sese alligarunt
nimis angustis principiis et ubi atq bim=
e magnas facere potuerunt progressus.

3. §. Quod ad Primas Qualitates atti=
net Calorem Frigus Humid. et Sicci. et
... sciendum 1. Ideas quas de rebus
habemus esse 1. Claras de quarum sic certi
sumus tamen ideas intellectui nostro ob=
versari ut Idea Sui Luminis Coloris &c.
2. etiam Distinctas quae non solum certo
... ... talis Idea sed et Essentia
ipsius rei quae ab aliis distinguitur ut f.
Idea Trianguli. 2. Ideam habemus
Caloris et Frigoris Claram sed Confusam
... ... sit Calor adeo constat. 3 Idea
Distincta sine caloris habemus est Motus
... ... inter ... haur
... ... solum philosophando assequimur.
... Idea Motus ... ...
toto differt ... Idea illa Confusa ...
sensu quam Mens habet quemque Calo=
rem appellat. Conceptus ... ...
... mentem afficit ... dolore et voluptate
... ... in Perceptione
Caloris. Contrarium se res habet in Fri=
gore quod in Quiete ... consistit in Hu=
miditate cujus Idea distincta consistit in
recentis motu partium juxta se invicem
... instar ... Atque hinc ... ...

Qualitates illas quas nihil esse praeter ideas confusas mentis nostrae nihil quo ponentes & explicantes in re, nec intelligi posse antequam Unio Mentis cum Corpore nota sit atque sic non sunt sed fere illi sunt appellandae essent.

4. §. Qualitates quas appellant 2dae haec omnes confusae tantum excludent quia per ideas et notiones in processu monstrabimus quomodo ad claras et simplices valde possint reduci et quid sit quod facultatem Cephalicam seu Stomachicam specificam vel confortandi in ipsis suis naturis nec alimentum respectu ad effectus quos producunt

5. §. Temperamentum Corporis a natura nostri sanguinis constituti ... efficacitate ... et ... fermentationes in nostro corpore ... Intemperies e contra ... et Perturbatae Sensibilis ... fermentationes a dispositione ... ad se ...

6. Multa Calida alia ... per se Calida sit ... instanter subtilibus motum ... augentibus ... communicando. Per accidens Calida sit quae poros habent ... ut ... partibus aliquid ... transitu tamen nequeunt ... poros non in ...

[illegible] ...

Glycyrrhiza hãt sensibilẽ acredinẽ
... ad 2^dũ caloris gradũ ...
...
Asparagus valde fallax ẽ nã ...
... valde mitis ẽ ... abscondit
habet sub multã aquã et terra
salẽ quandã acrimũ qui in vulnera
... sanguineõ laborantibus
... sanguis vehementer auget
... ẽ ... in se ...
... a ... comestis vul-
nerã et ulcera pessime se hab-
ent. Ex usu Petroselini hoc ipsi
... in vulnere ... in tibia
... sensit ... ab eo enim
... comesto ut ...
... ... valde inflammatã
... Unde hoc nisi a sale acri
q^d post coctionẽ in ventre suas vi-
res exerit.
Herbae Calidae ... oẽs ... ...
... a sale ... eis inest ... magna
copia ... acriores valde acris ...
Beta et Brassica ... herbae nitrosae
... Nitrũ ẽ sal frigidissimũ
Flores ... et Cinamom. insignes
... calidos effectus ... intra ...
intra corpus ... cui ... in ...
... corp... ... ne ... ...

e saincte a volent

opprimant alios frigida essent sed in tantum
tum ut ut eam plane poros partes opplean
tur calore non nisi [illegible] sunt [illegible] elementa
[illegible] [illegible] quae sua sola motu
[illegible] recipiunt plurimas [illegible]
excitat [illegible] calor [illegible] et [illegible]
[illegible] [illegible]
quae tandem [illegible] eam multa
sunt ut [illegible]. Per accidens [illegible]
[illegible] [illegible] Salia caustica [illegible]
[illegible] [illegible] sunt ab utraque parte [illegible]
[illegible] [illegible] sunt ita ut [illegible] et
[illegible] [illegible] intrant poros [illegible]
[illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] exagitant excedunt ac [illegible]
[illegible] partes circumjectas.

7. §. Frigida sunt quae [illegible] partes constant
crassis difficulter mobilibus [illegible] quorum
poros paucis aether [illegible]
[illegible] ignore nummor [illegible] frigidior
[illegible] ligno [illegible] [illegible] vel: [illegible]
[illegible] [illegible] cum sint [illegible] infirma. [illegible] in [illegible]
[illegible] [illegible]. [illegible] [illegible]
[illegible] ut [illegible]

8. §. Humida sunt sola Aquea et [illegible] [illegible]
quae in sanguine Aquam [illegible] [illegible]
[illegible] [illegible] [illegible]. Hinc [illegible]
[illegible] [illegible] [illegible] humidae [illegible] dictae
[illegible] et posteriori [illegible]
[illegible] dicitur [illegible] [illegible]
[illegible] [illegible] sumus.

9. §. Sicca sunt ut Calida dilatantia
partes aqueas secum abducentia & te-
restria humiditatem absorbentia, dissolu-
entia liquoris immutantia atque sic ejus
tenuem liquiditatem minuentia partes
humidi ad inbibitionem separando tum terrestri-
a & particulas aqueas commixtas colligendo
ut particulae salinae. Corpuscula sicca sunt
omnia vel ex aqua & oleo medio se tenent
locum. Opii et Sarsaparilla potius hu-
mectant quam exsiccant, & nos sic conciliando
quo minus humiditatis est etiam difflatur
quam alias retinebit Opii posse calidum
sit. Interim liquida tenentur facile o-
mnia terrere possumus. Sicca salina sic humidi-
tatem discutientia et inuoluentia. Quae-
dam sicca et exsiccare dici possunt quo-
niam quidem extinctum quod aquam a sanguine
et humoribus exceptant ut faciunt per
sudores et urinam expellant. Quaedam ex-
siccant copiosiorem alteram transmittendo
unde inflammationem pariunt in corpore ac
humiditatis consumunt, sic Arsenicalia sicca
sunt.

10. §. Cephalica multa sunt quae
aliis capitibus eodem libro tractantibus
reperiuntur. Solummodo quae Caput
primum laedunt nominabo, omnia Crassa et alia
Viscosa ei noxia sunt ut facile obstruunt

p durentia et oia modice ~~coactilia~~ subsidia
ei obstructio producunt. Ad Inflammatis
~~Ad Rapuntia et Refrigerantia impetum~~
~~sanguinis...~~ . Hinc si obstructio fiat
a ptis crassis tum ice moventur ad volatilia
salina sive in capite sive in alia parte. si
Ad Inflammationem semper ibi... alteratis
quae corpus oppta sunt refrigerantia Papa
verina et ~~...~~ Opiata impetum
sanguinis sistunt. Ad Alba Exsiccantia 11. §.
eo fine adhibita ut exsiccent nec
Capiti nec ulli alii parti pro servare ae
possunt Nam tum Inutilia sunt quoniam
continuum in tumore exis: exsiccaberis
semper humoribus circulantibus de novo,
Tunc ex nullis debis humoribus redibus
per eos quibus accesserunt vias infinite
ex. varibus tubulorum partium solidarum licet o
emittunt. et deinde Noxia e, si quae
ex. exsiccantibus quod tenue erat exha-
latum et discussis tumoris humorum manet
in partibus oleum sepe pariens obstructos
ita ut postea circulans humoris per omnia et
singula puncta illius partis o amplius pos-
sunt Et in hac obstructione rebere consistit
Duritas senilis et membrorum inde difficilis
mobilitas. sic ~~...~~ Hydropicorum viscera
a causis mixtis Paracentesi ~~...~~ curatis at

nimis ille cadit ubi aliorum medicorum
quae obstructiones reserant et vasa lymphae
rupta consolidant non opus pararent.
Sive si quando per hunc frigido calida
adhibeamus, non dent illa diu continuari ex
metu exsiccationis. Si opus non succedat, constitu
secundo die ad temperata recurrendum. Partes
membranosae et tendinosae nervosae nimis
siccantia non admittunt mobilitas earum
multum adiuvatur ab humiditate unctuosa
quae solicite conservanda est.

12. §. Aliquando ardor ac inflammatio fit
in capite unde deliria in singulis. Haec
fiunt ab eis quae calida sunt per accid.
ens quae solvuntur per se non sunt facta
mobilia quae recipiuntur in poros partium ubi
sistunt et copiosum fecerunt transfluere
aethera in subtiliora transeunt ac
volarent nec obstructio ulla aut ardor
efficerent. Cum quae obitus vae est. cum illis
species licet longe volatilis nimis calidus
fit ipso specie [illegible] hos ardores com
pescendos si ullis adhibendis refrigerans
ibi deberent ea liberata liquori
partis constat paulo crassioris per quae pori
inserantur obter quoque sanguinis motum
valent removeri absque metu tanti ob
structionis inde oriundo. Praeterea sanguinem
sanguinis incrassant coagulando et fit e

quidem ejus impetus sistunt et quies oritur
in parte affecta. Proprie sic proprie dicta nul-
la sunt specifice Cephalica sed omnia Obstruc-
tiones reserantia ac particulas sanguinis
aut agitantia aut compescentia. Humidi-
tati autem dictae nihil potior aqua quod si
in [illegible] desiciat potum cerebri vesti-
bui parat.
13. §. Capiti noxia ea sunt quae san-
guini ac toti corpori aut obstructiones pariunt
[illegible]ibusdam venis variis [illegible] noxii sunt
acris hoc praecavit exinde quod illorum pori
ita sint figurati ut partes odoris non libere tran-
seant sed sistantur et vellicent. Ob eandem
causam odorata fortia sua copia ac im-
petu offendunt.
14. §. Ophthalmica sunt subtilia facile
poros transeuntia. Fumus nocet quia e sale
vol: pinguedine olefaciens cum dictorum medi-
antibus humis intrat poris eorumque mar-
gines pungit et vellicat.
15. §. De Oticis pariter dicendum quoniam
sunt quae sale vol: constant qui quasi usquam
haeret ubique dat et auxilium
16. Thoracica sunt vel Mollia dul-
cia acrimoniam pulmones erodentem imbi-
bentia vel salia vol: [illegible] eos su-
[illegible] attenuantia aut [illegible] si [illegible]
infringentia. Et quia pulmonis [illegible] adeo

st tenella, deo nulla lic. st adeo conformi
Gamma ota sal lent corrositi atq ideo
subtilitē faciunt.

17. §. Cardiaca sunt non cor respi-
ciunt st sanguine et sunt s. sale vol.
donata (ut aromatica) que fortitudines
sangis excitant et eis utim. in ai deli-
quio et pulsu debili. Et que s. constant
xtis gratibs et crassis s. que poros habent
constantes qtu ut o frangantur, tartaribs
et alia tales qui multa transmittunt
effluvia aura cujs presentia fortitu-
nis vero bistant qualia st thuos C.C.
et multa alia que fortitudines restitu-
unt et conservant. b ipse subtiliter o subtilis
sit tristitia. s lapides pretiosi santalae
oia que per binarios poris donata spirit.
transmittunt auris effluvia qui valet in
morbis malignis (in qbs mixtura sangis
turbata ptē salina oleosa fit ab in
bicam secessionē faciunt quā subito
intra spatij 24 horarū viri licet robustiss.
mi de vomitis fermentationibs inde cessan
icis et febri ovonomia incenta, fortitudinē
reintegrare et partes sangis de bestia
ulla ab inbicam quaerentes, denuo mu-
tare et que o possit mitti p sudore
b venes ppellere. Atq mir. greis st
oia Alexipharmaca ac Cardiaca mes
ut essis in corde constanta quj vol.a

statim transeant nec ultra quadrantem horae in ore durent.

18. §. Stomachica sunt si ventriculus maxime viscosa et acida est obsessus sunt salia et spirituosa volatilia eadem quae antea Cephalica et Cardiaca appellabant, et si ventriculi nimis calidus sit cujus ventriculi pessime digerit ut in febrientibus biliosis et nobis ipsis aestivo tempore patet; acida sales et qui calorem infringentia.

19. Hepatica et alia sunt quae sanguinis crasin emendant et obstructiones tollunt. cum fere morbi ab obstructione oriuntur in hepate inflammationes ab obstructione et schirrus pariter. Ideo refrigerantia sunt hepati inimica quae constant ex incrassantibus et in genere omnia sunt suspecta minio [illegible] excepto. Itaque huic maxime competentia sunt quae subtilia sunt ac sale volatili donata indicio morbus proximus [illegible] in his regionibus ex obstructione oriri.

20. §. Atque de Lieni dicatis statuendum.

21. §. Diuretica alia sunt quae spiritualem urinae faciunt a sanguine alia aperiunt vasa sale suo volatili quae salina eadem faciunt ut vapores in cavitate abdominis resolvantur et tanquam spongia a vesica absorbeantur.

22. §. Arthritica et Nervina sunt omnia calida tanta enim est angustia nervorum et tanta constantia pororum et tubulorum in

ptibus membranosis ac tendinosis ut crassa ossa et viscera sunt duo frigiditatē consimilibus ossis fiunt inimica

23. §. Fortissimus quod specificis potius ali- mi vitalis medicis adferri poss. sunt ē partes varias Hepar v.g. et Cerebrum lēve porus ejusdē magnit.is et figure adeoq. requirent medicamina ea ... figurata. R. medela ... subigunt ... et inde ac ... crassiores ablegant et cum tot ... ... pertransent ... ... ad ... de partes. Casses redunant salina sive acida ac ... ... et partes ... ... licet ... figurata ... adeo pertinacem ... ... ossa in vivo hoc usq. ad ossa mollia sint quae ... ut ... ... ablundant ac sic ... ... sese mutuo ... ... ut ... habiles fiant. quod si ... ita se habeat ... posset quis ... ... hora sani- tate ... si vasa capillaria viscerum ... ... si hoc semel ... fater ... ... enormiter crassarē quae ... faciunt

24. §. Praeparantia ... eandē viscerē discrepentiā crassē ... ... ut Pharmacopoei Corallia praepa- rant quae ... in pollinē redigunt ... chylia, sit crassa et ad ... rubi

62. fortasse opus reddentur crassi aut
melancholici. est & terrestre seu sal fixum
& acidum fixum a quo partes simplices & sim-
ul variis modis curandi, quod non advertit
multi. Atra bilis est crassa & hic est crassa et attenuanda.
Corrosiva sive salina sive acida quae est
solis stimulantibus diluenda et [illegible] emolli-
entibus imbibenda si acida sint diaphoreti-
cis opiatis et salibus infringenda si salina
acidis emollientibus opiatis. Bilis est in
sanis licet equidem [illegible] sit composita enim
quod est ex aqua terra oleo partibus amaris et
[illegible] sale hic autem omnes partes in sanis est ita
coniunguntur. Biliosi autem [illegible] sanis quum sal ibi
praedominatur qui modo in capite modo in
ventre [illegible] dolores parit, aut fortuito ob-
structiones in hac vel in illa parte oriuntur. Sar-
binis hic salinis infringendis et imbibendis,
aliter theriaca inclusa est [illegible]. Quae crassi-
tudinem [illegible] sit spirituosa sales volat. et aci-
da volatilia [illegible] sit [illegible] acidi

258. Emollientia sunt quae tum
partes habent flexiles tum facile se insinu-
ant in poros aliorum corporum unde fit ut partes
illa corporum a se invicem disiuncte iaceant
in situ inconstanti et [illegible]. Hinc
aqua praesertim calida valde emollit corpora
partes enim habet tum flexiles tum gla-
bras. Olea quoque partis sunt licet flexilibus
tamen ramosis non tam facile penetrant et
postquam penetraverint non tam facile eximuntur.
Si pori corporis sint adeo astricti ut partes has

ĩ admittant fracturas remanet

26. §. Indurantia sunt vel frigida cum ...
esse indurantia (sic gelu aquam illam mollem
indurat) vel coagulantia quae fluiditatem
tollunt. Camphora et ... liquor ... valde
calida ... in sanguinem coagulantes fuerunt (sic ... et ... in ... mista in ...
... et in massam ... crassa
facta et ... multo ... spiritus intrinsecus
ac incarcerantur.

27. §. Laxantia (si quod nobis placet ...
quae per emollientia exprimitur dicere volumus)
sunt quae cum flatibus distentum a tensione
liberant ut ... ...
... vaporibus exhalan-
tibus ... quae quidem ... exci-
tarent ... qui ...
... occludunt ... accumulantur ... ...
flatus veniunt. Ad hos tollendos flatus ...
... ... qui
... eximerent ... ... quidem
... remaneant ... amplificandi et ... obstructi ... ...
... et ... ... quod fit
dilatatis ... ... potuerunt ...
porros margines duriores sint ac firmiores)
emollientia vero quae ... ...
... ut ... ...
... ut ... fiant.

28. §. Condensantia quae vocant ab
astringentibus distincta sunt vel ... frigida ...
... crassa quae ... partibus ... ...
... ... commotione ... movent.

29. §. Astringentia improprie dicta
st 1mo frigida quae sc: quae poros obturant
per ipsa fluit pars @ in poros ... ...
transmittunt unde eis cum sit in Cataplas[mis]
applicatis minus obtureris quam ad quandam molem
interim ... nervis transmittis also
sit humores in tubulis fluentes minus spatii
occupant et fibrae tubulorum collapsae minus
a se invicem distant. atque hoc sensu opprimens
... fluxum sistunt possint dici astringentia
2do eodem jure Coagulantia ut frida.
quae efficacissime motus humorum sistunt. Dicta
coagulare ... praecipitatione ... humor effluit
et reliqua consequenter crassa fiunt. Proprie
vero dicta Astringentia quae partes ... ...
... quasi contrahunt Constant particulis ...
... (si ... ... sit) ut a calore ...
... excogitata contorsione patiuntur ... in
... resiliant simul in resiliendo ...
... ... protendentes ... ... enim
... ... in siliquis
herbae Noli me tangere simplici ... ...
in ... contrahente aut in Corii aut
... ... igni approximatis.
30. §. Rarefacientia et Aperientia
sunt ... 1. ... ... in ...
volatilia sit ... ... quae
in igne volatilia sit ... Salia ... ...
quae in igne fixa sit quidam ut Salia fixa ...
S. ...

in igne sic: aut lac in sanguine bulla-
sit et sudores provocent. ad ignem cui ad
sanguinem est arctandus salia illa in quae ...
in sanguine est item acido in igne volatile in
sanguine fixum est. 2. quae per motus intestini
fermentativus inducunt qualia, et Expergentia
quae ubi vix effectum volatile excitare magnum
in efficacia exhibeo majori cui hi agunt
ubi per continuum est sit rarata. Hinc quod
infantibus expurgare volumus aut homi-
ni qui ore purgantia capere recusat
linimentis purgantibus cute applicamus ut ...
de fellibus: Si Cutis aperire volumus
lixivata frigida lica sint linimenti ...
unt.

31. §. Incrassantia sunt o tertia
quae non mutatione sed sui admistione in
crassant et Coagulantia eas & Opiata et
adjung. Camphora & acida et ...tim austera
Lac chalybeatum recenset inter Incrassantia
in eo aliquid est peculiare chalybs candens
factus subito Lacti immersus quia partes ejus
igne ...e possint satis subito nec commode
per poros lactis ingstantes transire ipsas
partes e suo ordine deturbant diversaque faci-
farium ita lac turbidum reddunt eodem
modo quo flumen ... ...

32. §. Emplastica sunt quae Flexi-
bilitate partium sese accommodant pro ...

cantiis et sinubus qui occurrunt in su-
perficie oris atque hinc ei arcte adhaer-
ent. omnis enim cohaesio non fit a contactu in
magnam superficiei partem qui ut fiat necesse
est ut corporum adhaerentium superficies sint
mutuo glabre politae et ut partes mutuo se
accommodent prominentiis alterius et in
hoc ultimo consistit natura Glutinis (omnis est omnis
in alio glutine ut [illegible] ipsi conglutinies)
et usus Calcis in aedificiis ut sit ceu in-
termedium duo corpora se magis tangant et sic
firmius cohaereant. Oleum habet partes
flexiles et se ramos qui infigimus poris
partes qui inhaerent at hinc difficulter
eocel. h.

32. §. Ad Detergentium naturam intelligen-
endam sciendum est quod ulcus ubi alicui infligitur
illico partis tubulos antea tensos in circuitum
resilire sine humores circular impediri et
labia ulceris intumescunt humoresque ibi
detenti ac calore partis digesti acrimoniam
recipiunt et panniculum quod affluit saniosum est
cum sordibus. tandem tubulis in pristinam rec-
titudinem fere restitutis ab impetu humo-
rum circulantium ac urgentium circulari
cur hinc magis libera fiat ipse succus
nutritius chilosus qui a sanguine secretus so-
lebat per tubulos fluere incipit denuo

prodire paulus tantum immutata quippe
moram quam sustinuit in tubulis omnium pla
ne expansis tum crassior tum acrior pau
lo evasit ac nunc Chyli legitimi venit
quod ... de Chyli nomine participat a
mica sua viscositate gummosa fibras in tu
bulos ulterius et ulterius propulsos ac ab utraque
parte sibi ☉ convenientes unit ac conglutinat.
Ipsis praemissis Detergentia non alia sunt
quam ... Aperientia circulatione ... obstructa ut
[illegible] excorio vestimentia, et acrimoniam
nimiam naturam fluentis (quae aliquando a fermento
ipsa partis [illegible] sublimentia sublimentia
lientia et rigentia non potest ac: servari [illegible]
mus [illegible] donec pure blande viscoso [illegible]
[illegible] fibris conjungantur

33. §. Narcotica ut [illegible] fuerunt
ad Sensum regendi Nerveas fibrillas atque
immersas arteriosis [illegible] ~~[illegible]~~ in-
natantes ac libere fluitantes et spiritu
[illegible] patenti [illegible] ventris de
fluentibus [illegible] ac distentas, quae [illegible]
[illegible] motus tremulus cuilibet partis recipi
nervosi impressus in [illegible] ad cerebri [illegible]
[illegible] attingit ... sensus fit. Sensus igitur
[illegible] fumores Coagulando quod fit a [illegible]
[illegible] gore eximie stuporem inducit ut [illegible] ab [illegible]
ut Camphorata [illegible] Nerveas fibrillas sensim

2 ut in [illegible] [illegible] fit quo in aere distendi [illegible] libere fluit at.

perscindendo ac dissolvendo ut ō amplius rev-
sa maneat sic fiunt dentibus stuporem
inferat ... partis suis leniendentibus
qui ō ... ō solo vis aceti infirm-
tas ... discisso ac in continuos re-
sikcnes restituunt et remediunt. ... modo
... sit contra ... adhibit
& 3. Spiritus assumendo & eorum generationem
impediendo. sic fugemus ... corpo-
ribus sit dormientes moriuntur ... cu ...
... ejus fibrillas oes ... ac
mixturam alienae ... ut ... inde separa-
ri possint spiritus a quorum defectu sit tandem
... et somnus. Qui sanguinem coagulan-
tia ... ab eo separentur invehiunt
atq ... possunt.

34. §. Attrahentia proprie dicta nulla
sunt humores cui suis tubulis inclusa certo
tramite ... fluunt nec retrahi in ...
... possit ... tubulo-
... vulgo sic dicimus sunt quae-
dam ... magis & minus Corrosiva qua
in partem cui applicantur ... penetrant
ac fibrillas tenues & articulationes ...
... tendunt fibras musculorum carnosas
transversum sibi invicem connectentes dis-
... ac destruunt ... & exinde fit
... fibrillarum illarum pori constantes ac ...
... minus obsequentes. ...

cis a: dis ruptis elevat situs aqueus in-
durat et circulas sistit ac hinc inte-
rtinuli et cutem aqua colligit sed si major
adsit salis vis fit vesiculas et sufflamin
si profundis. inflammat et sic vocatur Caute-
rium potentiale.

35. §. Repellentia dicunt quae se
materiam jam partis ingestam repellunt talia
sunt multis cui ut ante dictum dari potest re-
gressus humoris ea via qua accessit ubi
enim obstabunt fibrillae tubulorum transiens
aut humorum impetui et fluvio innatantium
situm obtinent 2do cursum torrentis hu-
morum per tubulos fluere conantium quae tu-
bulas adiutae assurgerent ac sese reflue
coegerunt. Sed repellentia dicunt quae
ulteriorem humoris ad partem aliquam affluxum
impediunt hoc fieri potest dupliciter
1o si in via qua humores affluxuri sunt
[illegible] ponatur una substantia antequam ad partem
affectam attingant hoc fiet si humores in
via coagularentur ita aliis adventuris
aditum excluserunt. 2 si tubuli per quos
humores nobis fluere debent ita constring-
antur ut per eorum angustiam fluxus liber hu-
moris denegetur. Sunt igitur Repellentia
sed Coagulantia et Astringentia atque eaedem
sunt Defensiva dicta circa vulnera
applicata vulgo. Sed quae Coagulant talia [illegible]

negacat ... exinde patet
Recentiorum usum semper esse periculosum nec
nunquam ... nisi ad evidens aliquod
majus malum evitandum.

36. §. Pus Generantia quorum sit
ex natura puris explicata 32. §. facile in-
telligitur ... quae faciunt ut massa chylosa
... nutritiva in sanguine abun-
det ea ... ad puris generationem ...
... externa ... faciunt nisi ... tubulos
lentius aperiendo et acrimoniam humoris pro-
fluentis minuendo ... fermentum
... vitiat ... restituendo ...
... humor ... affluat ab eo et
... sua natura ...

37. §. Carnem Generantia Nulla
sunt proprie dicta medicamenta externa sed im-
proprie ... carnem dicuntur generare
quod principia interna promovent et exter-
na impedimenta tollunt qualia sunt. 1. Quae Calorem
partis conservant quo ... ejus sit natura
ut transmittant aethereas et aetherinas
... tunc copiosiores ... fluere
solebat per venas sanguineas (ut stragula
faciunt ... nostro) Huic ... lucis
... et ... quae ... alia sint
aethereas transmittunt sanguini nostro ...
2. Quae tubulos et ulcus ab externo aere
defendunt ut Emplastica omnia externa ...

aeris frigus ex area circulariter in [illegible]
sisteret. 3. Si materia crassa viscida in
ulcere, vulneri stagnet et circa ejus latera co-
acervata tumorem faciat quem Contusio-
nem vocant Chirurgi quae sic [illegible] Fermen-
[illegible] in tumore illo quiescente excitant
illa eumque ita rarefaciunt ut ad effluendum
disponunt qualia sunt purgantia ut flores
compositiones illae magnae, [illegible] Theriaca
qua saepe utor vel quae sale paululum [illegible]
[illegible] sunt ut Aristol. Iris Flor: et [illegible]
ex quibus vulgo Cataplasmata sua faciunt
in tali casu Chirurgi. 4. Sordes imbibentia
ac acrimoniam saniei temperantia ut sit
pus laudabile primatum post quod ut caro gene-
ratur. Atque [illegible] quod appellant sordes detergere
vere hoc toto his [illegible] [illegible] nam
[illegible] [illegible] novus sordes [illegible] e quo
nisi sanies variis modis [illegible] fluit tum
detergere qui loco saniei prodit laudabile
pus atque sic eundemque cujus productioni [illegible]
[illegible] [illegible] (de qua antea) ea
bulsamus detergere dici possit.

38. §. Glutinantia fibras sibi mutuo
cohaerere faciunt Quietem cum qua omnis co-
haesio eis absque obstructione [illegible] inducendo. Talia [illegible]
sunt i. Mucilaginosa lenta et [illegible] [illegible] [illegible] aeream exhibens [illegible]
o [illegible] illa sit chylus sit ipsum gluten partim
2 plus crassis constantia terrea humiditatem
[illegible] in fluiditate consistit [illegible] et

Margin note: [illegible] tumor [illegible] [illegible] restituunt.

sic in motu absorbentia ut Lytharg.
Bolus sunt Astringentia.

39. §. Vulneraria sunt ea quae ex dictis aliqua potentia iis quorum conveniunt in multum et bonum chylum producendo. 2. quae cum fermentatione sanguinis procedunt eius impetum aliqualem pellant [illegible] obstructiones reserant et circulationes ipsas in vasis [illegible] [illegible] [illegible] sunt suntque insignia Decocta vulgo pscripta ex Agrimonia: Veron: Artem: Sabin: Flebomiel. Sanguisorb: &c: 3. quae acrimoniam sanguinis pendent ut tollunt ac sic partis [illegible] [illegible] ut [illegible] [illegible] impediunt cui sunt utilia potent ea [illegible] &c:

40. §. De calculum generantibus nihil particulare restat dicendum.

41. §. Lac generantia sunt quae copiosi chyli sanguinis succedunt [illegible] quae chylus sanguini minus admixtus inde separatur in ipsis mammis [illegible] [illegible] [illegible] [illegible] et [illegible] [illegible] mammarum fluens [illegible] [illegible] [illegible] atque [illegible] magnetis instar attrahit. Calida non augent Lac nisi in frigidis [illegible] [illegible] [illegible] [illegible] ea generantia [illegible] [illegible] modo.

Rubefacientia sunt quae initio inflammationis et erysipelatis introducunt modo in usitato dicto ut si corpore praeambulis haererent in poris cutis rotundo.

Desiccantia sunt quae sale suo penetrante per poros intime cumpunt fibrulas quibus sunt cuti adhaerenti quae in circumos resilientes sistunt humoris circulationem unde hinc fit collectio ac cutis a cuticula ulterior separa.

Adurentia sunt quae mordacitate sua fibrullas usque cutis disuecitunt eumque sunt et humoris in circulationem impeditionem pro visicule una cum ali mordaci involute Crustam constituunt.

Corrodentia sunt salina et acida cis caro in ulceribus fungosis tollitur.

Putrefacientia partes fibras per dissolvunt humoris circulationem sistunt atque adeo oeconomiam partis destruunt.

Essilothra cum praecedentibus eadem sunt omnia et differunt nisi per magis et minus.

Lac diminuentia sunt et coagulantia et fecta[?] lactes[?] infrin=

-centia & Exsiccantia.
. Semen Extinguentia sunt oia
Frigefacientia ut serum de lacte.
Purgantis Gradus extenditur
a tribus oibus regionibus sed a gradu
caloris qui excitant. si levis sit
calor tum sanguis spumat et ita
fiunt Laxantia, si major ita ut
ingrediantur poros partis solidas quam
... & valde potenter ingrediantur
... partis Cujus scopus purgatiis
... & tam ablato intemperiei sanguis
... reservare obstructis in partibus solidis)
... Quo Fortior sit
... et impetus in partes faciunt
vehementer et pulsus validus quibus
p obstructus.
Vomitoria Quos ventos velli-
... Eos fusus potius movent ...
... quae in combustione illa quae
fit ... ventris ... ...
... ut magis mobilis ... ...
... quae trajiciendo ...
... fixiore accedere

Ad Sennerti Instit. Med.

Lib. 5. part. 1. Sect. 1. Cap. 1.

Art. 1

[illegible]

Praecognita [illegible].

Ad Art. 13. 14 [illegible]

[illegible]

Item Capitis [illegible] Melancho, [illegible] Melancho, [illegible]

Ad Cap. 2.

Omnes [illegible] fiera

[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] Vide [illegible] part. 4.
Obj. [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
2° Obj. [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] Cap. [illegible] 10.

Calore [illegible] Medicina [illegible] ad
[illegible] manifestat [illegible] [illegible]
[illegible] particularia [illegible]
[illegible] [illegible] flexibiles [illegible] Ra-
[illegible] colorat [illegible] poros.

Roborat [illegible] particulari Medicamini [illegible]
[illegible]

Crassa [illegible] [illegible] [illegible]
[illegible] [illegible]
[illegible] [illegible] [illegible]
[illegible] repletione [illegible]
[illegible] hæmorrhagia [illegible]
[illegible] [illegible] Calore [illegible]
[illegible] [illegible] seu alte-
[illegible] ex [illegible] [illegible]
[illegible] [illegible] [illegible]
[illegible] [illegible]
[illegible] Cap. 4. 5. [illegible] 3. 7.
3. [illegible] Cap. 6. 11. 8. [illegible]

[illegible] [illegible]
[illegible] [illegible] [illegible] [illegible]
[illegible]

[illegible] [illegible] [illegible]
[illegible] [illegible]
[illegible] [illegible]
[illegible] [illegible]
[illegible] [illegible]
[illegible] [illegible]
[illegible] [illegible],
[illegible] [illegible],

[illegible] provenientia [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]

Quaedam figurae partis [illegible] quae
[illegible] qualitas [illegible]
[illegible]
[illegible]

Partis [illegible] figurae [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]

[illegible]
[illegible]
[illegible]
[illegible]
[illegible]

[illegible] in Melancholia in qualibet parte pro[illegible]
[illegible] frigida [illegible]

[illegible] sunt [illegible] in [illegible]
corporis [illegible] [illegible] quibus [illegible] medi-
[illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible] in qualibet
[illegible] [illegible] [illegible] de [illegible].
[illegible] [illegible] [illegible] cap. XIII.
[illegible] [illegible] cap. [illegible] XVII. [illegible]
[illegible] [illegible] cap. IV. [illegible]
[illegible] XV. [illegible] pharmaca cap. XXI. [illegible]
[illegible] [illegible] [illegible] cap. VII. [illegible]
[illegible] cap. XIV [illegible] [illegible] in [illegible]
[illegible] in [illegible] [illegible]. cap. XI. [illegible]
[illegible] [illegible] corporis [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible] pri-
[illegible] [illegible] [illegible] [illegible] [illegible]
morbi [illegible] [illegible] [illegible] [illegible]

[illegible] [illegible] frigidi et [illegible] humoris
[illegible] [illegible] et [illegible] [illegible]
[illegible] [illegible] [illegible] Cap. III. [illegible]
frigerantis [illegible] [illegible] [illegible] [illegible] in [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] in [illegible], [illegible] item in om
[illegible] [illegible] [illegible] [illegible] [illegible] in
[illegible] [illegible] [illegible] Cap. IV. [illegible]

[illegible] indicantia [illegible] distinguendae
[illegible] et [illegible] [illegible]. Cap. VI.
[illegible] [illegible] [illegible] et [illegible]
[illegible] et [illegible]. [illegible] supposit
in [illegible] [illegible] Cap. VII. [illegible]
[illegible] Cap. VIII. [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] et hinc [illegible] [illegible]
Cap. II [illegible] et [illegible] III. [illegible]. [illegible]
[illegible] tempore [illegible] [illegible] [illegible]
[illegible] [illegible], quemadmodum [illegible] [illegible],
[illegible] et [illegible] sunt [illegible] ad multis [illegible]. [illegible]
[illegible] [illegible] ad [illegible] [illegible]
[illegible] [illegible], [illegible] [illegible]
[illegible] [illegible] quid [illegible] superabili [illegible]
hoc [illegible] [illegible] in [illegible] [illegible]. [illegible]
[illegible] [illegible] [illegible]. [illegible] [illegible] in [illegible]
[illegible] [illegible] [illegible] [illegible], [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible]
[illegible]. [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible], ex quo [illegible] [illegible],
[illegible] [illegible] et [illegible] humore [illegible]
[illegible]: et cum tempore [illegible] [illegible]
[illegible] [illegible] propinqua [illegible] [illegible] [illegible]
et [illegible] [illegible] [illegible], [illegible] [illegible]
[illegible] et [illegible] [illegible], [illegible] [illegible]
[illegible], quae [illegible] [illegible] [illegible] [illegible] et
[illegible] [illegible] [illegible]. Florum [illegible] [illegible]
[illegible] [illegible], [illegible] [illegible] [illegible] [illegible]

nunquam intolerabilis [illegible]. Hinc ab
[illegible] [illegible] [illegible], [illegible]. Cau-
tica seu [illegible], [illegible] seu [illegible]
[illegible], phagedaenica [illegible].

[illegible] [illegible] rigida [illegible] [illegible],
[illegible] [illegible] [illegible] [illegible] [illegible], un-
[illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] Illa sunt ex [illegible] Mani
[illegible] [illegible] [illegible] [illegible] [illegible] [illegible], qui-
[illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible].
Quo [illegible] [illegible] [illegible] [illegible] [illegible] [illegible].
Et [illegible] [illegible] [illegible], cum [illegible] [illegible]
[illegible], ut [illegible] [illegible] accedunt [illegible] magis mi-
[illegible] [illegible], [illegible] [illegible] [illegible] a [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible].

At rigida [illegible] [illegible] solent [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible] comitantur, [illegible] [illegible] [illegible]
[illegible] de Induratione Cap. 3. [illegible] [illegible]. Quamvis
[illegible] [illegible] [illegible] Tumid. in Induratoribus.

[illegible] [illegible] [illegible] Mania [illegible] et [illegible]
[illegible] [illegible], dicunt [illegible] [illegible].

[illegible] a sanguine [illegible] [illegible] quoties crassi-
[illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] ō propterea satis [illegible] [illegible]
[illegible], [illegible] [illegible], affectus hypochondriacus
et [illegible] [illegible]. Sic ubi [illegible] [illegible]
[illegible], [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible], [illegible] [illegible] [illegible],

crassa et viscosa dividere, et nimiam aciditatem [illegible] apta [illegible] sunt, propterea dici [illegible] [illegible]. [illegible] [illegible] [illegible] [illegible] [illegible] apophlegmatiz[illegible] [illegible] [illegible] [illegible] [illegible], pectoralia, Cardi[illegible] [illegible] [illegible] Stomachica, Splenica, He-patica, Diuretica, [illegible], lactis et seminis pro-[illegible] juvantia, Alexipharmaca, diaphoretica, et [illegible] majori pollentia quae vulgo dicunt Sudori-[illegible], [illegible], [illegible]. [illegible] [illegible], Menses [illegible] [illegible] et foetus mortui [illegible] [illegible] exclusionem promoventia, Antinephritica, Ar-[illegible], scil. a causa tam acida quam crassa et viscosa: [illegible], [illegible], [illegible] [illegible] [illegible], [illegible] et Melancholiae attenuantia, digerentia et proprie [illegible], [illegible], attrahentia, [illegible] [illegible], [illegible], [illegible]facientia, Anaesthe-[illegible], [illegible] curantia auris, aliosque frigidos hu-[illegible], [illegible] et tinnitus [illegible] auferentia, [illegible] [illegible] omnes partes corroborantia

Hinc [illegible] aromatica exceptis paucis quae [illegible] [illegible] ad Sales [illegible] corrosivos [illegible] [illegible]. et fumigata. Alia quorum Salium principio [illegible] [illegible], sed lapsu temporis occulta et [illegible] [illegible] [illegible] aeris et [illegible] cum assiduo transeuntis, [illegible] in majorem [illegible], ut [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] Sinapi et Sudoris Acia

[illegible] [illegible] [illegible] [illegible] [illegible] notabilis [illegible] [illegible], [illegible] [illegible]

[illegible] firm[illegible] ob [illegible] visibi[illegible] [illegible]-
[illegible], tunc [illegible] [illegible] [illegible], [illegible] in Sang.
[illegible] [illegible] [illegible] [illegible] [illegible] [illegible]-
[illegible] [illegible]. [illegible] quam fiant [illegible] [illegible],
[illegible] [illegible] [illegible] Sanguinis omnio [illegible]-
[illegible], [illegible] [illegible] [illegible] destruenda, cu ratione
qua [illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] Scammon. [illegible] [illegible].
Euphorbii. [illegible] [illegible] [illegible] [illegible],
[illegible] [illegible] [illegible] [illegible] [illegible]-
[illegible] [illegible] Cap. 11. [illegible] [illegible] Et hoc
[illegible] [illegible] varijs gradibus [illegible] [illegible]-
[illegible], [illegible] [illegible], [illegible], [illegible] [illegible]-
[illegible] [illegible] [illegible]. [illegible] [illegible] [illegible]
[illegible] [illegible] humoris [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible], [illegible] [illegible] [illegible] [illegible]-
[illegible] [illegible], [illegible] [illegible] [illegible] turbato, Et [illegible]-
[illegible] [illegible]. [illegible] [illegible] [illegible] [illegible] [illegible]-
[illegible] reliqui [illegible] [illegible], [illegible] [illegible] solet
[illegible] [illegible] [illegible] [illegible] [illegible] [illegible] humore [illegible]-
[illegible], [illegible] [illegible] [illegible] [illegible] crustas.
Fermi[illegible] [illegible] [illegible] lepram, Elephantiasin [illegible]-
[illegible], [illegible] seu [illegible], [illegible]
[illegible] seu [illegible], [illegible], [illegible] [illegible].
[illegible] [illegible], lac [illegible] [illegible] [illegible]
Cap. [illegible]. Variolas, Morbillos, Exanthemata [illegible]
[illegible] [illegible], [illegible] [illegible] [illegible] [illegible] [illegible]-
[illegible] [illegible].
C. [illegible] [illegible] [illegible] [illegible] [illegible] [illegible]-
[illegible], [illegible] [illegible] [illegible] tanquam scabra [illegible]

[illegible] [illegible], adeoque [illegible] in [illegible] o
nisi modice [illegible]. [illegible] [illegible] [illegible]
24 parlaro modico magnitud. Sed [illegible] qua-
[illegible] scabie sunt [illegible] [illegible] attenuant crassiora
[illegible] [illegible]. [illegible] [illegible] valent contra
[illegible] [illegible] [illegible] [illegible] [illegible] generatu
[illegible] sua figura [illegible] [illegible] et quadra-
[illegible] [illegible] [illegible] in [illegible] [illegible] [illegible] [illegible] Corallibus.

Ad figuram quoque [illegible] parte ramosa quo
variis [illegible], [illegible] ramos numero, denique
varia longitudine crassitie et figuram terrestres
alumen [illegible], conficiunt variae pinguedinis
[illegible], [illegible] et [illegible]. Hae vulgo vocantur
[illegible] [illegible] [illegible] Cap. VI.

Si [illegible] [illegible] [illegible] [illegible], tum [illegible]
[illegible] [illegible] [illegible] [illegible] Cap. 6.
Vocanturque [illegible] Thoracica, Bechica, alia lubrican-
tia Sunt [illegible] maturantia et pus generantia, do-
lorem sedantia in quavis [illegible], [illegible] [illegible] [illegible]
[illegible] [illegible] et [illegible], tanquam [illegible] acurio-
ris [illegible]. Cap. 4. 7. 13. ant. ult. Eorum quo-
[illegible] [illegible] [illegible] [illegible] [illegible] [illegible].

[illegible] particula [illegible] [illegible] [illegible] [illegible]
et [illegible] [illegible] glutinantia, [illegible] [illegible] Cap. 6. Car-
nem generantia Cap. 9. Sed improprie quando-
[illegible] [illegible] caro ex [illegible] [illegible] [illegible] gigni de-
bet. [illegible] [illegible] [illegible] [illegible] impedimenta, cor-
[illegible] [illegible] vim [illegible] [illegible], et porro
[illegible] injurias aeris.

Mollia [illegible] [illegible] [illegible] o pre-

[illegible] in eodem tempore punctis se invi-
cem tangunt, sed nonnulli tremorem et [illegible]
aliquando ferre poss. [illegible] [illegible] [illegible] [illegible]
quo [illegible] [illegible] frequenter [illegible] [illegible] ser-
vant. Itaque impacta et haerentia in poris et tubulis
partium solidarum nostri corporis, reddunt ex illis ex
[illegible] [illegible], carnes schirrosas, glandulosas, strumosas
variasque [illegible] Indurantia Cap. VI. ubi
[illegible] [illegible] [illegible] [illegible] humiditati, [illegible] [illegible]
[illegible] [illegible] [illegible]. Appellantur [illegible] [illegible] [illegible] pig-
[illegible] [illegible] [illegible] [illegible]. Constant ut plurimum par-
ticulis [illegible] aliquomodo et viscosis, [illegible]
frigidis. Hic [illegible] Cortex ligna [illegible]
[illegible] lapid. pretios. Margarit. Coralia. [illegible]
[illegible] [illegible] [illegible] subito [illegible] in [illegible] et [illegible] so-
[illegible] [illegible] [illegible] [illegible], sed in corpore diu manen-
[illegible] [illegible] exhalant insensibiliter, et non
[illegible] [illegible] aliquot [illegible], demum ex-
[illegible] [illegible] magnos effectus, unde id-
circo a [illegible] quotidie [illegible] possunt [illegible]
[illegible] [illegible] [illegible] [illegible] cum [illegible] [illegible]
[illegible] aliquot [illegible] [illegible]. [illegible] habent omnia
[illegible] cum Cardiacis [illegible] [illegible] [illegible] sed
[illegible] [illegible] [illegible] [illegible] ipsis ad-
[illegible] [illegible] [illegible] aliud Medicament. [illegible] quod
sit spirituosum et volatile. Quod supplent id
[illegible] [illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] quos mox videbimus Cardiaci [illegible]
[illegible]

[illegible] [illegible] [illegible] olim corp[illegible] [illegible]
[illegible] ex [illegible] [illegible] [illegible]
[illegible] , o [illegible] [illegible] [illegible] co[illegible]
omnibus [illegible] [illegible] [illegible] continugant.
Id [illegible] [illegible] [illegible] diversa magnitudo
figurae [illegible] [illegible] [illegible] , [illegible] [illegible]
[illegible] [illegible] [illegible] , fulminis [illegible] e
[illegible] [illegible] [illegible] [illegible] nubibi inclusa, nub-
[illegible] [illegible] [illegible] corpora luis Um-
[illegible] [illegible] [illegible] (exempla [illegible] omnis dens-
[illegible] [illegible] [illegible] [illegible] nihilominus trans-
[illegible] [illegible] tantae densitatis coalitione passa
[illegible] [illegible] [illegible] [illegible] [illegible] poros si-
bi [illegible] [illegible] [illegible] cohaerentes particulas resp-
[illegible] [illegible] [illegible] [illegible] duri corpus
Quod [illegible] [illegible] [illegible] [illegible] habent ossa satis
magnos [illegible] [illegible] [illegible] carbones inflamma-
[illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] pulmones nostros respirando
[illegible] [illegible] [illegible] communicatus, nec non quod
a nobis [illegible] [illegible] [illegible] [illegible], et ex phy-
[illegible] [illegible] constet, [illegible] dari involvere contradic-
tione, consequenter [illegible] [illegible] assidue fluere ma-
teriam aliquam [illegible] [illegible], quae si talis au-
[illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] ab
[illegible] [illegible] [illegible] [illegible], hinc non solet ea
fermentatio [illegible] [illegible] [illegible] [illegible] medicam-
[illegible] [illegible] [illegible] solo [illegible] [illegible]
[illegible], si forte [illegible] [illegible] debilior

[illegible] [illegible], [illegible] [illegible]. Ubi in casu
[illegible] [illegible] assumpta [illegible] Cardiaca [illegible]
[illegible]. [illegible] assumpta [illegible] [illegible] [illegible]
[illegible], et [illegible] [illegible] [illegible] effectum, quo for
[illegible] [illegible] decursu decursu [illegible] [illegible]
sensibilis [illegible] [illegible] [illegible] [illegible] [illegible]
comparando statu aegri praesenti cum statu pristino.
[illegible] [illegible] [illegible] O C [illegible], [illegible]
[illegible] [illegible] [illegible]. [illegible] [illegible] medi-
[illegible] [illegible] philosophantur [illegible] ad Zwelferum [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] quippe quae in substantia [illegible] corpori [illegible]
[illegible].
Et [illegible] [illegible] [illegible] subtilissimi [illegible] aut circu-
[illegible] [illegible] [illegible] [illegible] [illegible] per poros nostri
sanguinis [illegible] [illegible], [illegible] [illegible] [illegible] fermen-
[illegible] sanguinis [illegible] maxime [illegible], [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible] illa [illegible] [illegible] [illegible]
conflictu [illegible] [illegible] [illegible] [illegible], [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] per po-
[illegible] [illegible] [illegible] sanguinis particulas [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible]. [illegible] aut [illegible]
[illegible] [illegible] illa [illegible] [illegible] subtilissima [illegible]-
[illegible] [illegible] [illegible] [illegible] magis et [illegible]
[illegible]. [illegible] figura [illegible] nostro sanguine [illegible]-
[illegible] [illegible] magis [illegible] [illegible] magnitudine
et figuram servandis [illegible] [illegible] [illegible]-
[illegible] ordinata [illegible] [illegible] [illegible] [illegible] [illegible]-
[illegible] [illegible] [illegible], [illegible] [illegible] [illegible]

[illegible] quo ordine [illegible] f[illegible] [illegible] [illegible] corpori, sed præsentissime [illegible] inferunt [illegible] quales sunt petechiales et pestilentiales, in quibus sub [illegible] sanguini naturali incipit succumbere, unde mixtura sanguinis [illegible] longe recedit a consueto particulari ordine ut vix spes [illegible] [illegible] peregrini [illegible] superandi, et ex sanguine [illegible] [illegible] [illegible] [illegible] sanguinis [illegible]. Quemadmodum vix unquam [illegible] [illegible] [illegible] [illegible] aut [illegible] quo [illegible] fulminis [illegible] sua transivit, quoniam mixtura particularis per influxum [illegible] [illegible] paralleli [illegible] [illegible] [illegible] [illegible] turbat, ut ad visum fuit [illegible] [illegible] quoad corporis longissime mutata.

Omnia igitur quæ mediantibus [illegible] [illegible] tales in sanguine inferunt [illegible] dicuntur venena [illegible] generis. Quæ vulgo dicuntur occulta qualitate aut [illegible] substantia ~~[illegible]~~ agere.

Si vero e contrario inveniuntur quædam ipsa quæ mediantibus [illegible] [illegible] [illegible] in sanguine [illegible] [illegible] aliquem insolito quidem sed [illegible] [illegible] qui contrarius [illegible] [illegible] [illegible] [illegible] [illegible], adeo ut fermentationi simul ab [illegible] nostro et hoc insolito simul incipiant invalescere, mixtura sanguinis [illegible] et [illegible] [illegible] [illegible]
[illegible] ex sanguine aut per insensibiles transpirationes [illegible] [illegible] sudores aut per bubones et anthraces ad circumferentiam corporis [illegible], [illegible] illa dicuntur

Alia pharmaca, quae vteri solent diu occultare agere.

Quaeque obstant [illegible] aliquod simul esse primi et secundi generis. Sic experientia quoque [illegible]tem ♀ curiosius in sanguine [illegible] impetum [illegible] [illegible] [illegible] [illegible] [illegible] [illegible].

33 blank leaves not scanned

